

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (L) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT LITRES %	VOLUME LITRES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
02010356	7.7	6.0	6.0	716	714	6.0	6.0	716	714	22.6	17.7	77.4	82.3	0.3	0.2	0.0	0.0
02010372	7.9	5.7	5.7	684	683	5.7	5.7	684	683	27.4	21.1	72.6	78.9	0.2	0.2	0.0	0.0
02010380	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.5	20.9	68.5	79.1	0.2	0.2	0.0	0.0
02010402	7.8	5.9	5.9	705	704	5.9	5.9	705	704	24.0	19.0	76.0	81.0	0.2	0.2	0.0	0.0
02010445	8.0	5.8	5.8	694	692	5.8	5.8	694	692	27.9	19.9	72.1	80.1	0.3	0.3	0.0	0.0
02010453	8.2	5.8	5.8	700	697	5.8	5.8	700	697	29.0	19.6	71.0	80.4	0.3	0.3	0.0	0.0
02010461	7.8	5.9	5.9	713	711	5.9	5.9	713	711	23.8	17.9	76.2	82.1	0.2	0.2	0.0	0.0
02010488	7.9	5.7	5.7	681	680	5.7	5.7	681	680	28.0	21.4	72.0	78.6	0.2	0.2	0.0	0.0
02010500	7.9	5.5	5.5	664	662	5.5	5.5	664	662	30.2	23.3	69.8	76.7	0.2	0.2	0.0	0.0
02010518	8.1	5.6	5.6	670	669	5.6	5.6	670	669	30.5	23.0	69.5	77.0	0.2	0.2	0.0	0.0
02010526	8.0	6.1	6.1	728	726	6.1	6.1	728	726	24.1	16.1	75.9	83.9	0.2	0.2	0.0	0.0
02010534	8.0	6.1	6.1	728	727	6.1	6.1	728	727	24.5	16.4	75.5	83.6	0.1	0.1	0.0	0.0
02010542	7.8	6.0	5.9	714	713	6.0	5.9	714	713	23.3	17.7	76.7	82.3	0.2	0.2	0.0	0.0
02010569	7.8	5.9	5.9	708	707	5.9	5.9	708	707	23.9	18.3	76.1	81.7	0.2	0.2	0.0	0.0
02010577	7.8	5.9	5.8	702	700	5.9	5.8	702	700	25.3	19.0	74.7	81.0	0.2	0.2	0.0	0.0
02010585	7.8	5.9	5.9	712	711	5.9	5.9	712	711	23.9	17.8	76.1	82.2	0.2	0.2	0.0	0.0
02010593	7.8	5.8	5.8	697	696	5.8	5.8	697	696	25.7	19.5	74.3	80.5	0.2	0.2	0.0	0.0
02010615	7.8	6.0	6.0	719	718	6.0	6.0	719	718	23.2	17.5	76.8	82.5	0.2	0.2	0.0	0.0
02010631	7.8	6.0	5.9	714	712	6.0	5.9	714	712	23.7	17.4	76.3	82.6	0.2	0.2	0.0	0.0
02010640	7.8	6.0	6.0	720	718	6.0	6.0	720	718	22.8	17.4	77.2	82.6	0.2	0.2	0.0	0.0
02010658	7.9	6.0	6.0	716	715	6.0	6.0	716	715	23.9	17.4	76.1	82.6	0.2	0.2	0.0	0.0
02010666	8.3	5.9	5.9	701	700	5.9	5.8	701	700	29.5	19.7	70.5	80.3	0.2	0.2	0.0	0.0
02010674	8.3	5.8	5.8	696	694	5.8	5.8	696	694	30.1	20.2	69.9	79.8	0.2	0.2	0.0	0.0
02010682	8.3	5.8	5.8	699	697	5.8	5.8	699	697	29.5	19.8	70.5	80.2	0.2	0.2	0.0	0.0
02010690	8.4	5.9	5.9	707	705	5.9	5.9	707	705	29.8	19.3	70.2	80.7	0.2	0.2	0.0	0.0
02010739	8.1	6.0	6.0	720	720	6.0	6.0	720	720	26.1	17.4	73.9	82.6	0.0	0.0	0.0	0.0
02010753	7.8	5.7	5.7	686	685	5.7	5.7	686	685	26.9	20.9	73.1	79.1	0.2	0.2	0.0	0.0
02010879	8.3	4.4	4.4	527	527	4.4	4.4	527	527	47.1	40.2	52.9	59.8	0.0	0.0	0.0	0.0
02010887	10.6	4.4	4.4	530	530	4.4	4.4	530	530	58.2	39.6	41.8	60.4	0.0	0.0	0.0	0.0
02010895	7.8	5.9	5.9	704	703	5.9	5.9	704	703	25.0	18.7	75.0	81.3	0.2	0.2	0.0	0.0
02010992	8.3	5.8	5.8	701	699	5.8	5.8	701	699	29.7	19.4	70.3	80.6	0.2	0.2	0.0	0.0
02011107	7.2	7.2	7.2	864	864	7.2	7.2	864	864	0.4	0.3	99.7	99.7	0.0	0.0	0.0	0.0
02011182	7.7	7.7	7.7	919	919	7.7	7.7	919	919	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02011220	8.4	5.9	5.8	702	700	5.9	5.8	702	700	30.0	19.5	70.0	80.5	0.2	0.2	0.0	0.0
02011247	7.9	7.9	7.9	951	950	7.9	7.9	951	950	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02011387	7.1	7.1	7.1	856	856	7.1	7.1	856	856	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02011395	7.3	7.3	7.3	875	875	7.3	7.3	875	875	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02011484	7.6	7.6	7.6	908	908	7.6	7.6	908	908	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02011573	7.3	7.3	7.3	879	879	7.3	7.3	879	879	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02011581	7.8	6.0	6.0	725	724	6.0	6.0	725	724	22.0	16.4	78.0	83.6	0.2	0.2	0.0	0.0
02011719	7.5	7.5	7.5	900	900	7.5	7.5	900	900	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02011816	10.2	4.4	4.4	532	532	4.4	4.4	532	532	56.6	39.1	43.4	60.9	0.0	0.0	0.0	0.0
02011824	7.3	6.6	6.6	794	794	6.6	6.6	794	794	8.7	39.1	92.0	92.0	0.0	0.0	0.0	0.0
02011859	8.3	5.8	5.8	702	700	5.8	5.8	702	700	29.7	19.7	70.3	80.3	0.2	0.2	0.0	0.0
02011930	9.0	5.8	5.8	691	690	5.8	5.8	691	690	35.7	20.7	64.3	79.3	0.2	0.2	0.0	0.0
02011948	7.8	5.9	5.9	710	708	5.9	5.9	709	708	24.1	18.5	75.9	81.5	0.2	0.2	0.0	0.0
02012049	7.1	7.1	7.1	855	855	7.1	7.1	855	855	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02012065	7.4	7.0	7.0	840	840	7.0	7.0	840	840	4.7	3.7	95.3	96.3	0.0	0.0	0.0	0.0
02012111	8.2	5.9	5.9	707	705	5.9	5.9	707	705	27.8	17.7	72.2	82.3	0.2	0.2	0.0	0.0
02012120	7.9	5.7	5.7	687	686	5.7	5.7	687	686	27.2	21.4	72.8	78.6	0.1	0.1	0.0	0.0
02012227	8.7	4.2	4.2	509	509	4.2	4.2	509	509	51.3	42.7	48.7	57.3	0.0	0.0	0.0	0.0
02012308	9.6	5.4	5.3	642	641	5.4	5.3	642	641	44.2	26.5	55.8	73.5	0.1	0.1	0.0	0.0
02012316	8.0	5.6	5.6	673	672	5.6	5.6	673	672	29.7	22.8	70.3	77.2	0.2	0.2	0.0	0.0
02012359	7.9	5.8	5.8	696	695	5.8	5.8	696	695	26.3	19.8	73.7	80.2	0.1	0.1	0.0	0.0
02012367	7.9	6.0	5.9	714	713	6.0	5.9	714	713	24.3	17.3	75.7	82.7	0.2	0.2	0.0	0.0
02012375	7.8	5.9	5.9	712	710	5.9	5.9	712	710	24.1	17.7	75.9	82.3	0.2	0.2	0.0	0.0
02012391	7.9	5.9	5.9	703	701	5.9	5.9	703	701	25.9	19.0	74.1	81.0	0.2	0.2	0.0	0.0
02012472	8.3	6.1	6.1	729	727	6.1	6.1	729	727	26.5	16.6	73.5	83.4	0.2	0.2	0.0	0.0
02012529	7.8	5.6	5.6	670	669	5.6	5.6	670	669	28.8	23.0	71.2	77.0	0.1	0.1	0.0	0.0
02012553	8.3	5.8	5.8	700	698	5.8	5.8	700	698	28.5	20.9	70.3	80.1	0.2	0.2	0.0	0.0
02012588	8.3	5.8	5.8	700	698	5.8	5.8	700	698	29.9	20.1	70.1	79.9	0.2	0.2	0.0	0.0
02012596	8.4	5.9	5.9	709	707	5.9	5.9	709	707	29.3	19.2	70.7	80.8	0.2	0.2	0.0	0.0
02012626	7.8	6.0	6.0	716	716	6.0	6.0	716	716	22.9	17.7	77.1	82.3	0.1	0.1	0.0	0.0
02012634	7.8	6.0	6.0	716	714	6.0	6.0	716	714	23.5	17.3	76.5	82.7	0.2	0.2	0.0	0.0
02012669	8.3	5.9	5.9	707	705	5.9	5.9	707	705	29.2	19.1	70.8	80.9	0.2	0.2	0.0	0.0
02012677	8.3	5.9	5.9	705	703	5.9	5.9	705	703	29.2	19.3	70.8	80.7	0.2	0.2	0.0	0.0
02012707	8.4	5.9	5.9	710	709	5.9	5.9	710	709	29.0	18.8	71.0	81.2	0.2	0.2	0.0	0.0
02012871	8.3	5.9	5.9	709	707	5.9	5.9	709	707	28.5	19.1	71.5	80.9	0.2	0.2	0.0	0.0
02012880	7.8	5.8	5.8	697	696	5.8	5.8	697	696	25.8	19.4	74.2	80.6	0.2	0.2	0.0	0.0
02014017	7.7	6.2	6.2	748	748	6.2	6.2	748	748	18.5	14.2	81.5	85.8	0.0	0.0	0.0	0.0
02014335	7.6	6.4	6.4	769	767	6.4	6.4	769	767	15.8	11.9	84.2	88.1	0.3	0.3	0.0	0.0
02014343	9.6	5.4	5.4	653	652	5.4	5.4	653	652	43.2	24.5	56.8	75.5	0.1	0.2	0.0	0.0
02014408	6.1	6.0	6.0	719	719	6.0	6.0	719	719	1.7	1.1	98.3	98.9	0.0	0.0	0.0	0.0
02014564	8.4	0.2	0.2	23	23	0.2	0.2	23	23	97.0	96.8	3.0	3.2	0.8	0.8	0.0	0.0
02014580	8.3	3.4	3.4	409	409	3.4	3.4	409	409	59.2	53.8	40.8	46.2	0.0	0.0	0.0	0.0
02014670	11.6	1.5	0.5	174	59	1.5	0.5	174	59	48.1	27.5	51.9	72.5	47.7	66.2	0.0	0.0
02014696	6.4	3.1	3.1	606	606	3.1											

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
02016208	6.5	6.4	6.3	762	759	6.4	6.3	762	759	0.0	0.0	100.0	100.0	0.0	0.0	3.2	0.4
02016209	8.2	5.9	5.9	712	711	5.9	5.9	712	711	27.8	18.5	72.2	81.5	0.2	0.2	0.0	0.0
02016211	8.9	2.3	1.7	274	208	2.3	1.7	274	208	53.5	50.8	46.5	49.2	0.0	0.0	27.0	24.0
02016212	9.8	1.2	0.8	144	101	1.2	0.8	144	101	54.8	55.2	45.2	44.8	0.0	0.0	36.7	30.3
02016213	9.9	1.3	0.9	156	109	1.3	0.9	156	109	54.4	55.2	45.6	44.8	0.0	0.0	36.4	30.1
02016214	9.9	1.3	0.9	159	108	1.3	0.9	159	108	54.3	55.3	45.7	44.7	0.0	0.0	36.6	31.9
02016215	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
02016216	9.3	2.4	1.6	282	186	2.4	1.6	282	186	43.8	43.0	56.2	57.0	0.0	0.0	39.5	33.9
02016217	8.9	2.3	1.7	274	208	2.3	1.7	274	208	53.5	50.8	46.5	49.2	0.0	0.0	27.0	24.0
02016218	8.4	2.2	1.2	264	149	2.2	1.2	264	149	43.4	38.7	56.6	61.3	0.0	0.0	41.7	45.5
02016219	8.9	7.3	0.3	876	40	7.3	0.3	876	40	0.4	0.5	99.6	99.5	0.0	0.0	95.8	95.4
02016220	13.9	2.1	1.2	247	149	2.1	1.2	247	149	60.1	42.8	39.9	57.2	0.1	0.2	30.8	39.5
02016221	13.1	2.1	1.2	256	146	2.1	1.2	256	146	55.2	40.0	44.8	60.0	0.2	0.3	35.4	42.4
02016222	14.0	2.1	1.3	246	151	2.1	1.3	246	151	61.1	44.1	38.9	55.9	0.2	0.3	29.8	38.2
02016223	12.7	2.4	1.5	293	177	2.4	1.5	293	177	54.3	40.0	45.7	60.0	0.2	0.2	33.9	39.2
02016224	10.5	0.0	0.0	0	0	0.0	0.0	0	0	12.5	18.0	87.5	82.0	0.0	0.0	87.5	82.0
02016225	9.7	1.2	0.5	147	58	1.2	0.5	147	58	25.0	33.2	75.0	66.8	0.0	0.0	70.0	60.7
02016227	9.7	4.3	2.2	520	265	4.3	2.2	520	265	21.2	20.7	78.8	79.3	0.0	0.0	55.8	49.0
02016228	6.7	5.6	4.0	673	481	5.6	4.0	673	481	11.7	4.4	88.3	95.6	0.2	0.1	28.0	28.4
02016229	11.7	3.4	3.4	411	411	3.4	3.4	411	411	70.8	55.9	29.2	44.1	0.0	0.0	0.0	0.0
02016230	9.8	2.1	1.2	256	140	1.8	0.9	213	109	39.5	37.8	60.5	62.2	0.0	0.0	48.6	45.3
02016231	12.0	1.4	0.8	168	94	1.4	0.8	168	94	60.2	43.7	39.8	56.3	33.2	44.0	0.0	0.0
02016232	14.0	2.1	1.3	246	151	2.1	1.3	246	151	61.1	44.1	38.9	55.9	0.2	0.3	29.8	38.2
02016233	12.7	2.4	1.5	293	177	2.4	1.5	293	177	54.3	40.0	45.7	60.0	0.2	0.2	33.9	39.2
02016234	7.4	6.6	6.6	794	794	6.6	6.6	794	794	9.9	8.6	90.1	91.4	0.0	0.0	0.0	0.0
02016235	9.6	2.1	1.4	249	167	2.1	1.4	249	167	62.4	47.8	37.6	52.2	0.0	0.0	23.0	32.9
02016236	7.6	4.2	3.1	501	376	4.2	3.1	501	376	27.2	22.6	62.8	77.4	0.0	0.0	21.6	24.9
02016240	9.0	2.3	1.7	274	209	2.3	1.7	274	209	53.6	50.8	46.4	49.2	0.0	0.0	26.9	24.0
02016242	8.9	2.5	1.9	294	227	2.5	1.9	294	227	52.8	49.7	47.2	50.3	0.0	0.0	25.9	22.8
02016252	8.3	3.6	3.6	433	433	3.6	3.6	433	433	56.6	52.0	43.4	48.0	0.0	0.0	0.0	0.0
02016255	8.4	4.5	4.5	534	534	4.5	4.5	534	534	46.9	38.7	53.1	61.3	0.0	0.0	0.0	0.0
02016256	8.8	4.0	4.0	485	482	3.4	2.8	406	332	53.6	44.5	46.4	55.5	0.0	0.0	0.5	0.7
02016257	8.5	4.8	4.4	579	526	4.8	4.4	579	526	37.9	31.1	62.1	68.9	0.2	0.2	10.5	9.0
02016576	7.8	5.9	5.9	703	702	5.9	5.9	703	702	24.8	19.1	75.2	80.9	0.2	0.2	0.0	0.0
02016589	7.9	5.9	5.9	703	701	5.9	5.9	703	701	25.9	19.0	74.1	81.0	0.2	0.2	0.0	0.0
02016679	8.1	5.0	5.0	596	596	5.0	5.0	596	596	38.8	31.4	61.2	68.6	0.0	0.0	0.0	0.0
02016681	8.4	5.0	5.0	602	602	5.0	5.0	602	602	40.4	32.0	59.6	68.0	0.0	0.0	0.0	0.0
02016684	8.5	4.7	4.6	560	550	4.7	4.6	560	550	44.8	38.6	55.2	61.4	0.0	0.0	1.4	1.7
02016814	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.0	0.0	0.0	0.0
02016815	7.8	5.7	5.7	688	687	5.7	5.7	688	687	26.7	20.3	73.3	79.7	0.2	0.2	0.0	0.0
02016816	7.8	5.8	5.7	689	684	5.8	5.7	689	684	25.8	19.8	74.2	80.2	0.2	0.2	0.4	0.5
02016817	7.7	5.9	5.9	713	711	5.9	5.9	713	711	22.8	17.9	77.2	82.1	0.3	0.2	0.0	0.0
02016818	7.9	6.1	6.1	729	727	6.1	6.1	729	727	22.7	16.5	77.3	83.5	0.2	0.2	0.0	0.0
02016819	7.9	6.0	6.0	720	718	6.0	6.0	720	718	23.6	17.2	78.4	85.2	0.2	0.2	0.0	0.0
02016820	8.1	5.9	5.8	702	700	5.9	5.8	702	700	27.2	19.1	72.8	80.9	0.2	0.2	0.0	0.0
02016832	8.1	5.9	5.8	702	700	5.9	5.8	702	700	27.2	19.1	72.8	80.9	0.2	0.2	0.0	0.0
02016847	8.2	5.8	5.7	690	688	5.8	5.7	690	688	29.9	20.4	70.1	79.6	0.2	0.2	0.0	0.0
02016862	8.0	5.9	5.9	710	708	5.9	5.9	710	708	25.7	18.3	74.3	81.7	0.2	0.2	0.0	0.0
02016863	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
02016864	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
02016865	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
02016866	7.9	5.9	5.9	708	707	5.9	5.9	708	707	25.0	18.4	75.0	81.6	0.2	0.2	0.0	0.0
02016867	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
02016868	8.0	5.8	5.8	699	698	5.8	5.8	699	698	27.2	19.4	72.8	80.6	0.2	0.2	0.0	0.0
02016869	8.3	5.8	5.8	695	693	5.8	5.8	695	693	30.1	20.1	69.9	79.9	0.2	0.2	0.0	0.0
02016872	8.1	6.0	6.0	717	715	6.0	6.0	717	715	26.3	18.2	73.7	81.8	0.2	0.2	0.0	0.0
02016875	8.2	6.0	5.9	714	712	6.0	5.9	714	712	27.2	18.5	72.8	81.5	0.2	0.2	0.0	0.0
02016876	8.0	5.8	5.8	697	695	5.8	5.8	697	695	27.2	19.7	72.8	80.3	0.2	0.2	0.0	0.0
02016877	8.0	5.8	5.8	697	695	5.8	5.8	697	695	27.2	19.7	72.8	80.3	0.2	0.2	0.0	0.0
02016878	8.0	5.8	5.8	699	697	5.8	5.8	699	697	25.8	19.5	72.8	80.5	0.2	0.2	0.0	0.0
02016879	8.3	5.7	5.7	686	684	5.7	5.7	686	684	31.1	21.0	68.9	79.0	0.2	0.2	0.0	0.0
02016883	7.8	5.9	5.9	713	712	5.9	5.9	713	712	23.7	17.8	76.3	82.2	0.1	0.1	0.0	0.0
02016886	7.9	5.2	5.2	626	626	5.2	5.2	626	626	34.1	27.0	65.9	73.0	0.0	0.0	0.0	0.0
02016887	7.8	6.1	6.1	732	732	6.1	6.1	732	732	21.4	17.0	78.6	83.0	0.0	0.0	0.0	0.0
02016888	8.2	5.8	5.7	690	688	5.8	5.7	690	688	29.6	20.6	70.4	79.4	0.2	0.2	0.0	0.0
02016889	8.3	5.7	5.7	683	681	5.7	5.7	683	681	31.4	21.4	68.6	78.6	0.2	0.2	0.0	0.0
02016891	7.9	6.0	6.0	724	724	6.0	6.0	724	724	23.6	17.4	76.4	82.6	0.0	0.0	0.0	0.0
02016892	7.9	6.0	6.0	723	723	6.0	6.0	723	723	23.5	17.3	76.5	82.7	0.0	0.0	0.0	0.0
02016897	8.1	5.3	5.3	639	639	5.3	5.3	639	639	34.1	28.5	65.9	71.5	0.0	0.0	0.0	0.0
02017101	8.8	3.1	1.2	377	139	3.1	1.2	377	139	26.5	19.9	73.5	80.1	59.5	62.0	0.8	1.1
02017102	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.2	0.8	1.1
02017103	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.1	0.8	1.1
02017104	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.2	0.8	1.1
02017105	8.8	3.2	1.2	378	139	3.2	1.2	378	139	26.5	19.8	73.5	80.2	59.6	62.1	0.8	1.1
02017106	8.8	3.2	1.2	379	139	3.2	1.2	380	139	26.4	19.7	73.5	80.3	59.6	62.2	0.8	1.1
02017108	8.8	3.1	1.2	373	138	3.1	1.2	373	138	26.5	20.4	73.5	79.6	59.5	61.9	0.8	1.1

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
02017184	8.4	2.1	0.3	247	40	2.1	0.3	247	40	12.7	11.1	87.3	88.9	82.7	83.2	0.6	0.7
02017185	8.4	2.1	0.3	248	41	2.1	0.3	248	41	13.2	11.4	86.8	88.6	82.1	82.6	0.6	0.8
02017186	8.6	1.9	0.3	233	30	1.9	0.3	233	30	12.4	9.4	87.6	90.6	84.4	86.9	0.2	0.3
02017187	8.4	2.2	0.5	258	64	2.2	0.5	258	64	18.9	16.7	81.1	83.3	73.8	74.1	1.0	1.2
02017188	8.4	3.5	0.9	420	105	3.5	0.9	420	105	15.6	12.6	84.4	87.4	73.5	74.3	0.5	0.7
02017189	8.6	1.1	0.1	128	16	1.1	0.1	128	16	12.8	10.3	87.2	89.7	85.3	87.2	0.3	0.4
02017194	8.6	1.2	0.2	141	19	1.2	0.2	140	19	14.7	11.4	85.3	88.6	83.2	86.0	0.2	0.2
02017196	8.5	3.4	0.9	402	108	3.4	0.9	402	108	16.5	13.8	83.5	86.2	72.3	72.5	0.5	0.7
02017197	8.8	2.0	0.5	244	60	2.0	0.5	244	60	21.2	16.8	78.8	83.2	72.8	75.0	0.3	0.4
02017221	8.4	3.4	1.0	407	114	3.4	1.0	407	114	16.5	14.2	83.5	85.8	71.7	71.3	0.6	0.7
02017247	8.8	3.1	1.1	377	134	3.1	1.1	377	134	26.7	19.6	73.3	80.4	59.7	63.1	0.9	1.2
02017285	8.8	3.1	1.1	369	134	3.1	1.1	369	134	26.6	20.2	73.4	79.8	59.8	62.7	0.9	1.2
02017286	8.8	3.1	1.1	374	134	3.1	1.1	374	134	26.6	19.8	73.4	80.2	59.8	63.0	0.9	1.2
02017288	8.7	3.3	1.2	399	149	3.3	1.2	399	149	25.2	19.8	74.8	80.2	59.6	61.6	0.8	1.1
02017289	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	20.0	73.5	80.0	59.6	62.3	0.8	1.1
02017290	8.8	3.1	1.2	376	139	3.1	1.2	376	139	26.5	19.9	73.5	80.1	59.6	61.9	0.8	1.1
02017400	9.2	2.8	2.8	330	330	2.8	2.8	330	330	70.0	65.7	30.0	34.3	0.0	0.0	0.0	0.0
02018107	8.8	3.1	1.2	376	138	3.1	1.2	376	138	26.5	20.3	73.5	79.7	59.6	62.1	0.8	1.1
02018132	8.7	4.2	1.9	505	224	4.2	1.9	505	224	22.6	16.2	77.4	83.8	55.4	54.9	0.6	0.8
02018133	8.9	4.2	2.0	508	242	4.2	2.0	508	242	24.5	17.7	75.5	82.3	52.1	51.7	0.6	0.8
02018134	8.7	3.8	1.3	453	158	3.8	1.3	453	158	20.1	15.0	79.9	85.0	64.0	64.3	0.6	0.7
02018135	8.8	4.3	1.9	512	223	4.3	1.9	512	223	21.5	15.6	78.5	84.4	56.8	55.8	0.5	0.7
02018136	8.8	3.9	1.6	465	188	3.9	1.6	465	188	23.1	17.1	76.9	82.9	58.6	58.9	0.6	0.8
02018137	8.5	3.5	1.3	413	157	3.5	1.3	413	157	22.6	18.8	77.4	81.2	61.4	61.3	0.6	0.8
02018138	8.6	3.7	1.2	444	139	3.7	1.2	444	139	20.5	15.1	79.5	84.9	65.5	67.9	0.5	0.7
02018139	8.6	0.4	0.4	234	44	2.0	0.4	234	44	14.9	13.2	85.1	86.8	80.0	80.2	0.7	0.9
02018148	8.6	0.1	0.1	10	2	0.1	0.1	222	54	18.0	15.6	82.0	84.4	81.6	84.0	0.2	0.2
02018151	13.6	1.5	0.6	185	71	1.5	0.6	185	71	58.2	31.3	41.8	68.7	36.9	60.4	0.6	1.1
02018152	8.4	0.9	0.0	112	6	0.9	0.0	112	6	5.9	4.6	94.1	95.4	93.3	94.5	0.3	0.3
02018168	8.6	2.0	0.2	243	30	2.0	0.2	243	30	11.6	8.8	88.4	91.2	85.2	87.4	0.3	0.3
02018170	8.5	2.0	0.3	237	30	2.0	0.3	237	30	11.6	9.3	88.4	90.7	85.1	86.7	0.4	0.4
02018172	8.9	1.6	0.4	192	49	1.6	0.4	192	49	26.5	20.6	73.5	79.4	68.4	73.6	0.6	0.7
02018174	8.7	1.2	0.1	144	17	1.2	0.1	144	17	12.9	9.4	87.1	90.6	85.1	87.9	0.4	0.4
02018175	8.7	2.1	0.4	252	47	2.1	0.4	252	47	17.7	13.5	82.3	86.5	77.4	80.9	0.4	0.5
02018176	8.9	1.0	0.1	121	16	1.0	0.1	121	16	16.9	11.3	83.1	88.7	81.0	85.9	0.6	0.7
02018180	8.4	3.2	1.0	386	122	3.2	1.0	386	122	19.8	17.3	80.2	82.7	67.0	67.2	1.2	1.4
02018181	8.8	2.0	0.4	243	50	2.0	0.4	243	50	20.2	14.3	79.8	85.7	74.4	78.5	0.7	0.9
02018199	8.7	0.9	0.1	105	17	0.9	0.1	105	17	17.3	13.6	82.7	86.4	81.1	84.0	0.0	0.0
02018248	8.6	0.3	0.0	32	5	0.3	0.0	32	5	16.4	13.8	83.6	86.2	82.8	84.9	0.4	0.4
02018316	7.9	7.9	7.9	950	950	7.9	7.9	950	950	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02018317	8.3	2.4	0.2	293	19	2.4	0.2	293	19	4.7	4.3	95.3	95.7	93.3	93.6	0.1	0.1
02018325	8.8	4.2	1.6	508	189	4.2	1.6	508	189	21.2	14.4	78.8	85.7	60.5	62.5	0.5	0.6
02018326	8.6	4.4	1.6	526	187	4.4	1.6	526	187	19.4	13.7	80.6	86.3	61.8	63.3	0.5	0.6
02019190	8.5	1.9	0.5	222	65	1.9	0.5	222	65	23.3	15.2	79.7	81.2	69.1	69.2	1.2	1.2
02019191	8.5	1.9	0.6	222	66	1.9	0.6	222	66	23.5	21.2	76.5	78.8	68.8	68.9	1.2	1.5
02019302	8.4	2.3	0.5	271	63	2.3	0.5	271	63	17.2	12.2	82.8	84.8	75.9	76.1	0.6	0.8
02019303	8.5	2.7	0.6	319	72	2.7	0.6	318	72	16.7	14.7	83.3	85.3	75.5	76.5	0.7	0.9
02019304	8.3	1.6	0.3	197	40	1.6	0.3	197	40	17.3	15.1	82.7	84.9	74.2	74.0	4.5	5.7
02019310	8.4	1.9	0.4	224	48	1.9	0.4	224	48	17.1	15.3	82.9	84.7	77.2	77.4	0.9	1.1
02019311	8.4	3.4	0.8	409	92	3.4	0.8	409	92	13.7	12.1	86.3	88.0	76.4	76.6	0.7	0.9
02019523	7.3	7.3	7.3	871	871	7.3	7.3	871	871	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
02050271	8.7	2.5	0.5	304	57	2.5	0.5	304	57	16.8	12.6	83.2	87.4	77.3	80.6	0.4	0.5
02050287	8.6	2.9	0.7	342	79	2.9	0.7	342	79	17.8	13.6	82.2	86.4	74.1	76.3	0.5	0.6
02050485	8.6	2.9	0.8	352	100	2.9	0.8	352	100	20.8	16.3	79.2	83.7	68.8	70.7	0.7	0.9
02050486	8.4	2.0	0.4	243	47	2.0	0.4	243	47	15.3	13.4	84.7	86.6	79.3	79.8	0.7	0.9
02080188	8.3	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	100.0	99.7	0.0	0.0
100015	8.4	2.2	1.2	269	150	2.2	1.2	269	150	42.2	37.6	57.8	62.4	0.0	0.0	43.0	44.4
100025	8.4	2.3	1.3	275	154	2.3	1.3	275	154	42.0	37.5	58.0	62.5	0.0	0.0	42.7	44.1
100035	8.4	2.3	1.3	274	153	2.3	1.3	274	153	42.1	37.6	57.9	62.4	0.0	0.0	42.7	44.1
100045	8.4	2.3	1.4	295	170	2.3	1.4	295	170	41.8	37.9	58.2	62.9	0.0	0.0	41.3	42.6
100055	8.4	2.3	1.3	276	156	2.3	1.3	273	153	42.3	37.7	57.7	62.3	0.0	0.0	42.3	43.7
100065	8.4	2.4	1.3	283	160	2.4	1.3	283	160	41.9	37.4	58.1	62.6	0.0	0.0	42.1	43.5
100075	8.4	2.4	1.4	287	164	2.4	1.4	286	162	42.1	37.5	57.9	62.5	0.0	0.0	41.6	42.9
1000G	7.7	4.2	2.8	499	331	4.2	2.8	499	331	35.1	29.0	64.9	71.0	0.0	0.0	29.1	33.8
1001S	20.8	2.1	2.1	249	249	2.1	2.1	249	249	90.0	76.5	10.0	23.5	0.0	0.0	0.0	0.0
1002S	20.2	2.0	2.0	242	242	2.0	2.0	242	242	90.0	74.3	10.0	25.7	0.0	0.0	0.0	0.0
1002Q	8.1	4.6	4.6	554	554	4.6	4.6	554	554	43.2	36.3	56.8	63.7	0.0	0.0	0.0	0.0
1003S	25.0	2.5	2.5	300	300	2.5	2.5	300	300	90.0	71.1	10.0	28.9	0.0	0.0	0.0	0.0
1004S	21.7	2.2	2.2	259	259	2.2	2.2	259	259	90.0	71.7	10.0	28.3	0.0	0.0	0.0	0.0
1005S	25.0	2.5	2.5	300	300	2.5	2.5	300	300	90.0	72.3	10.0	27.7	0.0	0.0	0.0	0.0
1006S	25.9	2.6	2.6	310	310	2.6	2.6	310	310	90.0	75.4	10.0	24.6	0.0	0.0	0.0	0.0
1007S	25.0	2.5	2.5	300	300	2.5	2.5	300	300	90.0	71.8	10.0	28.2	0.0	0.0	0.0	0.0
1009S	21.0	2.1	2.1	252	252	2.1	2.1	252	252	90.0	72.3	10.0	27.7	0.0	0.0	0.0	0.0
1010S	22.6	2.3	2.3	271	271	2.3	2.3	271	271	90.0	74.9	10.0	25.1	0.0	0.0	0.0	0.0
1011S	25.0	2.5	2.5	300	300	2.5	2.5	300	300	90.0	76.1	10.0	23.9	0.0	0.0	0.0	0.0
1012S	26.7	2.7	2.7	320	320	2.7	2.7	320	320	90.0	71.7	10.0	28.4	0.0	0.0	0.0	0.0
1014S	20.8	2.1	2.1	250	250	2.1											

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
1156	7.3	7.3	7.3	880	880	7.3	7.3	880	880	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
1157	7.4	7.4	7.4	889	889	7.4	7.4	889	889	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
1158	7.6	7.6	7.6	913	913	7.6	7.6	913	913	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
1169-5	7.0	7.3	4.4	871	523	7.3	4.4	871	523	0.0	0.0	100.0	100.0	0.0	0.0	37.7	40.0
1169-55	7.0	7.3	4.4	871	523	7.3	4.4	871	523	0.0	0.0	100.0	100.0	0.0	0.0	37.7	40.0
1169-G	7.0	7.3	4.4	871	523	7.3	4.4	871	523	0.0	0.0	100.0	100.0	0.0	0.0	37.7	40.0
120B3-116	10.5	3.6	3.5	435	417	3.6	3.5	435	417	63.4	41.5	36.6	58.5	3.3	4.2	0.0	0.0
120D-264	11.6	3.2	3.2	387	387	3.2	3.2	387	387	72.1	54.0	27.9	46.0	0.0	0.0	0.0	0.0
120D3-096	12.2	1.4	1.0	163	115	1.4	1.0	163	115	70.3	56.0	43.6	0.0	0.4	0.6	21.4	28.9
120D3-102	11.2	3.1	3.0	367	356	3.1	3.0	367	356	75.5	50.9	28.5	49.1	0.0	0.0	1.8	3.1
120D3-103	11.4	3.2	3.1	387	368	3.2	3.1	387	368	69.5	51.3	30.5	48.7	3.6	4.9	0.0	0.0
120D3-106A	10.9	3.5	3.5	421	421	3.5	3.5	421	421	67.8	46.8	32.2	53.2	0.0	0.0	0.0	0.0
120D3-106B	11.1	3.4	3.4	411	411	3.4	3.4	411	411	69.0	49.9	31.0	50.1	0.0	0.0	0.0	0.0
120D3-107A	10.2	3.9	3.9	467	467	3.9	3.9	467	467	61.8	40.8	38.2	59.2	0.0	0.0	0.0	0.0
120D3-107B	11.0	3.2	3.1	384	373	3.2	3.1	384	373	69.5	48.6	30.5	51.4	2.3	3.0	0.0	0.0
120D3-109C	11.6	2.4	2.1	284	249	2.4	2.1	284	249	75.3	56.2	24.7	43.8	0.0	0.0	6.9	12.1
120D3-110	11.0	2.8	2.4	339	287	2.8	2.4	339	287	68.6	48.5	31.4	51.5	2.3	3.0	7.4	12.4
120D3-113	11.4	3.2	3.1	388	369	3.2	3.1	388	369	69.5	51.3	30.5	48.7	3.6	4.9	0.0	0.0
120D3-116	11.3	3.4	3.4	409	409	3.4	3.4	409	409	69.7	47.4	30.3	52.6	0.0	0.0	0.0	0.0
120D3-117	11.5	2.4	2.0	286	241	1.3	0.9	158	109	73.4	56.0	26.6	44.0	0.5	0.6	8.6	15.1
120D3-117A	11.7	2.4	2.0	283	244	1.3	0.9	157	111	74.8	57.5	25.2	42.5	0.0	0.0	7.9	13.9
120D3-119	11.0	3.2	3.1	386	375	3.2	3.1	386	375	69.2	48.4	30.8	51.6	2.3	3.0	0.0	0.0
120D3-120	11.1	3.1	2.9	372	350	3.1	2.9	372	350	69.6	49.2	30.4	50.8	2.3	3.0	1.8	3.0
120D3-123	10.8	3.2	3.1	386	367	3.2	3.1	386	367	68.8	47.5	31.2	52.5	0.0	0.0	3.0	4.9
120D3-124	11.1	3.4	3.4	411	411	3.4	3.4	411	411	69.1	46.7	30.9	53.3	0.0	0.0	0.0	0.0
120D3-125	10.5	3.4	3.4	407	394	3.4	3.3	407	394	66.3	46.0	33.7	54.0	2.4	3.1	0.0	0.0
120D-313	10.9	3.3	3.3	399	399	3.3	3.3	399	399	69.4	49.3	30.6	50.7	0.0	0.0	0.0	0.0
120D-326A	11.8	2.3	1.9	272	227	2.3	1.9	272	227	72.4	56.4	27.6	43.6	0.4	0.6	11.1	16.1
120D-328A	12.0	3.0	3.0	363	363	3.0	3.0	363	363	74.6	55.2	25.4	42.8	0.0	0.0	0.0	0.0
120D3-326	12.1	1.8	1.4	218	169	1.8	1.4	218	169	71.4	57.2	28.6	42.8	0.0	0.0	17.0	22.6
120D3-360	10.0	3.6	3.6	428	428	3.3	3.1	400	375	64.4	47.9	35.6	52.1	0.0	0.0	0.0	0.0
120D3-449	10.8	3.7	3.7	438	438	3.7	3.7	438	438	66.1	42.9	33.9	57.1	0.0	0.0	0.0	0.0
120D3-552	11.1	3.4	3.4	411	411	3.4	3.4	411	411	69.2	46.7	30.8	53.3	0.0	0.0	0.0	0.0
120D3-712	11.2	3.4	3.4	411	411	3.4	3.4	411	411	69.4	46.7	30.6	53.3	0.0	0.0	0.0	0.0
120D3-728	11.8	3.6	3.6	436	435	3.5	3.3	417	399	69.0	49.9	31.0	50.1	0.2	0.2	0.0	0.0
120H3-125	10.2	3.7	3.6	446	427	3.7	3.6	446	427	61.8	40.4	38.2	59.6	3.4	4.2	0.0	0.0
120R-300	11.1	3.3	3.3	396	396	3.3	3.3	396	396	70.2	49.6	29.8	50.4	0.0	0.0	0.0	0.0
120R-302	11.1	3.3	3.3	394	393	3.3	3.3	394	393	70.3	49.8	29.7	50.2	0.2	0.2	0.0	0.0
120R3-101	11.2	3.1	3.0	369	358	3.1	3.0	369	358	71.5	50.7	28.5	49.3	0.0	0.0	1.8	3.1
120R3-101	11.2	3.1	3.0	369	358	3.1	3.0	369	358	71.5	50.7	28.5	49.3	0.0	0.0	1.8	3.1
120R3-101	11.2	3.1	3.0	369	358	3.1	3.0	369	358	71.5	50.7	28.5	49.3	0.0	0.0	1.8	3.1
120R3-106B	11.0	3.5	3.5	419	419	3.5	3.5	419	419	68.2	48.9	31.8	51.1	0.0	0.0	0.0	0.0
120R3-108B	10.9	3.2	3.1	384	372	3.2	3.1	372	372	69.3	49.3	30.7	50.7	2.4	3.1	0.0	0.0
120R3-109B	11.7	2.4	2.4	284	250	2.4	2.4	284	250	75.4	56.6	24.6	43.8	0.0	0.0	6.8	12.1
120R3-110	11.3	2.8	2.4	336	285	2.8	2.4	336	285	69.6	49.0	30.4	51.0	2.2	3.0	7.0	12.0
120R3-111	10.9	3.2	3.1	385	373	3.2	3.1	385	373	69.2	48.6	30.8	51.4	2.3	3.0	0.0	0.0
120R3-112	11.3	2.8	2.4	336	285	2.8	2.4	336	285	69.6	49.0	30.4	51.0	2.2	3.0	7.0	12.0
120R3-115	11.1	3.4	3.4	411	411	3.4	3.4	411	411	69.1	46.7	30.9	53.3	0.0	0.0	0.0	0.0
120R3-116	11.0	3.4	3.4	413	413	3.4	3.4	413	413	68.8	46.4	31.2	53.6	0.0	0.0	0.0	0.0
120R3-118	9.9	3.8	3.5	459	419	3.8	3.5	459	419	58.4	38.6	41.6	61.4	2.3	2.8	4.0	6.0
120R3-119	11.0	3.2	3.1	386	374	3.2	3.1	386	374	69.4	48.5	30.6	51.5	2.3	3.0	0.0	0.0
120R3-120	11.3	3.1	3.0	372	360	3.1	3.0	372	360	71.6	50.8	28.4	49.2	0.0	0.0	1.8	3.1
120R3-121	10.9	3.2	3.2	388	388	3.2	3.2	388	388	70.3	50.1	29.7	49.9	0.0	0.0	0.0	0.0
120R-331	12.0	2.3	1.9	273	229	2.3	1.9	273	229	72.9	56.7	27.1	43.3	0.0	0.0	11.1	16.2
120R3-422	12.1	2.2	1.8	262	217	2.2	1.8	262	217	72.9	56.4	27.1	43.6	0.3	0.5	11.8	16.6
120R3-728	11.9	3.7	3.6	437	436	3.5	3.3	419	400	69.1	49.7	30.9	50.3	0.2	0.2	0.0	0.0
120R3-808	11.4	3.1	3.0	373	361	3.1	3.0	373	361	71.7	50.7	28.5	49.3	0.0	0.0	1.8	3.1
120R3-817	12.0	3.2	3.2	384	384	3.2	3.2	384	384	73.2	50.2	28.8	49.8	0.0	0.0	0.0	0.0
120R4-100	11.3	3.5	3.5	414	414	3.5	3.5	414	414	69.5	49.3	30.5	51.4	0.0	0.0	0.0	0.0
120W3-104	11.8	3.2	3.1	378	368	3.2	3.1	378	368	70.5	51.3	29.5	48.1	3.5	4.9	0.0	0.0
120W3-851	11.5	3.2	3.1	378	366	3.2	3.1	378	366	71.7	50.0	28.3	50.0	0.0	0.0	1.8	3.2
120W4-101	13.4	3.0	3.0	362	362	3.0	3.0	362	362	77.5	55.4	22.5	44.6	0.0	0.0	0.0	0.0
120Z4-899	7.8	3.8	3.5	459	418	3.8	3.5	459	418	47.6	38.4	52.4	61.6	1.7	1.6	6.1	7.3
1210	8.7	1.9	0.8	233	102	1.9	0.8	233	102	34.9	31.8	65.1	68.2	55.0	56.0	0.4	0.4
1219CL2	8.2	3.1	2.1	367	251	3.1	2.1	367	251	44.4	41.7	55.6	58.3	0.0	0.0	30.1	31.6
121B3-103	11.6	3.6	3.6	437	436	3.5	3.3	418	400	68.5	49.8	31.5	50.2	0.2	0.2	0.0	0.0
121B3-106	11.4	3.7	3.6	444	435	3.6	3.4	432	412	66.6	48.1	33.4	51.9	1.4	1.9	0.0	0.0
121D3-100	11.6	3.8	3.8	456	455	3.7	3.6	444	431	67.2	47.6	32.8	52.4	0.1	0.1	0.0	0.0
121D3-106	11.5	3.7	3.6	444	436	3.6	3.4	432	412	67.2	48.1	32.8	51.9	1.4	1.9	0.0	0.0
121R3-101	11.9	3.7	3.7	440	439	3.5	3.3	420	400	69.2	49.4	30.9	50.6	0.2	0.2	0.0	0.0
121R3-106	11.6	3.7	3.7	445	445	3.6	3.5	433	421	68.0	48.9	32.0	51.1	0.0	0.0	0.0	0.0
121W3-105	11.0	3.8	3.2	452	382	3.8	3.2	452	382	61.8	41.1	38.2	58.9	0.2	0.2	9.1	15.2
121W3-106	12.1	3.7	3.6	444	436	3.6	3.4	432	412	68.8	48.1	31.2	51.9	1.3	1.9	0.0	0.0
121Y3-102	11.8	3.7	3.7	441	440	3.2	2.8	380	332	68.8	49.2	31.2	50.8	0.1	0.2	0.0	0.0
121Y3-104	11.9	3.6	3.6	437	436	3.5	3.3	418	400	69.2	49.8	30.8	50.2	0.2	0.2	0.0	0.0
12205	10.8	3.5	3.1	425	369	3.5	3.1	42									

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (lb) (lb/gal)	VOC (AP) (lb/gal)	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	TBAC (AP) (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
133-67640	9.1	2.3	1.9	278	230	2.3	1.9	278	230	56.6	55.3	43.4	44.7	0.0	0.0	22.4	17.5
133-68288	10.6	2.4	2.0	287	240	2.4	2.0	287	240	63.9	56.0	36.1	44.0	0.0	0.0	17.2	16.4
133-725497	11.5	2.5	1.6	298	191	2.1	1.3	256	153	51.1	42.0	48.9	58.0	0.0	0.0	35.1	36.0
133-AG009	9.7	1.7	1.3	205	160	1.7	1.3	205	160	59.2	57.9	40.8	42.1	0.0	0.0	27.1	22.3
13405	12.8	2.4	2.0	285	234	2.4	2.0	285	234	75.2	54.2	24.8	45.8	0.0	0.1	9.5	18.0
135205	12.8	2.4	2.0	290	240	2.4	2.0	290	240	75.4	54.3	24.6	45.7	0.0	0.0	8.9	17.2
135505	12.5	2.6	2.3	312	270	2.6	2.3	312	270	74.0	54.1	26.0	45.9	0.1	0.1	7.8	13.3
135805	11.7	2.7	2.2	322	263	2.7	2.2	322	263	69.8	50.2	30.2	49.8	0.1	0.1	11.3	18.2
135811	8.5	2.1	0.8	248	93	2.1	0.8	248	93	28.3	26.3	71.7	73.7	62.3	62.3	0.2	0.3
1358K13A	8.6	2.2	0.8	260	101	2.2	0.8	260	101	29.5	27.1	70.5	72.9	60.5	60.9	0.1	0.1
1358K5	8.7	2.5	0.9	295	109	2.5	0.9	295	109	36.8	33.5	73.2	76.5	62.6	63.0	0.2	0.2
1358L21	9.7	1.9	0.9	222	106	1.9	0.9	222	106	44.9	35.2	55.1	64.8	45.9	52.1	0.1	0.2
135GN20	9.8	1.8	0.9	220	105	1.8	0.9	220	105	45.6	35.5	54.4	64.5	45.3	51.9	0.1	0.2
135R13	9.7	1.7	0.8	207	101	1.7	0.8	207	101	46.0	36.7	54.0	63.3	45.3	51.3	0.1	0.1
135Y8	9.7	1.8	0.9	210	103	1.8	0.9	210	103	46.2	37.1	53.8	62.9	44.8	50.6	0.1	0.1
137565	10.1	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
137575	9.7	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
137655	7.3	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
137755	8.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
137855	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
13805	12.8	1.8	1.3	216	159	1.8	1.3	216	159	74.4	54.9	25.6	45.1	0.0	0.0	15.2	26.5
13801S	8.1	8.1	8.1	973	973	8.1	8.1	973	973	0.3	0.3	99.7	99.7	0.0	0.0	0.0	0.0
13803S	8.1	8.1	8.1	966	966	8.1	8.1	966	966	1.0	0.9	99.0	99.1	0.0	0.0	0.0	0.0
13821S	7.4	5.1	1.7	616	200	5.1	1.7	616	200	11.6	8.1	88.4	91.9	0.0	0.0	66.0	67.5
13865S	7.0	7.0	7.0	845	845	7.0	7.0	845	845	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
13875S	7.0	7.0	2.8	924	336	7.7	2.8	924	336	0.0	0.0	100.0	100.0	0.0	0.0	60.0	63.6
13885S	7.7	7.7	7.7	923	923	7.7	7.7	923	923	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
13895S	7.7	7.7	7.7	921	921	7.7	7.7	921	921	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
139	9.1	6.3	2.9	760	347	6.3	2.9	760	347	0.0	0.0	100.0	100.0	0.0	0.0	68.2	54.4
13930S	9.1	6.8	3.1	814	372	6.8	3.1	814	372	0.0	0.0	100.0	100.0	0.0	0.0	66.0	54.3
13982S	7.3	6.9	6.8	823	815	6.9	6.8	823	815	6.0	4.7	94.0	95.3	0.0	0.0	1.1	1.0
1400D	9.6	2.0	1.0	243	116	2.0	1.0	243	116	43.8	34.6	56.2	65.4	45.7	51.9	0.4	0.5
1400P	10.5	1.9	0.9	222	107	1.9	0.9	222	107	49.7	36.1	50.3	63.9	41.4	51.2	0.4	0.5
140B3-510	7.7	4.0	4.0	482	482	3.9	3.8	469	455	47.6	41.3	52.4	58.7	0.0	0.0	0.0	0.0
140B-352A	9.9	4.3	4.3	518	518	4.3	4.3	518	518	56.2	40.1	43.8	59.9	0.1	0.1	0.0	0.0
140B-354	7.7	4.0	4.0	482	482	3.9	3.8	469	455	47.6	41.3	52.4	58.7	0.0	0.0	0.0	0.0
140B4-102	7.3	4.6	4.6	549	549	4.6	4.6	549	549	37.4	31.3	62.6	68.7	0.0	0.0	0.0	0.0
140B4-103	7.4	4.5	4.5	536	536	4.5	4.5	536	536	39.7	33.8	60.3	66.2	0.0	0.0	0.0	0.0
140C3-144	7.5	4.1	4.1	487	487	4.1	4.1	487	487	45.8	38.2	54.2	61.8	0.0	0.0	0.0	0.0
140C3-441	7.5	4.1	4.1	487	487	4.1	4.1	487	487	45.8	38.2	54.2	61.8	0.0	0.0	0.0	0.0
140D-304C	9.8	3.6	3.6	435	435	3.4	3.3	412	390	62.9	48.6	37.1	51.4	0.0	0.0	0.0	0.0
140D3-126	9.9	3.5	3.5	415	415	3.4	3.3	407	400	64.9	49.2	35.1	50.8	0.0	0.0	0.0	0.0
140D3-205	10.5	3.5	3.5	421	421	3.3	3.1	399	369	66.4	48.7	33.6	51.3	0.0	0.0	0.0	0.0
140D3-264A	9.2	4.3	4.3	512	512	4.3	4.3	512	512	53.4	45.6	46.6	59.5	0.1	0.1	0.0	0.0
140D3-205S	9.8	3.6	3.6	435	435	3.4	3.3	412	390	62.8	48.6	37.2	51.4	0.0	0.0	0.0	0.0
140D3-424	7.8	4.0	4.0	478	478	3.9	3.8	467	453	49.1	41.7	50.9	58.3	0.0	0.0	0.0	0.0
140D3-455	7.7	4.0	4.0	482	482	3.9	3.8	471	457	48.1	41.3	51.9	58.7	0.0	0.0	0.0	0.0
140D-357	7.8	4.0	4.0	479	479	3.9	3.8	466	451	48.9	41.7	51.1	58.3	0.0	0.0	0.0	0.0
140D3-890	10.5	3.5	3.5	415	415	3.3	3.2	401	388	66.9	49.2	33.1	50.8	0.0	0.0	0.0	0.0
140G3-054	9.7	3.5	3.5	414	414	3.3	3.2	400	387	64.2	49.3	35.8	50.7	0.0	0.0	0.0	0.0
140G3-103	8.9	4.2	4.2	507	506	3.8	3.3	452	391	52.4	41.0	47.6	59.0	0.1	0.1	0.0	0.0
140G3-205	8.2	3.8	3.8	450	450	3.6	3.5	436	422	54.1	45.4	45.9	54.6	0.0	0.0	0.0	0.0
140H-106	9.4	3.6	3.6	427	427	3.4	3.3	413	400	62.0	47.9	38.0	52.1	0.0	0.0	0.0	0.0
140H-106G	7.4	4.6	4.6	556	556	4.6	4.6	556	556	37.5	29.8	62.5	70.2	0.0	0.0	0.0	0.0
140H-106H	7.5	4.7	4.7	558	558	4.7	4.7	558	558	37.6	30.0	62.4	70.0	0.0	0.0	0.0	0.0
140H-303G	9.8	3.6	3.6	432	432	3.4	3.2	408	387	63.2	49.0	36.8	51.0	0.0	0.0	0.0	0.0
140H-306	9.8	3.6	3.6	431	431	3.4	3.2	407	386	63.3	49.1	36.7	50.9	0.0	0.0	0.0	0.0
140H-3127	9.8	3.5	3.5	418	418	3.4	3.4	410	403	64.2	48.9	35.8	51.1	0.0	0.0	0.0	0.0
140H-317	9.3	3.6	3.6	427	427	3.4	3.3	413	400	61.6	47.9	38.4	52.1	0.0	0.0	0.0	0.0
140W-255	10.4	3.6	3.6	429	429	3.3	3.3	429	377	65.5	47.7	34.5	52.3	0.0	0.0	0.0	0.0
140Y3-102	8.9	4.2	4.2	508	508	3.8	3.3	452	390	52.2	40.8	47.8	59.2	0.1	0.1	0.0	0.0
140Y3-104	9.9	3.9	3.9	463	463	3.6	3.3	430	398	60.9	44.1	39.1	55.9	0.0	0.0	0.0	0.0
140Y-363B	10.7	3.7	3.7	446	446	3.5	3.3	422	399	65.3	46.0	34.7	54.0	0.0	0.0	0.0	0.0
140Y-363C	9.7	3.6	3.6	429	429	3.5	3.4	415	403	63.2	47.9	36.8	52.1	0.0	0.0	0.0	0.0
140Y3-663	9.7	3.6	3.6	433	433	3.4	3.2	405	379	62.9	47.3	37.1	52.7	0.0	0.0	0.0	0.0
140Y4-101	8.1	4.8	4.8	579	579	4.3	3.5	516	420	40.2	29.7	59.8	70.3	0.0	0.0	0.0	0.0
140Z-247E	8.0	4.5	4.5	539	539	4.5	4.5	539	539	43.6	34.0	56.4	66.0	0.0	0.0	0.0	0.0
1410BK601	9.7	2.1	1.5	251	179	2.1	1.5	251	179	65.0	52.5	35.0	47.5	0.0	0.0	19.6	28.8
1418-45840	7.6	5.3	4.5	631	545	5.3	4.5	631	545	26.6	21.3	73.4	78.7	0.0	0.0	13.4	13.8
141B3-103A	10.3	3.6	3.6	427	427	3.0	2.6	362	315	65.5	51.3	34.5	48.7	0.1	0.1	0.0	0.0
1424CL2	7.4	5.7	5.1	689	617	5.7	5.1	689	617	20.9	15.0	79.1	85.0	0.6	0.5	8.8	9.9
142B3-100	9.9	4.0	4.0	480	479	4.0	4.0	481	479	59.2	44.8	40.8	55.2	0.3	0.4	0.0	0.0
142B3-104	11.1	3.1	3.1	371	371	3.1	3.1	371	371	72.2	57.5	27.8	42.5	0.0	0.0	0.0	0.0
142-83-104	11.1	3.1	3.1	368	368	3.1	3.1	368	368	72.4	56.4	27.6	43.6	0.0	0.0	0.0	0.0
142B7-104	11.1	3.1	3.1	371	371	3.1	3.1	371	371	72.2	57.5	27.8	42.5	0.0	0.0	0.0	0.0
142B7-114	11.1	3.1	3.1	371	371	3.1	3.1	371	371	72.2	57.5	27.8	42.5	0.0	0.0	0.0	0.0
142D3-101	11.8	3.1	3.1</														

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) lb/gal	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
15C-1988	8.0	5.9	1.9	701	227	5.9	1.9	701	227	5.8	6.0	94.2	94.0	69.6	66.6	0.9	1.0
15C-208	7.3	4.0	4.0	483	483	4.0	4.0	483	483	45.0	40.0	55.0	60.0	0.0	0.0	0.0	0.0
15C-239	8.8	4.2	4.2	506	506	4.2	4.2	506	506	52.0	51.2	48.0	48.8	0.0	0.0	0.0	0.0
15C-243	7.4	7.0	6.2	835	742	7.0	6.2	835	742	3.9	3.9	96.1	96.1	12.5	11.2	0.0	0.0
15C-257	8.7	4.2	1.1	508	130	4.2	1.1	508	130	15.5	12.7	84.5	87.3	72.0	74.4	0.0	0.0
15C-261	8.6	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
15C-379	6.9	5.7	5.7	685	685	5.7	5.7	685	685	17.5	15.2	82.5	84.8	0.0	0.0	0.0	0.0
15C-380	8.3	0.0	0.0	0	0	0.0	0.0	0	0	8.0	7.9	92.0	92.1	92.0	92.1	0.0	0.0
15C-391	8.3	0.0	0.0	0	0	0.0	0.0	0	0	6.1	6.1	99.9	99.9	0.0	0.0	0.0	0.0
15C-392	7.5	7.5	899	897	7.5	7.5	899	897	0.1	0.0	99.9	100.0	0.2	0.2	0.0	0.0	
15C-399	8.3	0.3	0.2	33	20	0.3	0.2	33	20	59.8	59.7	40.2	40.3	37.8	37.7	0.4	0.5
15C-400	8.8	0.5	0.0	66	5	0.5	0.0	66	5	12.2	7.2	87.8	92.8	87.2	92.2	0.0	0.0
15C-402B	8.5	0.8	0.1	97	13	0.8	0.1	97	13	12.4	11.0	87.6	89.0	86.4	86.7	0.0	0.0
15C-410	8.2	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
15C-412	8.1	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
15C-416	8.2	8.2	8.2	984	984	8.2	8.2	984	984	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
15C-420	8.2	0.0	0.0	0	0	0.0	0.0	0	0	60.4	60.8	39.6	39.2	39.6	39.2	0.0	0.0
15C-425	8.0	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
15D-383	9.3	1.4	0.8	164	96	1.4	0.8	164	96	52.9	47.2	47.1	52.8	38.5	41.9	0.0	0.0
15D-399	8.6	0.3	0.2	30	20	0.3	0.2	30	20	66.6	65.4	33.4	34.6	31.0	32.0	0.4	0.5
15D-400	8.5	0.8	0.1	95	7	0.8	0.1	95	7	7.9	6.3	92.1	93.7	91.4	92.5	0.0	0.0
15D-427	11.3	1.7	0.9	205	104	1.7	0.9	205	104	55.8	39.0	44.2	61.0	36.3	49.2	0.2	0.2
15i-420	8.4	0.9	0.1	104	7	0.9	0.1	104	7	7.0	6.0	93.0	94.0	92.3	92.8	0.0	0.0
15i-421	8.4	0.9	0.1	103	7	0.9	0.1	103	7	6.9	5.9	93.0	94.1	92.4	92.8	0.0	0.0
15i-426	9.3	0.7	0.1	78	13	0.7	0.1	78	13	24.6	15.6	75.4	84.4	74.1	82.7	0.1	0.1
15P29585	8.9	3.7	3.1	445	375	3.7	3.1	445	375	52.7	40.9	47.3	59.1	0.0	0.0	12.3	15.7
15P29586	9.4	3.6	3.2	437	383	3.6	3.2	437	383	56.1	42.7	43.9	57.3	0.0	0.0	10.0	12.3
15P34090	9.4	3.7	3.2	439	380	3.7	3.2	439	380	56.1	42.7	43.9	57.3	0.0	0.0	10.2	13.6
15P85002	10.2	3.5	3.3	421	394	3.5	3.3	421	394	63.5	48.3	36.5	51.7	0.0	0.0	4.2	6.5
15P871333	8.9	3.5	3.2	425	386	3.5	3.2	425	386	57.3	46.2	42.7	53.8	0.0	0.0	6.7	9.1
15P910456EZ	10.0	3.5	3.2	424	386	3.5	3.2	424	386	61.8	46.8	38.2	53.2	0.0	0.0	6.0	9.0
15P954338EZ	8.7	3.5	3.2	425	389	3.5	3.2	425	389	56.2	46.9	43.8	53.1	0.0	0.0	6.4	8.4
15PN0001EZ	8.1	3.5	3.2	422	380	3.5	3.2	422	380	53.0	46.0	47.0	54.0	0.0	0.0	8.0	9.9
15PN0006EZ	9.7	3.5	3.1	420	366	3.5	3.1	420	366	59.7	45.0	40.3	55.0	0.0	0.0	8.7	12.8
15R29584	8.2	3.6	3.4	437	410	3.6	3.4	437	410	52.8	45.7	47.2	54.3	0.0	0.0	5.6	6.1
15Z-414	56.8	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
1620	8.1	4.3	3.7	514	439	4.3	3.7	514	439	37.1	31.7	62.9	68.3	0.0	0.0	17.9	14.7
162-1060	10.7	2.0	1.2	234	142	2.0	1.2	234	142	61.8	42.8	38.2	57.2	0.2	0.2	27.1	39.2
162-1072	10.6	2.0	1.2	236	140	2.0	1.2	236	140	60.7	41.7	39.3	58.3	0.2	0.2	28.1	40.5
162-1632	10.6	1.9	1.1	232	134	1.9	1.1	232	134	60.2	41.1	39.8	58.9	0.2	0.2	29.0	41.8
163-33417	10.9	2.5	2.0	299	241	2.5	2.0	299	241	62.1	52.6	37.9	47.4	0.1	0.1	19.4	19.4
163-47271	9.9	2.5	1.9	294	231	2.5	1.9	294	231	57.4	51.9	42.6	48.4	0.0	0.0	23.2	21.3
163-551470	9.8	2.5	1.9	304	233	2.5	1.9	304	233	54.5	49.6	45.5	50.4	0.0	0.0	25.7	23.4
163-67040	9.8	2.4	1.9	293	231	2.4	1.9	293	231	56.8	51.9	43.2	48.1	0.0	0.0	21.2	23.5
163-67632	11.3	2.5	2.0	300	237	2.5	2.0	300	237	62.7	51.9	37.3	48.1	0.0	0.0	19.8	21.0
163-67640	9.6	2.5	1.9	296	232	2.5	1.9	296	232	55.2	51.2	44.8	48.8	0.0	0.0	24.7	21.7
163-819151	9.8	2.5	1.9	297	232	2.5	1.9	297	232	55.7	51.0	44.3	49.0	0.0	0.0	24.4	21.8
163-819457	10.0	2.5	1.9	296	232	2.5	1.9	296	232	56.9	51.3	43.1	48.7	0.0	0.0	23.8	21.7
1640WF	9.2	1.6	0.7	188	84	1.6	0.7	188	84	42.0	35.8	58.0	64.2	50.4	55.4	0.0	0.0
164-1015	11.0	3.4	3.0	411	365	3.4	3.0	411	365	62.9	46.0	37.1	54.0	0.0	0.0	9.5	11.4
164-42716	9.7	3.3	2.5	399	303	3.2	2.3	379	276	46.8	39.5	53.2	60.5	0.0	0.0	27.2	24.2
164-42717	10.0	3.3	2.7	398	324	3.2	2.6	386	308	53.2	42.7	46.8	57.3	0.0	0.0	19.8	18.5
164-42718	9.5	3.2	2.3	384	272	2.9	2.0	352	234	41.7	38.2	58.3	61.8	0.0	0.0	34.4	29.1
164-42719	9.2	3.4	3.0	407	362	3.4	3.0	407	362	56.1	46.4	43.9	53.6	0.0	0.0	11.2	11.1
164-42720	10.3	3.4	3.0	403	360	3.4	3.0	403	360	61.3	47.2	38.7	52.8	0.0	0.0	9.6	10.6
164-67632	10.9	3.5	3.1	419	366	3.5	3.1	419	366	61.6	44.5	38.4	55.5	0.0	0.0	10.4	12.6
164-67640	8.6	3.4	3.2	410	378	3.4	3.2	410	378	55.0	47.9	45.0	52.1	0.0	0.0	8.4	7.8
164-94715	10.9	3.4	3.2	413	381	3.4	3.2	413	381	64.3	45.7	35.7	52.5	0.0	0.0	6.6	7.7
164-N0006	10.9	3.4	3.0	412	363	3.4	3.0	412	363	62.4	45.6	37.6	54.4	0.0	0.0	9.9	11.9
164-NZ332	9.4	3.5	3.0	405	355	3.4	3.0	405	355	57.8	45.6	42.2	53.8	0.0	0.0	10.8	12.3
1705-51001	9.7	3.4	2.7	403	318	3.4	2.7	403	318	58.3	41.2	41.7	58.8	0.0	0.0	14.3	21.1
175K	7.7	5.0	4.2	602	505	5.0	4.2	602	505	31.2	25.6	68.8	74.4	0.0	0.0	13.9	16.1
178-101	11.9	0.7	0.5	83	55	0.7	0.5	83	55	69.9	59.9	30.1	40.1	0.0	0.0	26.3	33.8
17825	7.8	5.0	4.3	597	510	5.0	4.3	597	510	32.8	25.9	67.2	74.1	0.0	0.0	12.4	14.6
18010E	8.2	3.7	3.7	448	448	3.7	3.7	448	448	54.5	46.6	45.5	53.4	0.0	0.0	0.0	0.0
18015E	8.6	2.0	2.0	238	238	2.0	2.0	238	238	77.0	72.7	23.0	27.4	0.0	0.0	0.0	0.0
18020E	8.3	2.8	2.6	339	312	2.8	2.6	339	312	62.1	54.4	37.9	45.6	0.0	0.0	6.4	8.0
18025E	8.2	3.0	3.0	364	364	3.0	3.0	364	364	63.0	58.4	37.0	41.6	0.0	0.0	0.0	0.0
18030E	8.0	3.8	3.8	459	459	3.8	3.8	459	459	52.0	43.3	48.0	56.7	0.0	0.0	0.0	0.0
18035E	8.4	2.4	2.4	285	285	2.4	2.4	285	285	71.9	65.8	28.1	34.2	0.0	0.0	0.0	0.0
18038E	8.9	1.7	1.7	204	204	1.7	1.7	204	204	80.8	77.4	19.2	22.6	0.0	0.0	0.0	0.0
18040S	7.2	7.2	7.2	865	865	7.2	7.2	865	865	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
18045E	8.0	3.9	3.6	465	437	3.9	3.6	465	437	49.7	43.3	50.3	56.7	0.0	0.0	5.0	6.1
18060S	7.1	3.3	1.7	392	203	3.3	1.7	392	203	31.0	26.8	69.0	73.2	0.0	0.0	45.1	48.1
18065S	7.1	3.3	1.7	392	203	3.3	1.7	392	203	31.0	26.8	69.0	73.2	0.0	0.0	45.1	48.1
18070S	7.3	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
18075S	7.4	2.8	1.5	337	179	2.8	1.5	337	179								

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (Lb) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT LITRES %	VOLUME LITRES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
1821-73029	10.5	3.8	3.8	452	452	3.8	3.8	452	452	64.0	47.5	36.0	52.5	0.0	0.0	0.0	0.0
1821-73030	11.3	3.8	3.8	457	457	3.8	3.8	457	457	66.1	46.5	33.9	53.5	0.0	0.0	0.0	0.0
1821-73031	11.2	3.8	3.8	457	457	3.8	3.8	457	457	65.9	46.6	34.1	53.4	0.0	0.0	0.0	0.0
1821-73036	8.2	3.8	3.8	458	458	3.8	3.8	458	458	53.4	45.8	46.6	54.2	0.0	0.0	0.0	0.0
1821-73184	8.6	3.8	3.8	456	454	3.8	3.7	453	447	55.4	46.2	44.6	53.8	0.0	0.0	0.3	0.4
1821-73689	8.5	3.7	3.7	445	438	3.7	3.6	443	433	55.9	46.1	44.1	53.9	0.0	0.0	1.4	1.8
1821-73739	9.8	3.8	3.8	455	455	3.8	3.8	455	455	61.4	46.2	38.6	53.8	0.0	0.0	0.0	0.0
1821-73781	8.6	3.7	3.7	444	437	3.7	3.6	441	431	56.4	46.3	43.6	53.7	0.0	0.0	1.2	1.5
1821-75898	9.3	3.7	3.7	449	449	3.7	3.7	446	442	59.7	47.5	40.3	52.5	0.0	0.0	0.0	0.0
1821-77241	11.3	3.8	3.8	455	455	3.8	3.8	455	455	66.9	47.0	33.1	53.0	0.0	0.0	0.0	0.0
1821-79188	11.1	3.8	3.8	457	457	3.8	3.8	457	457	65.7	46.5	34.3	53.5	0.0	0.0	0.0	0.0
1825-33927	8.3	3.6	3.1	429	375	3.6	3.1	429	373	52.3	44.1	47.7	55.9	0.0	0.0	10.1	12.8
1825-34912	9.2	3.6	3.3	435	397	3.6	3.3	435	397	57.6	45.5	42.4	54.5	0.1	0.1	6.3	8.8
1825-39203	10.6	3.6	3.3	426	400	3.6	3.3	426	400	64.5	48.0	35.5	52.0	0.0	0.0	3.9	6.2
1825-39203	10.6	3.6	3.3	426	400	3.6	3.3	426	400	64.5	48.0	35.5	52.0	0.0	0.0	3.9	6.2
1825-42716	9.1	3.5	3.3	425	398	3.5	3.3	425	398	57.5	48.0	42.5	52.0	0.0	0.0	5.9	6.3
1825-45020	9.2	3.6	3.3	435	395	3.6	3.3	435	395	57.6	45.4	42.4	54.6	0.1	0.1	6.5	9.0
1825-45022	8.5	3.6	3.3	431	393	3.6	3.3	431	393	54.8	46.0	45.2	54.0	0.0	0.0	6.8	8.9
1825-45026	8.3	3.5	3.1	425	372	3.5	3.1	424	370	52.8	44.5	47.2	55.5	0.0	0.0	9.9	12.5
1825-45032	8.6	3.6	3.3	429	400	3.6	3.3	429	400	56.0	47.2	44.0	52.8	0.0	0.0	5.3	6.9
1825-45033	8.3	3.6	3.4	430	403	3.6	3.3	428	399	54.4	46.9	45.6	53.1	0.0	0.0	5.0	6.3
1825-45035	8.1	3.6	3.0	437	357	3.6	3.0	437	357	48.3	40.7	51.7	59.3	0.0	0.0	14.9	18.2
1825-45037	8.1	3.6	3.1	437	372	3.6	3.1	437	372	49.6	42.2	50.4	57.8	0.0	0.0	12.0	14.8
1825-45038	8.3	3.6	3.4	431	409	3.6	3.4	430	407	54.7	47.5	45.3	52.5	0.0	0.0	4.0	5.0
1825-45086	8.5	3.6	3.4	430	409	3.6	3.4	430	409	55.9	47.9	44.1	52.1	0.0	0.0	3.8	4.9
1825-45087	8.9	3.7	3.2	439	381	3.7	3.2	439	381	54.5	42.7	45.5	57.3	0.0	0.0	9.8	13.2
1825-5011	9.3	3.7	3.4	438	405	3.7	3.4	438	405	58.4	45.7	41.6	54.3	0.1	0.1	5.3	7.5
1825-50157	8.4	3.6	3.1	434	368	3.6	3.1	434	368	51.7	42.5	48.3	57.5	0.0	0.0	11.9	15.1
1825-50158	8.0	3.7	3.1	438	376	3.7	3.1	438	376	49.0	42.7	51.0	57.3	0.0	0.0	11.7	14.2
1825-50553	8.5	3.7	3.3	438	399	3.7	3.3	438	399	53.6	45.1	46.4	54.9	0.0	0.0	7.0	8.9
1825-50554	10.1	3.6	3.4	432	407	3.6	3.4	432	407	62.6	47.3	37.5	52.7	0.0	0.0	3.8	5.8
1825-50555	9.2	3.6	3.3	431	401	3.6	3.3	431	401	58.6	46.8	41.4	53.2	0.0	0.1	5.0	6.9
1826-36126	10.3	3.8	3.4	455	407	3.8	3.4	455	407	60.4	43.3	39.6	56.7	0.0	0.0	6.8	10.6
1826-50155	8.1	3.8	3.6	460	431	3.8	3.6	459	430	50.4	40.6	49.6	59.4	0.0	0.0	5.2	6.3
1826-50156	8.4	3.7	3.2	444	387	3.7	3.2	444	387	51.3	43.1	48.7	56.9	0.0	0.0	10.0	12.7
1826-50157	8.3	4.0	3.7	483	445	4.0	3.7	483	445	49.2	38.5	50.8	61.5	0.0	0.0	6.2	7.8
1826-50158	7.8	3.8	3.2	451	380	3.8	3.2	451	380	45.5	36.8	54.5	63.2	0.0	0.0	13.7	15.7
1827-17584	8.6	3.9	3.6	463	426	3.8	3.5	461	423	52.5	44.1	47.5	55.9	0.0	0.0	6.2	8.0
1827-26750	8.8	3.9	3.4	465	402	3.9	3.4	465	402	51.8	40.7	48.2	59.3	0.1	0.1	10.1	13.5
1827-29275	8.2	3.9	3.6	467	431	3.9	3.6	467	431	50.0	43.1	50.0	56.9	0.0	0.0	6.2	7.8
1827-32917	8.4	3.8	3.0	457	355	3.8	3.0	457	355	46.9	36.5	53.1	63.5	0.0	0.0	17.9	22.3
1827-32918	8.5	4.0	3.3	474	398	4.0	3.3	474	398	48.2	38.2	51.8	61.6	0.0	0.0	12.7	16.1
1827-32923	8.9	3.8	3.4	458	412	3.8	3.4	456	409	53.8	43.4	46.2	56.8	0.0	0.0	7.4	10.0
1827-32927	8.5	3.8	3.4	459	412	3.8	3.4	459	412	51.5	41.1	45.7	56.4	0.0	0.0	8.0	10.6
1827-34912	9.1	3.7	3.2	447	380	3.7	3.2	447	380	54.4	41.7	45.6	58.3	0.1	0.1	10.8	14.9
1827-34921	8.8	3.9	3.5	465	421	3.9	3.5	465	421	52.7	43.5	47.3	56.5	0.0	0.0	7.2	9.5
1827-35222	8.8	3.8	3.5	460	424	3.8	3.5	459	421	53.9	44.2	46.1	55.8	0.0	0.0	5.9	7.8
1827-35223	9.3	3.8	3.3	457	397	3.8	3.3	457	397	55.2	41.8	44.8	58.2	0.0	0.1	9.3	13.2
1827-35224	8.9	3.8	3.5	458	417	3.8	3.5	458	417	54.5	44.0	45.5	56.0	0.0	0.0	6.6	8.9
1827-39198	8.8	3.4	2.3	408	275	3.3	2.2	395	259	39.9	35.8	60.1	64.2	0.0	0.0	34.1	32.5
1827-39201	8.7	3.8	3.0	459	362	3.8	3.0	459	362	49.3	37.1	50.7	62.9	0.0	0.0	16.0	21.0
1827-39202	8.3	4.0	3.5	483	421	4.0	3.5	483	421	47.6	39.3	52.4	60.7	0.0	0.0	10.1	12.7
1827-39203	10.4	3.9	3.5	466	416	3.9	3.5	466	416	59.8	41.7	40.2	58.3	0.0	0.0	6.8	10.8
1827-39205	9.1	3.3	2.1	397	256	3.2	2.0	379	236	38.4	34.6	61.6	65.4	0.0	0.0	38.1	35.4
1827-39209	8.1	3.9	3.4	466	402	3.9	3.4	466	402	47.6	40.2	52.4	59.8	0.0	0.0	11.1	13.7
1827-39210	8.1	3.8	3.4	460	407	3.8	3.4	460	406	48.8	41.5	51.2	58.5	0.0	0.0	9.5	11.7
1827-42715	9.0	3.9	3.3	465	397	3.9	3.3	465	397	52.7	40.3	47.3	59.7	0.0	0.1	10.7	14.7
1827-44762	9.6	3.7	2.7	443	318	3.5	2.4	424	292	44.9	35.7	55.1	64.3	0.0	0.0	27.6	28.2
1827-45017	9.1	4.0	3.7	476	438	4.0	3.7	476	438	54.1	41.8	45.9	58.2	0.0	0.1	5.8	8.0
1827-45018	10.0	3.9	3.5	467	418	3.9	3.5	467	418	53.7	41.1	45.7	58.1	0.0	0.0	6.9	9.0
1827-45085	8.8	3.9	3.4	465	407	3.9	3.4	462	402	52.1	40.9	47.9	59.1	0.0	0.0	9.4	12.5
1827-45092	9.0	3.9	3.3	462	396	3.9	3.3	462	396	52.6	40.7	47.4	59.3	0.0	0.0	10.5	14.3
1827-45093	9.6	3.9	3.3	465	401	3.9	3.3	465	401	55.7	40.6	44.3	59.4	0.0	0.0	9.5	13.8
1827-45094	9.0	3.9	3.3	465	399	3.9	3.3	465	398	52.6	40.5	47.4	59.5	0.0	0.0	10.4	14.2
1827-45099	9.2	3.9	3.3	465	401	3.9	3.3	465	401	53.6	40.3	46.4	59.7	0.0	0.0	9.9	13.9
1827-5011	9.4	4.0	3.6	479	434	4.0	3.6	479	434	54.6	42.1	45.4	57.9	0.1	0.1	6.7	9.5
1827-50148	8.3	3.8	3.3	453	398	3.8	3.3	452	396	50.6	42.7	49.4	57.3	0.0	0.0	9.6	12.1
1827-50162	8.5	3.8	3.5	452	414	3.8	3.5	452	414	52.9	43.6	47.1	56.4	0.0	0.0	6.4	8.3
1827-50553	8.5	4.0	3.6	476	430	4.0	3.6	476	430	50.4	41.9	49.6	58.1	0.0	0.0	7.5	9.7
1827-50554	10.3	3.8	3.4	459	403	3.8	3.4	459	403	59.5	42.7	40.5	57.3	0.0	0.0	7.8	12.2
1827-50556	8.1	3.9	3.3	465	399	3.9	3.3	465	399	47.5	40.1	52.5	59.9	0.0	0.0	11.5	14.2
1827-50557	8.1	3.8	3.1	450	375	3.8	3.1	450	375	48.1	40.7	51.9	59.3	0.0	0.0	13.5	16.6
1827-50557	8.1	3.8	3.1	450	375	3.8	3.1	450	375	48.1	40.7	51.9	59.3	0.0	0.0	13.5	16.6
1827-94045	8.3	3.9	3.4	465	404	3.9	3.4	464	403	49.0	40.6	51.0	59.4	0.0	0.0	10.4	13.0
184R3-130	13.0	2.1	2.1	253	253	2.1	2.1	253	253	83.7	71.1	56.0	28.9	0.0	0.0	0.0	

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
1960-L5007	11.7	3.8	3.8	456	456	3.8	3.8	456	456	67.4	47.6	32.6	52.4	0.0	0.0	0.0	0.0
1960-N4405	11.7	3.8	3.8	456	456	3.8	3.8	456	456	67.3	47.0	32.7	53.0	0.0	0.0	0.0	0.0
1960-N4421	10.9	3.8	3.8	454	454	3.8	3.8	454	454	65.1	47.1	34.9	52.9	0.0	0.0	0.0	0.0
1960-N9219	11.2	3.8	3.8	458	458	3.8	3.8	458	458	65.8	46.8	34.2	53.2	0.0	0.0	0.0	0.0
1960-P3001	8.8	3.8	3.8	453	453	3.8	3.8	453	453	57.2	48.2	42.8	51.8	0.0	0.0	0.0	0.0
1960-P3029	10.5	3.8	3.8	459	459	3.8	3.8	459	459	63.6	47.2	36.4	52.8	0.0	0.0	0.0	0.0
1960-P3030	11.6	3.8	3.8	460	460	3.8	3.8	460	460	66.9	46.8	33.1	53.2	0.0	0.0	0.0	0.0
1960-P3031	11.3	3.9	3.9	467	467	3.9	3.9	467	467	65.4	46.0	34.6	54.0	0.0	0.0	0.0	0.0
1960-P3036	8.3	3.8	3.8	455	455	3.8	3.8	455	455	54.2	46.9	45.8	53.1	0.0	0.0	0.0	0.0
1960-P3184	8.6	3.9	3.9	466	466	3.9	3.9	466	466	54.5	45.6	45.5	54.4	0.0	0.0	0.3	0.4
1960-P3184	8.6	3.9	3.9	466	464	3.9	3.8	463	457	54.5	45.6	45.5	54.4	0.0	0.0	0.3	0.4
1960-P3689	8.5	3.8	3.8	456	455	3.8	3.8	454	451	55.3	46.7	44.7	53.3	0.0	0.0	0.2	0.2
1960-P7241	11.8	3.8	3.8	460	460	3.8	3.8	460	460	67.6	46.9	32.4	53.1	0.0	0.0	0.0	0.0
1960-P9188	11.3	3.9	3.9	472	472	3.9	3.9	472	472	65.2	45.5	34.8	54.5	0.0	0.0	0.0	0.0
1960-P9189	8.8	3.9	3.9	467	466	3.9	3.9	466	462	55.7	45.1	44.3	54.9	0.0	0.0	0.2	0.2
1975	9.4	0.5	0.5	58	57	0.5	0.5	58	57	93.0	90.6	7.0	9.4	0.0	0.0	2.0	2.4
1977P	15.4	3.7	2.8	449	338	3.7	2.8	449	338	68.4	46.5	31.6	53.5	13.3	24.7	0.0	0.0
1988P	12.9	4.9	3.9	588	467	4.9	3.9	588	467	56.5	35.4	43.5	64.6	13.3	20.6	0.0	0.0
198G3-101	26.5	2.1	2.1	257	257	2.1	2.1	257	257	91.9	71.2	8.1	28.8	0.0	0.0	0.0	0.0
198V-100	8.6	2.7	2.2	322	266	2.7	2.2	322	266	51.3	54.0	48.7	46.0	0.0	0.0	22.9	17.6
198WF1072	10.3	1.5	0.7	175	82	1.5	0.7	176	82	50.6	38.5	49.4	61.5	42.8	53.1	0.0	0.0
198WG1060	9.8	1.2	0.5	139	65	1.2	0.5	139	65	49.7	40.4	50.3	59.6	44.8	53.1	0.0	0.0
198WG90073	9.3	1.2	0.6	144	67	1.2	0.6	144	67	45.9	39.7	54.1	60.3	48.0	53.3	0.0	0.0
1991P	11.2	2.8	1.7	335	204	2.8	1.7	335	204	53.8	41.8	46.2	58.2	31.0	39.0	0.0	0.0
1997P	13.4	4.2	2.8	507	337	4.2	2.8	507	337	58.2	36.2	41.8	63.9	20.8	33.5	0.0	0.0
1H1A25P	9.9	2.3	2.2	271	263	2.3	2.2	271	263	75.8	64.7	24.2	35.3	0.0	0.0	2.0	2.9
11825P	12.9	2.1	2.1	248	248	2.1	2.1	248	248	84.0	71.6	15.0	28.4	0.0	0.0	0.0	0.0
11826P	13.8	2.5	2.4	301	284	2.5	2.4	301	284	79.9	62.6	20.1	37.4	0.0	0.0	2.9	5.7
11834P	10.9	3.4	3.4	412	412	3.4	3.4	412	412	68.3	53.3	31.7	46.7	0.0	0.0	0.0	0.0
11872P	10.2	1.8	0.8	219	99	1.8	0.8	219	99	47.5	35.5	52.5	64.5	44.4	54.8	0.0	0.0
200	6.5	6.5	6.5	776	776	6.5	6.5	776	776	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2001	6.3	6.3	6.3	756	756	6.3	6.3	756	756	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2009	9.1	6.3	2.9	760	348	6.3	2.9	760	348	0.0	0.0	100.0	100.0	0.0	0.0	68.0	54.2
2008-1583A	8.9	0.9	0.3	106	30	0.9	0.3	106	30	29.7	24.7	70.3	75.3	67.5	71.3	0.0	0.0
2008-1684A	8.9	1.1	0.4	128	49	1.1	0.4	128	49	37.5	32.7	62.5	67.3	57.6	61.1	0.3	0.3
2008-1724	10.5	0.3	0.1	37	13	0.3	0.1	37	13	48.0	34.7	52.0	65.3	50.4	63.5	0.6	0.8
20083-020	9.2	2.1	1.0	256	120	2.1	1.0	256	120	42.8	34.6	57.2	65.4	46.2	53.0	0.1	0.1
20083-124	8.8	1.3	0.4	159	51	1.3	0.4	159	51	29.8	25.9	70.2	74.1	65.3	67.7	0.1	0.1
20083-131	11.3	2.1	1.0	247	120	2.1	1.0	247	120	53.4	35.7	46.6	64.3	37.5	51.2	0.3	0.4
20083-138	8.7	2.1	0.9	253	110	2.1	0.9	253	110	34.1	30.9	66.0	69.1	55.0	56.2	0.4	0.5
20083-1564	8.6	0.6	0.3	71	30	0.6	0.3	71	30	40.1	38.5	59.9	61.5	56.9	57.4	0.1	0.1
20083-186	8.9	2.1	1.0	247	121	2.1	1.0	247	121	40.7	35.5	59.3	64.5	47.8	50.9	0.2	0.2
20083-193	9.8	1.2	0.6	147	66	1.2	0.6	147	66	46.3	36.7	63.3	63.3	48.1	55.2	0.1	0.1
20084-083	8.5	0.0	0.0	6	3	0.0	0.0	6	3	45.5	44.7	54.0	55.3	54.0	55.4	0.2	0.2
20084-106A	8.9	1.5	0.6	181	76	1.5	0.6	181	76	38.0	33.1	62.0	66.9	54.6	57.6	0.3	0.3
20084-109	8.9	1.5	0.7	183	78	1.5	0.7	183	78	38.2	33.3	61.8	66.7	54.2	57.2	0.3	0.3
20084-113	9.1	1.9	0.9	222	103	1.9	0.9	222	103	40.5	34.0	59.5	66.0	49.9	53.5	0.2	0.3
20084-121	8.6	0.6	0.3	71	30	0.6	0.3	71	30	40.2	38.8	59.8	61.2	56.7	57.1	0.1	0.1
20084-122	9.0	1.5	0.7	177	81	1.5	0.7	177	81	41.3	36.1	58.7	63.9	51.0	54.1	0.3	0.4
20084-124	8.5	2.7	1.1	318	129	2.7	1.1	318	129	26.8	24.2	73.2	75.8	60.4	59.3	0.0	0.0
20084-131	8.5	2.1	0.9	252	109	2.1	0.9	252	109	32.5	30.8	67.5	69.2	56.6	56.4	0.1	0.1
2008-4190	8.5	2.1	1.0	252	119	2.1	1.0	252	119	35.3	33.5	64.7	66.5	53.0	52.8	0.1	0.1
2008-4688	8.9	2.3	1.0	270	123	2.3	1.0	270	123	38.9	32.6	61.1	67.4	49.5	54.3	0.1	0.1
20084-814	8.9	2.0	0.9	235	108	2.0	0.9	235	108	38.6	33.2	61.4	66.8	51.1	53.5	0.2	0.3
20084-817	8.9	2.0	0.9	234	108	2.0	0.9	234	108	38.1	33.2	61.9	66.8	51.5	53.5	0.2	0.3
20087-104	8.6	1.4	0.6	166	73	1.4	0.6	166	73	37.2	35.0	62.8	65.0	55.3	55.6	0.4	0.4
200C-1405B	8.5	1.3	0.5	158	58	1.3	0.5	158	58	30.8	29.6	69.2	70.4	63.6	63.4	0.0	0.0
200C-1405D	8.5	1.3	0.5	160	62	1.3	0.5	160	62	32.6	31.4	67.4	68.6	61.3	61.0	0.0	0.0
200C-17000	8.6	0.5	0.2	63	24	0.5	0.2	63	24	35.8	34.3	64.2	60.7	60.7	60.7	1.1	1.3
200C-1700E	8.6	0.5	0.2	63	24	0.5	0.2	63	24	35.0	34.5	64.0	65.5	60.6	60.6	1.1	1.3
200C-1705A	8.6	1.6	0.7	187	78	1.6	0.7	187	78	33.8	32.2	66.2	67.8	58.6	58.4	0.0	0.0
200C-1711	8.8	0.5	0.2	59	23	0.5	0.2	59	23	38.1	35.7	61.9	64.3	58.6	59.5	1.1	1.3
200C3-154	8.6	0.6	0.2	77	29	0.6	0.2	77	29	35.5	34.1	64.5	65.9	61.2	61.8	0.5	0.5
200D-1105	10.5	1.8	0.9	221	103	1.8	0.9	221	103	48.6	34.5	51.4	65.5	43.2	53.4	0.1	0.1
200D-1150B	9.4	0.2	0.1	26	10	0.2	0.1	26	10	43.0	36.7	57.0	63.3	55.7	61.2	0.4	0.4
200D-1160	9.3	2.0	1.0	244	116	2.0	1.0	244	116	41.4	34.1	58.6	65.9	48.2	52.5	0.0	0.0
200D-1552A	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.8	37.7	50.2	62.3	49.2	60.2	0.3	0.4
200D-167C	10.5	0.2	0.1	25	10	0.2	0.1	25	10	50.0	37.7	50.0	62.3	48.9	60.3	0.3	0.4
200D-1695E	10.1	0.5	0.2	58	20	0.5	0.2	58	20	43.4	31.7	56.6	68.3	54.9	65.4	0.0	0.0
200D-1793	9.8	0.2	0.1	23	9	0.2	0.1	23	9	48.1	39.3	51.9	60.7	50.7	58.5	0.3	0.4
200D-1798	9.1	0.2	0.1	26	10	0.2	0.1	26	10	41.9	36.9	58.1	63.1	56.8	60.8	0.4	0.5
200D-1799	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.9	37.7	50.1	62.3	49.1	60.2	0.3	0.4
200D-185D	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.7	50.3	62.3	49.2	60.3	0.3	0.4
200D-189C	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.8	37.7	50.2	62.3	49.1	60.2	0.3	0.4
200D-286C	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.6	50.3	62.4	49.2	60.4	0.3	0.4
200D3-111A	9.5	1.7	0.8	209	96	1.7	0.8	209	96	42.5	34.7	57.5	65.3	48.9	53.9	0.1	0.1

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
200H-475E	9.6	0.8	0.3	93	36	0.8	0.3	93	36	41.8	33.9	58.2	66.1	55.0	61.5	0.0	0.0
200H-563B	8.9	1.9	0.9	223	104	1.9	0.9	223	104	39.2	34.8	60.8	65.2	51.1	53.1	0.0	0.0
200H-621A	8.9	1.9	0.9	229	107	1.9	0.9	229	107	38.1	34.2	61.9	65.8	51.8	53.5	0.1	0.1
200H7-103	9.9	1.2	0.6	149	72	1.2	0.6	149	72	49.4	39.8	50.6	60.2	44.4	51.6	0.1	0.2
200H7-105	8.8	1.4	0.6	164	75	1.4	0.6	164	75	40.1	36.7	59.9	63.3	52.3	53.6	0.4	0.5
200J-1267B	9.2	0.2	0.1	26	10	0.2	0.1	26	10	41.6	36.3	58.4	63.7	57.1	61.5	0.4	0.5
200J-1371A	9.2	0.8	0.3	95	34	0.8	0.3	95	34	37.4	31.2	62.6	68.8	59.6	64.4	0.0	0.0
200J-158H	9.0	0.2	0.1	26	10	0.2	0.1	26	10	40.3	36.0	59.7	63.0	58.4	61.8	0.4	0.5
200J-1725	9.5	0.3	0.1	34	13	0.3	0.1	34	13	43.8	36.5	56.2	64.7	54.0	60.4	1.1	1.3
200J-120C	9.1	2.0	0.8	236	101	2.0	0.8	236	101	36.8	31.1	63.2	68.9	53.8	57.1	0.1	0.1
200J-466B	9.1	1.9	0.9	224	103	1.9	0.9	224	103	39.7	34.0	60.3	66.0	50.9	54.0	0.0	0.0
200K-1279	9.1	1.5	0.7	177	81	1.5	0.7	177	81	41.8	35.9	58.2	64.1	50.8	54.5	0.0	0.0
200K-1796	9.1	1.8	0.8	219	99	1.8	0.8	219	99	39.2	33.6	60.8	66.5	51.7	54.9	0.0	0.0
200K3-174	9.7	1.8	0.8	212	100	1.8	0.8	212	100	44.7	35.4	55.3	64.6	46.7	52.9	0.1	0.1
200K4-123	9.2	0.7	0.3	80	31	0.7	0.3	80	31	40.6	35.8	59.4	64.2	56.5	60.4	0.1	0.1
200K4-125	9.1	1.5	0.7	176	80	1.5	0.7	176	80	41.9	36.0	58.1	64.0	50.8	54.5	0.0	0.0
200K-444E	9.0	1.8	0.8	213	100	1.8	0.8	213	100	40.4	35.4	59.6	64.6	50.3	52.8	0.1	0.1
200K-562	8.8	0.6	0.3	71	30	0.6	0.3	71	30	41.9	38.8	58.1	61.2	55.1	57.0	0.1	0.1
200R-1161B	9.1	2.0	0.9	245	114	2.0	0.9	245	114	39.3	33.2	60.7	66.8	50.3	53.6	0.0	0.0
200R-1187C	9.7	0.5	0.2	58	21	0.5	0.2	58	21	42.0	33.3	58.0	66.7	56.2	63.7	0.0	0.0
200R-1417A	9.0	0.6	0.2	76	28	0.6	0.2	76	28	37.5	33.1	62.5	66.9	59.9	63.0	0.0	0.0
200R-1577	9.1	0.6	0.2	70	30	0.6	0.2	70	30	43.7	38.7	56.3	61.3	53.5	57.4	0.1	0.1
200R-1703	8.7	0.7	0.3	87	33	0.7	0.3	87	33	35.9	33.3	64.1	66.7	61.0	62.3	0.0	0.0
200R-1789	9.1	0.9	0.3	104	40	0.9	0.3	104	40	38.6	33.6	61.4	66.4	57.8	61.2	0.0	0.0
200R-1795	8.9	1.9	0.8	229	95	1.9	0.8	229	95	35.3	30.5	64.7	69.5	55.8	58.5	0.1	0.1
200R3-122	9.0	1.8	0.8	222	97	1.8	0.8	222	97	37.5	32.3	62.5	67.7	53.5	56.3	0.1	0.1
200R3-913	8.6	2.5	1.1	300	127	2.5	1.1	300	127	30.0	26.1	70.0	73.9	57.4	57.3	0.3	0.3
200R4-122	9.1	1.8	0.9	220	105	1.8	0.9	220	105	41.3	35.6	58.7	64.4	49.0	52.0	0.1	0.1
200R-446D	9.0	1.8	0.8	216	101	1.8	0.8	216	101	39.6	34.8	60.4	65.2	51.0	53.3	0.0	0.0
200R-447F	8.7	1.8	0.8	211	97	1.8	0.8	211	97	37.3	34.4	62.7	65.6	53.4	54.1	0.1	0.1
200R-483	8.9	1.8	0.8	210	97	1.8	0.8	210	97	39.1	35.0	60.9	65.0	51.8	53.6	0.0	0.0
200R5-107	9.9	1.9	0.8	225	99	1.9	0.8	225	99	44.4	32.9	55.6	67.1	47.1	55.9	0.1	0.1
200R-531E	8.7	1.8	0.8	218	100	1.8	0.8	218	100	37.4	34.3	62.6	65.7	53.0	54.0	0.1	0.1
200R-561	8.8	0.6	0.3	71	30	0.6	0.3	71	30	41.7	38.7	58.3	61.3	55.3	57.2	0.1	0.1
200R7-107	9.0	1.2	0.6	147	70	1.2	0.6	147	70	44.4	39.3	55.6	60.7	48.7	51.6	0.4	0.4
200W-1014B	10.5	1.8	0.9	220	102	1.8	0.9	220	102	48.6	34.6	51.4	65.4	43.2	53.4	0.1	0.1
200W-1090C	10.4	0.2	0.1	26	10	0.2	0.1	26	10	49.7	37.8	50.3	62.2	49.1	60.1	0.3	0.4
200W-109E	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.8	37.7	50.2	62.3	49.1	60.2	0.3	0.4
200W-1134C	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.8	50.3	62.2	49.2	60.1	0.3	0.4
200W-1148A	11.2	0.7	0.3	78	37	0.7	0.3	78	37	58.2	43.9	41.8	56.1	39.1	52.7	0.0	0.0
200W-1308F	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.8	50.3	62.2	49.2	60.1	0.3	0.4
200W-1495A	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.8	37.8	50.2	62.2	49.1	60.1	0.3	0.4
200W-1515B	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.8	50.3	62.2	49.2	60.4	0.3	0.4
200W-1565	10.7	2.1	1.0	258	122	2.1	1.0	258	122	42.8	35.1	52.2	64.9	40.6	52.4	0.1	0.1
200W-1720	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.8	37.8	50.2	62.2	49.2	60.1	0.3	0.4
200W-1791	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.8	37.8	50.2	62.2	49.2	60.1	0.3	0.4
200W-1792	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.8	50.3	62.2	49.2	60.1	0.3	0.4
200W-1797	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.8	50.3	62.2	49.2	60.1	0.3	0.4
200W-199D	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.9	37.8	50.1	62.2	49.1	60.2	0.3	0.4
200W-208E	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.8	50.3	62.2	49.2	60.1	0.3	0.4
200W3-126	11.2	0.7	0.3	78	37	0.7	0.3	78	37	58.2	43.8	41.8	56.2	39.1	52.7	0.0	0.0
200W3-161	9.2	2.0	0.9	242	114	2.0	0.9	242	114	40.5	34.0	59.5	66.0	48.7	52.4	0.5	0.5
200W3-200A	11.2	0.7	0.3	78	37	0.7	0.3	78	37	58.2	43.9	41.8	56.1	39.0	52.7	0.0	0.0
200W3-828	11.4	0.9	0.4	110	51	0.9	0.4	110	51	57.5	41.8	42.5	58.2	38.7	53.1	0.1	0.1
200W-506F	10.7	1.7	0.8	207	95	1.7	0.8	207	95	49.1	34.9	50.9	65.1	43.4	54.1	0.1	0.1
200W7-102A	10.2	1.2	0.6	145	71	1.2	0.6	145	71	51.4	40.2	48.6	59.8	42.5	50.7	0.3	0.4
200W-710C	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.8	37.8	50.2	62.2	49.1	60.2	0.3	0.4
200W-9003	12.1	1.0	0.5	116	62	1.0	0.5	116	62	62.6	46.5	37.4	53.5	33.1	46.5	0.1	0.1
200W-986C	10.4	0.2	0.1	25	10	0.2	0.1	25	10	49.7	37.8	50.3	62.2	49.2	60.1	0.3	0.4
200Y-169B	9.5	0.8	0.3	92	35	0.8	0.3	92	35	46.5	32.3	58.5	67.4	49.8	55.4	0.1	0.1
200Y-1790	9.1	1.6	0.6	191	67	1.6	0.6	191	67	34.0	27.7	66.0	72.2	59.8	64.8	0.0	0.0
200Y-388G	9.7	1.6	0.8	191	94	1.6	0.8	191	94	47.1	38.3	52.9	61.7	44.8	50.8	0.1	0.1
200Y4-770	8.7	1.2	0.5	140	66	1.2	0.5	140	66	41.6	39.1	58.4	60.9	52.1	53.0	0.1	0.1
200Y7-106	9.3	1.2	0.6	147	71	1.2	0.6	147	71	45.8	39.2	54.2	60.8	47.5	51.6	0.4	0.4
200Z-458G	8.7	1.9	0.8	231	101	1.9	0.8	231	101	34.9	31.8	65.1	68.2	55.4	56.3	0.0	0.0
200Z-537	8.8	1.9	0.8	231	101	1.9	0.8	231	101	35.9	31.8	64.1	68.2	54.6	56.4	0.0	0.0
200Z-675C	8.8	1.9	0.8	227	99	1.9	0.8	227	99	35.5	31.9	64.5	68.1	55.1	56.4	0.0	0.0
200Z-842F	8.7	1.5	0.5	184	64	1.5	0.5	184	64	30.7	27.1	69.3	72.9	63.2	65.4	0.0	0.0
2010	6.6	0.0	0.0	0	0	0.0	0.0	0	0	100.0	0.0	100.0	0.0	0.0	100.0	100.0	100.0
2014	13.4	0.8	0.5	101	60	0.5	0.3	62	35	63.2	53.1	36.8	46.9	0.0	0.0	33.0	40.5
2019	7.6	4.2	3.0	506	357	4.2	3.0	506	357	35.4	28.7	64.6	71.3	0.0	0.0	25.6	29.4
201965	7.8	4.5	4.5	543	543	4.5	4.5	543	543	42.2	34.1	57.8	65.9	0.0	0.0	0.0	0.0
201975	7.9	4.6	4.6	550	550	4.6	4.6	550	550	42.2	34.6	57.8	65.4	0.0	0.0	0.0	0.0
201985	8.3	4.7	4.7	560	560	4.7	4.7	560	560	44.0	37.9	56.0	62.1	0.0	0.0	0.0	0.0
20183-120	9.2	1.9	0.9	227	106	1.9	0.9	227	106	41.1	34.8	58.9	62.1	48.9	52.9	0.3	0.4
20188-114	8.8	0.0	0.0	3	1	0.0	0.0	3	1	40.1	38.2	59.9	61.8	58.6	59.2	1.2	1.4

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	TBAC (AP) (lb/gal)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
212F-172	11.1	1.1	0.6	126	66	1.1	0.6	126	66	57.6	44.8	42.4	55.2	37.4	47.6	0.0	0.0
212F-175	11.7	1.0	0.5	119	64	1.0	0.5	119	64	61.0	46.3	39.0	53.7	34.4	46.5	0.1	0.1
212F3-1068	9.7	0.9	0.4	105	50	0.9	0.4	105	50	48.7	40.5	51.3	59.5	46.9	52.0	0.0	0.0
212F3-110	9.6	0.9	0.4	104	50	0.9	0.4	104	50	48.9	40.7	51.1	59.3	46.8	51.7	0.0	0.0
212F3-111	11.5	1.0	0.5	121	64	1.0	0.5	121	64	60.3	46.1	39.7	53.9	35.0	46.6	0.1	0.1
212F3-114	11.0	1.2	0.5	138	64	1.2	0.5	138	64	53.0	39.2	47.0	60.8	42.0	53.1	0.1	0.1
212G-1518	9.3	0.9	0.4	103	50	0.9	0.4	103	50	46.9	40.3	53.0	59.7	48.6	53.5	0.0	0.0
212G3-064	11.4	1.0	0.5	116	63	1.0	0.5	116	63	61.0	47.5	39.0	52.5	34.3	45.2	0.1	0.1
212G3-1058	9.4	0.9	0.4	103	50	0.9	0.4	103	50	47.2	40.2	52.8	59.8	48.4	51.6	0.0	0.0
212G3-711	8.4	1.3	0.6	160	75	1.3	0.6	160	75	40.8	38.2	59.2	61.8	55.2	52.8	0.1	0.1
212J-173	11.0	1.0	0.6	125	66	1.0	0.6	125	66	57.9	45.6	42.1	54.4	37.1	46.9	0.0	0.0
212J-174	11.1	1.0	0.6	125	66	1.0	0.6	125	66	58.3	45.5	41.7	54.5	36.7	46.9	0.0	0.0
212J3-177	9.2	1.3	0.6	160	75	1.3	0.6	160	75	42.7	38.1	57.3	61.9	50.3	53.0	0.1	0.1
212J3-777	9.2	1.3	0.6	159	75	1.3	0.6	159	75	43.0	38.1	57.0	61.9	50.1	53.0	0.1	0.1
212R3-113	9.2	1.1	0.5	134	65	1.1	0.5	134	65	45.7	40.8	54.3	59.2	48.3	51.3	0.1	0.1
212W-116	10.0	0.8	0.4	96	47	0.8	0.4	96	47	51.3	41.8	48.7	58.2	44.9	51.1	0.0	0.0
212W3-1115	11.3	1.1	0.5	134	64	1.1	0.5	134	64	55.6	40.6	44.4	59.4	39.6	51.8	0.1	0.1
212W3-110	10.0	0.8	0.4	95	47	0.8	0.4	95	47	51.5	42.0	48.5	58.0	44.6	50.9	0.0	0.0
212W3-115	11.3	1.1	0.5	134	64	1.1	0.5	134	64	55.6	40.6	44.4	59.4	39.6	51.8	0.1	0.1
212W3-180	11.0	1.1	0.5	137	64	1.1	0.5	137	64	53.4	39.4	46.6	60.6	41.7	53.0	0.1	0.1
212Y3-176	9.1	1.3	0.6	154	73	1.3	0.6	154	73	43.3	39.1	56.7	60.9	49.8	52.0	0.1	0.1
216B3-100	8.5	2.4	1.0	284	120	2.4	1.0	284	120	30.0	27.2	70.0	72.8	58.0	57.4	0.2	0.2
216B3-106A	9.1	2.1	0.9	256	110	2.1	0.9	256	110	36.2	29.3	63.8	70.7	53.5	56.8	0.2	0.2
216B3-109	8.4	3.1	1.1	369	131	3.1	1.1	369	131	21.6	19.2	78.4	80.8	65.2	64.2	0.3	0.3
216B3-608	8.5	2.7	0.9	322	111	2.7	0.9	323	111	22.8	20.2	77.2	79.8	66.3	65.7	0.0	0.0
216C-099	8.4	2.8	1.0	341	122	2.8	1.0	341	122	22.3	20.3	77.7	79.7	65.5	64.2	0.0	0.0
216C-099	8.4	2.7	0.9	323	111	2.7	0.9	323	111	25.8	20.3	78.2	79.7	63.6	65.5	0.0	0.0
216D3-108	8.8	2.2	0.9	266	110	2.2	0.9	266	110	32.7	27.8	67.3	72.2	56.7	58.3	0.2	0.2
216D3-110	8.7	2.9	1.4	346	165	2.9	1.4	346	165	32.2	27.1	67.8	72.9	51.7	51.9	0.3	0.3
216D3-113	9.3	2.8	1.3	331	157	2.8	1.3	331	157	37.3	28.0	62.7	72.0	48.3	52.1	0.3	0.3
216D3-118	9.1	2.8	1.4	333	165	2.8	1.4	333	165	37.1	29.1	62.9	70.9	47.5	50.0	0.3	0.3
216D3-120	9.5	2.4	1.1	287	128	2.4	1.1	287	128	38.7	28.2	61.3	71.8	49.7	54.7	0.4	0.5
216D3-488	8.6	2.6	1.0	308	122	2.6	1.0	308	122	27.9	23.9	72.1	76.1	60.0	60.1	0.3	0.3
216D3-600	8.9	2.6	0.9	307	110	2.6	0.9	307	110	28.1	21.8	71.9	78.2	61.6	64.3	0.0	0.0
216D3-789	8.8	2.6	0.9	314	110	2.6	0.9	314	110	26.8	21.1	73.2	78.9	62.8	64.9	0.0	0.0
216D3-790	8.9	2.6	0.9	315	110	2.6	0.9	315	110	27.0	21.0	73.0	79.0	62.6	64.9	0.0	0.0
216G-113	9.6	1.1	0.6	129	70	1.1	0.6	129	70	54.3	47.1	45.7	52.9	39.6	45.9	0.0	0.1
216G3-011	8.7	2.8	1.3	337	161	2.8	1.3	337	161	32.6	27.7	67.4	72.3	51.7	51.9	0.3	0.3
216G3-100	8.5	2.3	1.0	278	120	2.3	1.0	278	120	31.1	28.0	68.9	72.0	57.0	56.5	0.2	0.2
216G3-101	9.1	2.1	0.9	134	70	1.1	0.6	134	70	49.6	45.0	50.4	55.0	43.9	48.0	0.0	0.1
216G3-106A	8.6	1.1	0.6	254	110	2.1	0.9	254	110	32.9	29.6	67.1	70.4	56.2	56.4	0.2	0.2
216G3-115	8.7	2.8	1.3	332	157	2.8	1.3	332	157	32.8	27.8	67.2	72.2	51.9	52.4	0.3	0.3
216G3-116	9.0	2.7	1.4	328	165	2.7	1.4	328	165	36.6	29.7	63.4	70.3	47.8	49.3	0.3	0.3
216G3-609	8.4	2.8	1.0	337	121	2.8	1.0	337	121	22.9	20.4	77.1	79.6	65.2	64.7	0.0	0.0
216G3-727	8.5	2.6	1.0	307	125	2.6	1.0	307	125	27.8	24.6	72.2	75.4	59.7	59.0	0.3	0.3
216H3-104	9.0	0.7	0.3	78	36	0.7	0.3	79	36	43.6	39.8	56.4	60.2	53.0	54.5	0.0	0.0
216H3-117	9.0	2.6	1.4	314	165	2.6	1.4	314	165	38.7	32.0	61.3	68.0	45.7	47.2	0.3	0.3
216H3-489	8.6	2.6	1.0	307	125	2.6	1.0	307	125	28.4	24.6	71.6	75.4	59.2	59.0	0.3	0.3
216H3-590	8.6	2.6	1.1	312	133	2.6	1.1	312	133	29.8	25.6	70.2	74.4	56.9	56.8	0.5	0.6
216H3-601	8.9	2.6	0.9	307	108	2.6	0.9	307	108	27.6	21.5	72.4	78.5	62.2	64.7	0.0	0.0
216H3-602	8.7	2.6	0.9	306	108	2.6	0.9	306	108	26.0	21.6	74.0	78.4	63.6	64.7	0.0	0.0
216H3-603	8.9	2.6	1.0	310	114	2.6	1.0	310	114	28.9	22.3	71.1	77.7	60.5	63.3	0.0	0.0
216G3-604	8.8	2.3	0.9	279	108	2.3	0.9	279	108	30.5	24.9	69.5	75.1	59.4	61.4	0.0	0.0
216R-115	9.3	1.0	0.6	122	70	1.0	0.6	122	70	55.7	50.8	44.3	49.2	37.9	42.1	0.0	0.1
216R3-112	8.6	2.3	1.1	279	131	2.3	1.1	279	131	34.2	30.3	65.8	69.7	52.7	52.5	0.4	0.5
216R3-114	8.6	2.6	1.2	317	144	2.6	1.2	317	144	31.9	27.6	68.1	72.4	53.9	54.2	0.3	0.3
216R3-607	8.6	2.4	0.9	287	111	2.4	0.9	287	111	28.3	24.5	71.7	75.5	60.9	61.4	0.0	0.0
216R3-678	8.5	2.9	1.3	347	160	2.9	1.3	347	160	29.5	26.2	70.7	73.8	54.5	53.6	0.3	0.4
216R3-713	8.5	2.8	1.2	337	146	2.8	1.2	337	146	28.7	25.0	71.3	75.0	56.9	56.5	0.2	0.3
216W-099	9.5	2.9	1.0	323	103	2.9	1.0	323	103	23.1	22.2	65.9	67.9	64.7	64.7	0.0	0.0
216W3-105	10.4	0.6	0.3	70	35	0.6	0.3	70	35	54.6	44.0	45.4	56.0	42.6	50.4	0.0	0.0
216W3-111	9.9	2.0	0.9	241	109	2.0	0.9	241	109	43.7	31.7	56.3	68.3	47.0	54.5	0.1	0.2
216Y-114	9.7	1.1	0.6	127	69	1.1	0.6	127	69	55.0	47.5	45.0	52.5	39.1	45.6	0.0	0.1
216Y-3032	9.1	2.7	1.2	318	144	2.7	1.2	318	144	34.6	27.2	65.4	72.8	51.9	54.5	0.2	0.3
216Y-3581	9.3	2.2	1.0	263	120	2.2	1.0	263	120	38.7	30.2	61.3	69.8	50.2	54.0	0.2	0.3
216Y3-610	9.1	2.5	0.9	301	105	2.5	0.9	301	105	29.9	21.6	70.1	78.4	60.5	65.0	0.0	0.0
216Y3-611	9.0	2.5	0.9	296	108	2.5	0.9	296	108	30.0	22.7	70.0	77.3	60.0	63.5	0.0	0.0
216Y3-802	9.4	1.5	0.7	174	89	1.5	0.7	174	89	46.7	39.7	53.3	60.3	45.4	49.0	0.0	0.0
216Z3-605	8.5	2.8	1.0	331	119	2.8	1.0	331	119	24.0	20.8	76.0	79.2	64.4	64.1	0.0	0.0
216Z3-606	8.7	2.7	1.0	325	117	2.7	1.0	325	117	25.8	21.3	74.2	78.7	63.0	64.0	0.0	0.0
217B3-102	8.8	1.7	0.7	198	86	1.7	0.7	198	86	37.9	33.4	62.1	66.6	53.8	56.4	0.1	0.1
217B3-108	8.6	1.0	0.4	121	53	1.0	0.4	121	53	39.0	37.3	61.0	62.7	55.4	55.8	0.4	0.4
217B3-111	9.0	0.6	0.3	75	33	0.6	0.3	75	33	45.5	40.8	54.5	59.2	51.1	55.1	0.3	0.4
217B3-126	8.7	1.0	0.4	120	53	1.0	0.4	120	53	40.7	38.2	59.3	61.8	53.9	54.9	0.4	0.4
217B3-134	9.0	0.6	0.3	75	35	0.6	0.3	75	35	47.4	42.7	52.6	57.3	49.0	53.0	0.4	0.4
217R7-102	9.5	0.5	0.2	61	30	0.											

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
219G8	10.4	2.1	1.4	254	167	2.1	1.4	254	167	63.2	44.5	36.8	55.5	0.0	0.0	23.4	34.3
219GY16	11.2	2.0	1.4	245	163	2.0	1.4	245	163	65.8	44.6	34.2	55.4	0.0	0.0	22.1	33.4
219GY17	10.5	2.6	1.8	314	215	2.6	1.8	314	215	60.6	40.3	39.4	59.7	0.0	0.0	22.4	31.5
219GY20	11.2	2.0	1.4	243	162	2.0	1.4	243	162	65.8	44.6	34.2	55.4	0.0	0.0	22.1	33.5
219GY23	11.2	2.1	1.4	247	165	2.1	1.4	247	165	65.8	44.7	34.2	55.3	0.0	0.0	21.9	33.0
219W5	12.1	1.9	1.3	224	152	1.9	1.3	224	152	69.8	47.2	30.2	52.8	0.0	0.0	19.7	32.1
219W9	11.2	2.0	1.3	242	160	2.0	1.3	242	160	65.8	44.5	34.2	55.5	0.0	0.0	22.2	33.8
21HGC-2100	8.7	2.8	1.6	333	195	2.8	1.6	333	195	37.1	34.6	62.9	65.4	0.0	0.0	44.3	41.5
220	8.0	6.6	0.2	791	20	6.6	0.2	791	20	0.5	0.5	99.5	99.5	82.7	79.6	14.7	17.9
220B2-838	9.2	0.1	0.0	10	4	0.1	0.0	10	4	46.1	40.7	53.9	53.3	53.5	58.4	0.0	0.1
220B3-103	10.7	0.2	0.1	18	7	0.2	0.1	18	7	52.5	39.6	47.5	60.4	46.9	59.3	0.0	0.0
220B3-104	10.0	0.5	0.2	60	25	0.5	0.2	60	25	48.3	38.4	51.7	61.6	49.6	58.1	0.0	0.0
220B3-165	9.5	1.9	0.8	225	95	1.9	0.8	225	95	40.1	31.2	59.9	68.8	51.4	57.5	0.2	0.3
220B3-177	10.2	0.1	0.0	6	3	0.1	0.0	6	3	52.4	41.9	47.6	58.1	47.3	57.6	0.0	0.0
220B3-184	10.0	0.1	0.0	10	3	0.1	0.0	10	3	41.7	30.2	58.3	69.8	57.8	69.3	0.3	0.4
220B3-185	9.8	0.9	0.4	103	42	0.9	0.4	103	42	45.8	35.9	54.2	64.1	50.6	58.8	0.1	0.1
220B3-998	9.8	1.1	0.5	133	57	1.1	0.5	133	57	46.5	36.2	53.5	63.8	48.4	56.7	0.2	0.3
220C2-123	8.5	1.8	0.7	220	89	1.8	0.7	220	89	34.3	31.1	65.7	68.9	56.9	59.3	0.1	0.1
220C3-060	8.4	0.2	0.1	28	18	0.2	0.1	28	18	62.0	61.8	38.0	38.2	35.9	36.1	0.4	0.4
220C3-061	8.3	0.5	0.3	58	37	0.5	0.3	58	37	61.0	60.5	39.0	39.5	34.9	35.0	0.4	0.4
220C3-160	9.2	0.7	0.2	81	25	0.7	0.2	81	25	40.6	30.5	59.4	69.5	57.0	68.8	0.1	0.2
220C-403	8.9	1.7	0.7	209	89	1.7	0.7	209	89	35.7	30.8	64.3	69.2	55.9	57.3	0.0	0.1
220D-030	9.4	1.4	0.7	166	79	1.4	0.7	166	79	44.5	36.5	55.5	63.5	48.2	52.3	0.3	0.3
220D-031	11.6	2.2	1.2	267	140	2.2	1.2	267	140	54.4	34.6	45.6	65.4	35.3	47.0	0.3	0.5
220D2-102A	9.5	1.4	0.7	171	78	1.4	0.7	171	78	46.7	37.4	53.3	62.6	46.4	54.1	0.1	0.1
220D2-102B	9.3	0.9	0.3	104	39	0.9	0.3	104	39	40.6	33.3	59.4	66.7	55.9	62.2	0.0	0.1
220D2-116B	9.4	0.1	0.1	16	6	0.1	0.1	16	6	47.7	40.9	52.3	59.1	51.7	58.0	0.0	0.1
220D2-118A	9.6	0.8	0.4	95	43	0.8	0.4	95	43	47.6	39.8	52.4	60.2	48.5	54.3	0.1	0.2
220D2-120	9.3	0.9	0.3	102	38	0.9	0.3	102	38	40.4	33.2	59.6	66.8	56.1	62.8	0.0	0.1
220D2-124	9.7	1.0	0.4	124	54	1.0	0.4	124	54	47.5	37.9	52.5	62.1	47.8	56.7	0.1	0.1
220D2-128	9.5	1.7	0.8	200	94	1.7	0.8	200	94	46.9	37.3	53.1	62.7	44.8	52.6	0.1	0.1
220D-215B	9.6	1.5	0.7	180	85	1.5	0.7	180	85	47.8	37.9	52.2	62.1	44.8	53.0	0.1	0.1
220D-215H	9.6	1.5	0.7	180	85	1.5	0.7	180	85	47.8	37.9	52.2	62.1	44.8	53.0	0.1	0.1
220D-251B	9.7	1.7	0.8	202	96	1.7	0.8	202	96	45.4	35.7	54.6	64.3	46.3	52.5	0.1	0.1
220D-251C	9.7	1.9	0.9	226	112	1.9	0.9	226	112	45.5	36.2	54.5	63.8	44.8	50.5	0.1	0.1
220D-252B	10.1	1.0	0.4	124	52	1.0	0.4	124	52	47.4	35.6	52.6	64.4	48.3	58.1	0.1	0.1
220D-253A	9.7	1.7	0.8	202	96	1.7	0.8	202	96	45.4	35.7	54.6	64.3	46.3	52.5	0.1	0.1
220D-253B	9.9	1.9	0.9	229	108	1.9	0.9	229	108	45.0	33.9	55.0	66.1	45.8	52.8	0.1	0.1
220D3-055	10.0	1.1	0.5	135	58	1.1	0.5	135	58	47.8	36.6	52.2	63.4	47.1	56.5	0.2	0.3
220D3-068	10.2	1.0	0.4	124	52	1.0	0.4	124	52	47.6	35.6	52.4	64.4	48.1	58.1	0.1	0.1
220D3-103	10.8	0.1	0.1	17	7	0.1	0.1	17	7	56.4	43.8	43.6	56.2	43.0	55.0	0.0	0.0
220D3-106D	10.9	0.6	0.3	71	32	0.6	0.3	71	32	55.3	41.4	44.7	58.6	42.2	55.3	0.1	0.1
220D3-110	9.8	2.2	1.1	267	132	2.2	1.1	267	132	44.5	34.4	55.5	65.6	44.2	50.5	0.0	0.1
220D3-111	11.4	0.1	0.1	16	7	0.1	0.1	16	7	58.6	45.9	41.4	56.4	49.7	55.2	0.0	0.0
220D3-117	10.1	1.1	0.5	133	58	1.1	0.5	133	58	48.4	36.7	51.6	63.3	46.8	56.5	0.1	0.1
220D3-118A	10.8	0.1	0.1	17	8	0.1	0.1	17	8	56.6	44.0	43.4	56.0	42.8	54.7	0.0	0.0
220D3-128	9.7	1.2	0.4	148	52	1.2	0.4	148	52	39.5	28.7	60.5	71.3	56.0	65.1	0.1	0.1
220D3-134	9.6	1.4	0.6	164	77	1.4	0.6	164	77	46.8	37.8	53.2	62.2	46.5	53.1	0.0	0.1
220D3-135	10.0	0.9	0.4	106	43	0.9	0.4	106	43	46.0	35.0	54.0	65.0	50.4	59.7	0.1	0.1
220D3-145	10.3	1.1	0.5	129	56	1.1	0.5	129	56	49.9	37.3	50.1	62.7	45.3	56.0	0.2	0.3
220D3-151A	10.5	1.8	0.9	211	102	1.8	0.9	211	102	50.4	35.7	49.6	64.3	41.3	51.4	0.2	0.3
220D3-153	10.4	0.6	0.2	70	26	0.6	0.2	70	26	51.3	35.9	48.7	64.1	46.5	63.3	0.1	0.2
220D3-155	9.8	1.2	0.4	148	52	1.2	0.4	148	52	39.9	28.8	60.1	71.2	55.6	65.0	0.1	0.1
220D3-156	11.3	2.1	1.0	248	120	2.1	1.0	248	120	53.2	35.5	46.8	64.5	37.8	51.4	0.2	0.4
220D3-177	10.3	0.1	0.0	8	3	0.1	0.0	8	3	53.2	42.0	46.8	58.0	46.5	57.4	0.0	0.0
220D3-179	10.5	0.1	0.0	7	3	0.1	0.0	7	3	53.7	42.1	46.3	58.0	46.0	57.4	0.0	0.0
220D3-191	9.7	0.8	0.3	93	41	0.8	0.3	93	41	47.5	38.7	52.5	61.3	49.0	56.2	0.0	0.1
220D3-192B	9.7	0.8	0.3	93	41	0.8	0.3	93	41	47.4	38.6	52.6	61.4	49.0	56.2	0.0	0.1
220D3-195	10.4	2.3	1.1	275	134	2.3	1.1	275	134	47.0	32.1	53.0	67.9	42.1	51.1	0.1	0.2
220D3-199	10.4	0.1	0.1	6	3	0.1	0.1	6	3	53.4	42.1	46.6	57.4	46.4	57.4	0.0	0.0
220D3-202	9.9	1.3	0.5	157	64	1.3	0.5	157	64	44.7	33.6	54.5	66.4	49.8	59.1	0.1	0.1
220D3-277	10.4	0.1	0.0	6	3	0.1	0.0	6	3	53.7	42.1	46.3	57.9	46.1	57.4	0.0	0.0
220D3-310	10.2	1.6	0.8	189	91	1.6	0.8	189	91	49.1	36.4	50.9	63.6	43.5	52.0	0.0	0.0
220D-342	11.8	0.9	0.5	105	59	0.9	0.5	105	59	65.0	50.4	35.0	49.6	30.7	43.6	0.1	0.1
220D-344	11.4	0.9	0.5	110	66	0.9	0.5	110	66	65.8	52.5	34.2	47.5	29.2	40.0	0.2	0.3
220D3-642	11.0	0.1	0.1	16	7	0.1	0.1	16	7	57.2	43.6	42.8	56.4	42.2	55.3	0.0	0.0
220D-366B	11.4	1.0	0.6	116	70	1.0	0.6	116	70	66.0	52.7	34.0	47.3	28.7	39.4	0.2	0.2
220D-378A	10.2	1.1	0.6	130	72	1.1	0.6	130	72	56.5	46.7	43.5	53.3	37.5	44.6	0.1	0.1
220D3-871	10.3	0.1	0.0	6	3	0.1	0.0	6	3	51.8	40.4	48.2	59.6	48.0	59.2	0.0	0.0
220D3-946	10.1	0.5	0.1	54	17	0.5	0.1	54	17	42.4	29.8	57.6	70.2	56.0	68.3	0.2	0.3
220D3-992	10.0	1.1	0.5	135	58	1.1	0.5	135	58	47.8	36.6	52.2	63.4	47.1	56.5	0.2	0.3
220D3-994	10.7	0.9	0.4	112	50	0.9	0.4	112	50	51.4	37.5	48.6	62.5	44.6	55.5	0.2	0.2
220D3-998	10.1	1.1	0.5	133	58	1.1	0.5	133	58	48.6	36.9	51.4	63.1	46.4	56.2	0.2	0.3
220D-400B	10.2	1.2	0.6	141	78	1.2	0.6	141	78	56.0	45.9	44.0	54.1	37.6	44.8	0.1	0.1
220D-406	10.3	0.1	0.0	6	3	0.1	0.0	6	3	53.2	42.0	46.8	58.0	46.5	57.5	0.0	0.0
220D4-101A	11.3	0.9	0.5	104	54	0.9	0.5	104	54	60.1	45.2	39.9	54.8	35.7	48.4	0.1	0.2
220D4-105A	11.3																

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) (lb/gal)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
220R3-871	10.4	0.1	0.0	7	3	0.1	0.0	7	3	52.2	40.5	47.8	59.5	47.6	59.1	0.0	0.0
220R3-946	10.2	0.5	0.1	55	17	0.5	0.1	55	17	42.6	29.7	57.4	70.3	55.8	68.4	0.2	0.3
220R3-947	10.2	0.5	0.1	54	17	0.5	0.1	54	17	43.0	29.9	57.0	70.1	55.4	68.3	0.2	0.3
220R3-998	10.2	1.1	0.5	132	57	1.1	0.5	132	57	48.6	36.5	51.4	63.5	46.5	56.7	0.2	0.3
220R-404	10.1	0.9	0.4	103	42	0.9	0.4	103	42	46.8	35.7	53.2	64.3	49.6	59.0	0.1	0.1
220R-405	10.2	0.9	0.4	102	42	0.9	0.4	102	42	48.0	36.3	52.0	63.7	48.5	58.4	0.1	0.1
220R-452A	9.7	2.0	0.9	236	108	2.0	0.9	236	108	43.1	32.7	56.9	67.3	47.6	54.2	0.1	0.1
220R-452B	9.6	1.8	0.8	219	99	1.8	0.8	219	99	42.9	33.1	57.1	66.9	48.4	54.4	0.1	0.1
220R-453	10.2	1.0	0.4	125	52	1.0	0.4	125	52	47.2	35.2	52.8	64.8	48.5	58.5	0.1	0.1
220R-458	11.5	1.0	0.6	115	69	1.0	0.6	115	69	55.4	33.6	47.2	64.8	48.4	58.4	0.2	0.2
220R-468	10.2	1.2	0.6	141	77	1.2	0.6	141	77	55.5	45.4	44.5	54.7	38.2	45.5	0.1	0.1
220R-485	9.7	1.6	0.7	189	86	1.6	0.7	189	86	44.7	34.9	55.3	65.1	47.8	54.4	0.1	0.1
220R-486	9.8	1.6	0.7	189	86	1.6	0.7	189	86	45.2	34.9	54.8	65.1	47.4	54.3	0.1	0.1
220R-501	11.5	1.0	0.5	116	60	1.0	0.5	116	60	60.7	44.8	39.3	55.2	34.8	48.2	0.2	0.3
220R-502A	9.8	1.8	0.9	220	104	1.8	0.9	220	104	45.4	34.7	54.6	65.3	45.7	52.8	0.1	0.1
220R-503	11.6	0.9	0.5	103	59	0.9	0.5	103	59	64.7	50.9	35.3	49.1	31.0	43.1	0.1	0.1
220R-506B	9.9	1.9	0.9	222	103	1.9	0.9	222	103	45.6	34.3	54.4	65.7	45.7	53.8	0.1	0.1
220R-508A	9.9	1.8	0.8	214	99	1.8	0.8	214	99	44.8	33.9	55.2	66.1	46.7	53.6	0.1	0.1
220R-509	9.3	2.0	0.8	234	90	2.0	0.8	234	90	36.4	28.1	63.6	71.9	55.4	61.3	0.1	0.1
220R5-100	9.8	1.8	0.8	211	101	1.8	0.8	211	102	45.6	35.6	54.4	64.4	45.7	51.9	0.1	0.1
220R5-105	9.9	1.9	0.9	223	103	1.9	0.9	223	103	45.6	34.4	54.4	65.6	45.6	53.8	0.1	0.1
220R5-107	9.9	1.9	0.8	225	99	1.9	0.8	225	99	44.4	32.9	55.6	67.1	47.1	55.9	0.1	0.1
220R-530	10.2	1.0	0.4	125	52	1.0	0.4	125	52	47.6	35.6	52.4	64.4	48.1	58.1	0.1	0.1
220R-564	10.2	1.0	0.4	125	52	1.0	0.4	125	52	47.7	35.8	52.3	64.2	47.9	57.9	0.1	0.1
220W-031	11.8	2.2	1.2	267	140	2.2	1.2	267	140	54.9	34.6	45.1	65.4	34.8	47.0	0.3	0.5
220W1-100A	10.3	0.8	0.4	97	42	0.8	0.4	97	42	51.4	39.1	48.6	60.9	45.2	56.4	0.0	0.0
220W1-108A	9.6	0.8	0.3	92	40	0.8	0.3	92	40	45.5	37.8	54.5	62.2	50.9	56.9	0.1	0.1
220W-125P	10.9	1.4	0.8	170	92	1.4	0.8	170	92	58.0	43.0	42.0	57.0	34.9	45.9	0.0	0.0
220W-167C	11.1	1.5	0.7	178	88	1.5	0.7	178	88	56.1	39.7	44.0	60.3	37.3	50.4	0.1	0.1
220W-179D	10.0	0.7	0.3	88	35	0.7	0.3	88	35	45.3	34.7	54.7	65.3	51.7	60.1	0.0	0.0
220W-203C	9.6	1.5	0.7	185	84	1.5	0.7	185	84	46.5	36.7	53.5	63.3	46.0	54.5	0.1	0.2
220W2-100A	10.8	0.8	0.4	94	44	0.8	0.4	94	44	56.4	42.0	43.6	58.0	40.2	53.3	0.0	0.0
220W2-10A1	10.7	0.8	0.4	96	43	0.8	0.4	96	43	53.9	40.1	46.1	59.9	42.7	54.8	0.0	0.1
220W2-113	10.8	0.8	0.4	95	44	0.8	0.4	95	44	55.1	41.0	44.9	59.0	41.5	54.1	0.0	0.0
220W2-117A	10.8	0.7	0.3	83	36	0.7	0.3	83	36	54.4	39.5	45.6	60.5	42.8	56.7	0.1	0.1
220W2-121	11.1	1.5	0.7	178	88	1.5	0.7	178	88	56.1	39.7	44.0	60.3	37.3	50.5	0.1	0.1
220W2-122	10.5	0.1	0.0	9	4	0.1	0.0	9	4	53.7	41.9	46.3	58.1	46.0	57.4	0.0	0.0
220W2-126	10.8	0.8	0.4	95	44	0.8	0.4	95	44	55.0	40.9	45.0	59.1	41.5	54.2	0.0	0.0
220W2-127	10.4	1.5	0.7	181	85	1.5	0.7	181	85	51.4	37.8	48.6	62.2	41.7	53.1	0.1	0.1
220W2-742	10.7	1.4	0.7	171	85	1.4	0.7	171	85	54.9	40.2	45.1	59.8	38.4	50.2	0.1	0.1
220W3-100	12.2	0.9	0.5	104	59	0.9	0.5	104	59	66.3	50.5	33.7	49.5	29.7	43.5	0.0	0.0
220W3-103	11.4	0.2	0.1	19	8	0.2	0.1	19	8	55.5	39.4	44.5	60.6	43.9	59.2	0.0	0.0
220W3-136	11.3	1.0	0.5	121	59	1.0	0.5	121	59	57.4	41.7	42.6	58.3	38.1	51.1	0.1	0.1
220W3-143A	10.9	0.2	0.1	67	24	0.2	0.1	67	24	53.0	45.2	47.0	64.8	48.7	64.1	0.0	0.0
220W3-149	10.5	1.2	0.6	141	77	1.2	0.6	141	77	56.9	45.3	43.1	54.7	36.9	45.3	0.1	0.1
220W3-154	11.7	2.0	1.0	241	119	2.0	1.0	241	119	55.5	36.7	44.5	63.3	35.8	50.3	0.2	0.4
220W3-162	11.7	0.8	0.3	92	41	0.8	0.3	92	41	57.6	41.0	42.4	59.0	39.0	54.7	0.4	0.6
220W3-164	11.0	2.0	0.8	235	99	2.0	0.8	235	99	48.5	31.9	51.5	68.1	43.8	57.4	0.2	0.3
220W3-172	11.3	1.0	0.5	119	58	1.0	0.5	119	58	57.7	41.9	42.3	58.1	37.9	51.0	0.1	0.2
220W3-174	10.5	1.1	0.4	136	49	1.1	0.4	136	49	44.7	30.3	55.3	69.7	51.2	63.6	0.2	0.2
220W3-177	10.8	0.1	0.0	6	3	0.1	0.0	6	3	54.9	41.9	45.1	58.1	44.8	57.6	0.0	0.0
220W-374A	11.1	0.9	0.4	106	50	0.9	0.4	106	50	57.3	41.9	42.7	58.1	38.9	52.4	0.1	0.1
220W3-849	11.6	0.2	0.1	18	8	0.2	0.1	18	8	56.5	39.9	43.5	60.1	42.9	58.7	0.0	0.0
220W3-998	10.1	1.2	0.5	146	63	1.2	0.5	146	63	47.4	35.7	52.6	64.3	47.2	56.3	0.2	0.3
220W4-103	11.6	1.1	0.5	127	61	1.1	0.5	127	61	58.5	41.2	41.5	58.8	37.0	51.6	0.2	0.3
220W4-105	10.4	1.1	0.5	132	65	1.1	0.5	132	65	53.6	41.3	46.4	58.7	41.1	50.9	0.2	0.3
220W5-108	10.3	1.0	0.5	125	54	1.0	0.5	125	54	48.8	36.8	51.2	63.2	46.8	56.3	0.0	0.0
220W-554	11.4	1.2	0.5	149	65	1.2	0.5	149	64	53.1	35.9	46.9	64.1	42.1	56.8	0.0	0.0
220W6-100	10.4	0.9	0.3	111	39	0.9	0.3	111	39	44.1	30.2	55.9	69.8	52.7	64.6	0.0	0.0
220W7-102A	10.9	0.1	0.1	54	15	0.1	0.1	54	15	40.3	34.7	49.7	65.3	45.6	59.1	0.0	0.0
220W-827	11.1	1.5	0.7	178	88	1.5	0.7	178	88	56.0	39.7	44.0	60.3	37.3	50.4	0.1	0.1
220Y1-107	10.9	0.8	0.3	95	38	0.8	0.3	95	38	51.1	35.6	48.9	64.4	46.0	60.1	0.1	0.1
220Y-1698	9.5	1.8	0.8	220	98	1.8	0.8	220	98	41.5	33.1	58.5	67.0	49.8	55.4	0.1	0.1
220Y-1797	9.3	1.7	0.8	207	99	1.7	0.8	207	99	42.4	35.9	57.6	64.1	48.7	52.4	0.0	0.0
220Y3-177	10.3	0.1	0.0	8	3	0.1	0.0	8	3	52.9	42.0	47.1	58.0	46.9	57.2	0.0	0.0
220Y-574A	10.8	1.7	0.8	199	93	1.7	0.8	199	93	52.7	37.2	47.3	62.8	40.0	53.2	0.0	0.0
220Z3-197	8.5	2.7	1.3	329	154	2.7	1.3	329	154	29.9	26.9	70.1	73.1	54.8	53.1	0.1	0.1
220Z5-109A	8.4	2.4	0.8	290	96	2.4	0.8	290	96	22.1	20.1	77.9	79.9	68.2	66.9	0.2	0.2
2210	8.9	2.1	1.0	256	124	2.1	1.0	256	124	35.4	33.7	64.6	66.3	0.0	0.0	53.0	51.6
221B3-107	10.3	0.3	0.1	40	14	0.3	0.1	40	14	46.3	34.0	53.7	66.0	52.5	64.0	0.1	0.1
221D6-101D	11.3	0.6	0.3	72	33	0.6	0.3	72	33	57.2	41.5	42.8	58.5	40.3	54.1	0.0	0.0
221W1-103E	11.4	0.7	0.4	88	47	0.7	0.4	88	47	62.7	49.2	37.3	50.8	33.4	45.8	0.4	0.6
221W1-105	12.9	0.1	0.1	14	6	0.1	0.1	14	6	63.9	44.2	36.1	55.8	35.7	54.8	0.0	0.0
221W3-102	13.0	0.4	0.2	52	24	0.4	0.2	52	24	64.3	44.6	35.7	55.4	34.1	53.2	0.0	0.1
221W3-104C	13.1	0.2	0.1	29	14	0.2	0.1	29	14	65.4	45.5	34.6	54.5	33.7	53.2	0.0	0.0
221W3-106	11.4	0.3	0.1	36	14	0.3	0.1	36	14	54.0	37.3	46.0	62.7	44.9	60.7	0.1</	

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
2422-36166	8.1	4.6	2.4	547	287	4.6	2.4	547	287	32.2	20.1	67.8	79.9	0.0	0.0	38.2	47.4
24405	12.2	2.6	2.1	315	255	2.6	2.1	315	255	72.1	51.5	27.9	48.5	0.1	0.1	10.3	19.1
248-2	8.2	6.4	6.4	761	761	6.4	6.4	761	761	23.0	20.0	77.0	80.0	0.0	0.0	0.0	0.0
249-44	10.6	0.0	0.0	0	0	0.0	0.0	0	0	34.7	38.1	65.3	61.9	0.0	0.0	65.3	61.9
249-72	8.4	3.6	3.6	436	436	3.6	3.6	436	436	56.4	48.4	43.6	51.6	0.0	0.0	0.0	0.0
250-5	11.5	3.9	3.9	463	463	3.9	3.9	463	463	66.2	44.3	33.8	55.7	0.1	0.1	0.0	0.0
2500	8.0	4.6	3.8	551	458	4.6	3.8	551	458	36.6	31.8	63.4	68.2	0.0	0.0	15.9	16.9
250-12355	8.4	4.0	2.8	483	341	2.4	1.1	284	131	33.9	30.1	66.1	69.9	0.1	0.1	32.2	29.4
250-1540	9.0	3.6	3.6	431	431	3.6	3.6	431	431	60.0	49.7	40.0	50.3	0.0	0.0	0.0	0.0
250-20540	9.7	3.5	3.5	414	414	3.5	3.5	414	387	64.3	47.5	35.7	52.5	0.0	0.0	0.0	0.0
25025	7.1	5.6	5.5	666	662	5.6	5.5	666	662	21.2	18.2	78.8	81.8	0.0	0.0	0.5	0.5
250-34611	9.4	3.5	3.5	416	416	3.5	3.5	416	416	63.1	53.1	36.9	46.9	0.0	0.0	0.0	0.0
25055	7.0	5.6	5.3	672	639	5.6	5.3	672	639	19.7	16.8	80.3	83.2	0.0	0.0	4.5	4.8
25075	7.2	5.7	5.1	679	606	5.7	5.1	679	606	19.7	17.1	80.3	82.9	0.0	0.0	9.9	10.8
25095	7.2	5.6	4.6	671	546	5.6	4.6	671	546	19.6	17.1	80.4	82.9	0.0	0.0	17.1	18.7
250P32561	8.2	4.4	3.5	533	416	2.2	0.9	260	112	34.3	29.6	65.7	70.4	0.0	0.0	23.3	22.0
250P34570	8.2	4.4	3.3	523	401	1.6	0.6	188	74	34.8	30.3	65.2	69.7	0.0	0.0	24.5	23.3
25105	12.2	3.9	3.4	462	405	3.9	3.4	462	405	65.5	41.8	34.5	58.2	0.0	0.0	6.7	12.4
2525-100	13.0	1.9	1.4	225	171	1.9	1.4	225	171	76.8	56.0	23.2	44.0	0.0	0.0	12.2	24.1
2525-400	12.6	1.9	1.4	222	171	1.9	1.4	222	171	76.6	57.1	23.4	42.9	0.1	0.1	12.0	23.0
2525-500	13.0	1.9	1.4	226	171	1.9	1.4	226	171	76.7	56.0	23.3	44.0	0.0	0.0	12.2	24.1
2525-600	12.0	1.9	1.4	231	173	1.9	1.4	231	173	74.1	54.7	25.9	45.3	0.1	0.1	13.8	25.1
2525-700	11.7	1.9	1.5	233	174	1.9	1.5	233	174	73.4	54.5	26.6	45.5	0.1	0.1	14.1	25.1
25405	11.8	3.9	3.6	466	431	3.9	3.6	466	431	65.4	43.3	34.6	56.7	0.0	0.0	4.2	7.6
25-400	9.6	1.2	0.6	139	77	1.2	0.6	139	77	54.1	46.2	45.9	53.8	39.2	44.8	0.0	0.0
25-404	9.1	2.0	1.0	239	117	2.0	1.0	239	117	40.5	33.5	59.5	66.5	48.8	51.1	0.0	0.0
25-419	8.9	1.3	0.5	150	61	1.3	0.5	150	61	43.2	33.7	61.1	66.3	55.4	59.2	0.0	0.0
2545	6.8	6.0	6.0	720	720	6.0	6.0	720	720	11.3	8.7	88.7	91.3	0.0	0.0	0.0	0.0
2555	6.9	6.1	6.1	730	730	6.1	6.1	730	730	11.3	8.8	88.7	91.2	0.0	0.0	0.0	0.0
25705	11.8	3.9	3.6	469	434	3.9	3.6	469	434	65.3	43.1	34.7	56.9	0.0	0.0	4.2	7.5
2571	7.1	7.2	0.2	864	24	7.2	0.2	864	24	0.0	0.0	100.0	100.0	0.0	0.0	97.2	97.2
258-00	7.5	4.1	2.6	495	314	4.1	2.6	495	314	33.0	26.7	67.0	73.3	0.0	0.0	32.3	36.7
258-07	8.2	4.6	4.6	546	546	4.6	4.6	546	546	44.4	37.5	55.6	62.5	0.0	0.0	0.0	0.0
258-08	7.9	4.6	4.6	548	548	4.6	4.6	548	548	42.3	34.7	57.7	65.3	0.0	0.0	0.0	0.0
258-09	8.4	4.6	4.6	555	555	4.6	4.6	555	555	44.5	38.4	55.5	61.6	0.0	0.0	0.0	0.0
2580CR	12.1	3.9	3.5	470	419	3.9	3.5	470	419	65.2	41.7	34.8	58.3	0.0	0.0	5.9	10.8
2595	7.2	7.2	7.2	857	857	7.2	7.2	857	857	1.0	0.9	99.0	99.1	0.0	0.0	0.0	0.0
25905	11.8	3.9	3.6	464	429	3.9	3.6	464	429	65.4	43.5	34.6	56.5	0.0	0.0	4.2	7.5
2594	9.1	2.2	1.1	258	127	2.0	0.9	235	111	36.5	34.0	63.5	66.0	0.0	0.0	51.9	50.8
2610	8.2	2.2	0.9	259	104	2.2	0.9	259	104	31.5	27.9	68.5	72.1	0.0	0.0	58.0	59.8
2623	9.3	2.1	1.1	257	129	1.9	0.9	226	108	37.0	34.7	63.0	65.3	0.0	0.0	51.5	49.9
262-400	10.9	3.6	3.2	433	378	3.6	3.2	433	378	63.3	42.5	36.7	57.5	0.1	0.1	7.7	12.7
265	12.5	0.0	0.0	1	1	0.0	0.0	1	1	70.5	53.0	29.5	29.5	0.0	0.0	44.4	40.0
2696	9.9	1.8	1.1	213	133	1.8	1.1	213	133	43.2	40.0	56.8	60.0	0.0	0.0	45.6	37.8
275	7.2	7.2	7.2	859	859	7.2	7.2	859	859	0.0	0.0	100.0	100.0	0.1	0.0	0.0	0.0
281	6.5	6.2	6.2	749	744	6.2	6.2	749	744	0.0	0.0	100.0	100.0	0.0	0.0	5.0	0.6
28HTX-4749	8.8	3.5	2.3	416	280	3.5	2.3	416	280	44.0	34.0	56.0	66.0	0.0	0.0	29.5	32.7
28HTX-4752	8.4	3.2	2.0	386	245	3.2	2.0	386	245	41.0	35.1	59.0	64.9	0.0	0.0	34.8	36.4
29000351	8.3	4.4	4.4	527	527	4.4	4.4	527	527	47.1	40.2	52.9	59.8	0.0	0.0	0.0	0.0
29001010	8.6	4.4	1.6	526	189	4.4	1.6	525	189	19.4	13.7	80.6	86.3	61.8	63.3	0.5	0.6
29001020	8.8	4.2	1.6	508	187	4.2	1.6	508	187	21.2	14.4	78.8	85.7	60.5	62.5	0.5	0.6
29001120	8.8	3.1	1.2	376	138	3.1	1.2	376	138	26.5	20.3	73.5	79.7	59.6	62.1	0.8	1.1
29001970	8.4	3.4	1.0	407	114	3.4	1.0	407	114	16.5	14.2	83.5	85.8	71.7	71.3	0.6	0.7
29001980	8.8	3.1	1.1	377	134	3.1	1.1	377	134	26.7	19.6	73.3	80.4	59.7	63.1	0.9	1.2
29001990	8.8	3.1	1.1	369	134	3.1	1.1	369	134	26.6	20.2	73.4	79.8	59.8	62.7	0.9	1.2
29003000	8.8	2.0	0.5	244	60	2.0	0.5	244	60	21.2	16.8	78.8	83.2	72.8	75.0	0.3	0.4
29003010	8.8	3.1	1.1	371	134	3.1	1.1	371	134	26.6	19.9	73.4	80.1	59.8	62.7	0.9	1.2
29003020	8.8	3.2	1.2	389	140	3.2	1.2	389	140	25.4	18.9	74.6	81.1	60.4	62.9	0.9	1.1
29003030	8.4	3.5	0.9	420	105	3.5	0.9	420	105	15.6	12.6	84.4	87.4	73.5	74.3	0.5	0.7
29003040	8.3	3.7	1.2	399	149	3.7	1.2	399	149	25.2	19.9	74.8	80.2	61.6	61.6	0.7	1.1
29003050	8.3	3.2	0.6	386	77	3.2	0.6	386	77	12.2	10.3	87.8	87.7	79.5	79.2	0.6	0.7
29003060	8.4	2.2	0.5	258	64	2.2	0.5	258	64	18.9	16.7	81.1	83.3	73.8	74.1	1.0	1.2
29003080	8.6	1.9	0.3	233	30	1.9	0.3	233	30	12.4	9.4	87.6	90.6	84.4	86.9	0.2	0.3
29003090	8.5	1.4	0.2	166	22	1.4	0.2	166	22	14.3	10.8	85.7	89.2	83.5	86.8	0.1	0.1
29003110	8.6	1.1	0.1	128	16	1.1	0.1	128	16	12.8	10.3	87.2	89.7	85.3	87.2	0.3	0.4
29003120	8.8	3.1	1.2	373	138	3.1	1.2	373	138	26.5	20.4	73.5	79.6	59.5	61.9	0.8	1.1
29003140	8.7	3.1	1.1	366	133	3.1	1.1	366	133	26.4	20.5	73.6	79.5	60.0	62.5	0.9	1.2
29003150	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	20.0	73.5	80.0	59.6	62.3	0.8	1.1
29003160	8.8	3.1	1.2	376	139	3.1	1.2	376	139	26.5	19.9	73.5	80.1	59.6	61.9	0.8	1.1
29003170	8.5	3.4	0.9	402	108	3.4	0.9	402	108	16.5	13.8	83.5	86.2	72.3	72.5	0.5	0.7
29003190	8.8	3.1	1.1	374	134	3.1	1.1	374	134	26.6	19.8	73.4	80.2	59.8	63.0	0.9	1.2
29003200	8.8	3.1	1.2	373	139	3.1	1.2	373	139	26.4	20.2	73.6	79.8	59.6	61.8	0.8	1.1
29003220	9.7	3.2	0.7	379	86	3.2	0.7	379	86	25.1	12.6	74.9	87.4	69.6	76.7	0.5	0.6
29003240	9.1	2.5	0.5	302	59	2.5	0.5	302	59	18.7	11.7	81.3	88.3	74.6	78.9	1.2	1.4
29003270	10.0	1.1	0.4	136	45	1.1	0.4	136	45	39.7	27.4	60.3	72.7	56.0	66.4	0.5	0.6
29003280	9.2	1.8	0.3	220	35	1.8	0.3	220	35	20.8	11.9	79.2	88.1	75.5	83.2	0.5	0.7
29003290	8.4	2.1	0.3	247	40	2.1	0.3	24									

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
29005040	7.8	5.8	5.7	689	684	5.8	5.7	689	684	25.8	19.8	74.2	80.2	0.2	0.2	0.4	0.5
29005070	7.8	5.7	5.7	688	687	5.7	5.7	688	687	26.7	20.3	73.3	79.7	0.2	0.2	0.0	0.0
29005120	7.8	5.9	5.9	712	710	5.9	5.9	712	710	24.1	18.1	75.9	81.9	0.2	0.2	0.0	0.0
29005150	7.9	6.1	6.1	729	727	6.1	6.1	729	727	22.7	16.5	77.3	83.5	0.2	0.2	0.0	0.0
29005170	7.9	6.0	6.0	720	718	6.0	6.0	720	718	23.6	17.2	76.4	82.8	0.2	0.2	0.0	0.0
29005260	8.1	6.0	6.0	717	715	6.0	6.0	717	715	26.3	18.2	73.7	81.8	0.2	0.2	0.0	0.0
29005390	7.8	6.1	6.1	732	732	6.1	6.1	732	732	21.4	17.0	78.6	83.0	0.0	0.0	0.0	0.0
29005410	8.2	6.0	5.9	714	712	6.0	5.9	714	712	27.2	18.5	72.8	81.5	0.2	0.2	0.0	0.0
29005460	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.0	0.0	0.0	0.0
29005500	7.7	6.3	6.3	752	751	6.3	6.3	752	751	18.1	14.4	81.9	85.6	0.1	0.1	0.0	0.0
29005760	7.9	6.0	6.0	717	716	6.0	6.0	717	716	24.5	17.2	75.5	82.8	0.2	0.2	0.0	0.0
29005800	8.0	5.9	5.9	703	701	5.9	5.9	703	701	26.7	19.0	73.3	81.0	0.2	0.2	0.0	0.0
29005880	8.1	5.9	5.8	702	700	5.9	5.8	702	700	27.2	19.1	72.8	80.9	0.2	0.2	0.0	0.0
29005900	8.2	5.8	5.7	690	688	5.8	5.7	690	688	29.6	20.6	70.4	79.4	0.2	0.2	0.0	0.0
29005990	8.3	5.7	5.7	683	681	5.7	5.7	683	681	31.4	21.4	68.6	78.6	0.2	0.2	0.0	0.0
29006000	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
29006010	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
29006020	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
29006030	7.9	5.9	5.9	708	707	5.9	5.9	708	707	25.0	18.4	75.0	81.6	0.2	0.2	0.0	0.0
29006040	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
29006050	8.0	5.9	5.9	710	708	5.9	5.9	710	708	25.7	18.3	74.3	81.7	0.2	0.2	0.0	0.0
29006060	8.0	5.8	5.8	699	698	5.8	5.8	699	698	27.2	19.4	72.8	80.6	0.2	0.2	0.0	0.0
29006070	8.3	5.8	5.8	695	693	5.8	5.8	695	693	30.1	20.1	69.9	79.9	0.2	0.2	0.0	0.0
29006080	8.3	5.7	5.7	686	684	5.7	5.7	686	684	31.1	21.0	68.9	79.0	0.2	0.2	0.0	0.0
29006090	8.0	5.8	5.8	699	697	5.8	5.8	699	697	27.2	19.5	72.8	80.5	0.2	0.2	0.0	0.0
29006100	8.0	5.8	5.8	697	695	5.8	5.8	697	695	27.2	19.7	72.8	80.3	0.2	0.2	0.0	0.0
29006110	8.0	5.8	5.8	697	695	5.8	5.8	697	695	27.2	19.7	72.8	80.3	0.2	0.2	0.0	0.0
29006120	7.7	5.9	5.9	713	711	5.9	5.9	713	711	22.8	17.9	77.2	82.1	0.3	0.2	0.0	0.0
29006130	8.2	5.8	5.7	690	688	5.8	5.7	690	688	29.9	20.4	70.1	79.6	0.2	0.2	0.0	0.0
29006190	8.1	5.9	5.8	702	700	5.9	5.8	702	700	27.2	19.1	72.8	80.9	0.2	0.2	0.0	0.0
29011200	11.6	1.5	0.5	174	59	1.5	0.5	174	59	48.1	27.5	51.9	72.5	47.7	66.2	0.0	0.0
29030800	9.2	2.8	2.8	330	330	2.8	2.8	330	330	70.0	65.7	30.0	34.3	0.0	0.0	0.0	0.0
29032550	8.4	5.6	5.6	674	669	5.6	5.6	674	669	32.5	16.1	67.5	83.9	0.7	0.7	0.0	0.0
29033004	10.2	4.4	4.4	532	532	4.4	4.4	532	532	56.6	39.1	43.4	60.9	0.0	0.0	0.0	0.0
29045030	9.8	3.1	1.4	373	163	3.1	1.4	373	163	20.8	23.9	79.2	76.1	0.0	0.0	65.2	56.3
29070810	12.5	0.0	0.0	1	1	0.0	0.0	1	1	70.5	53.0	29.5	47.0	29.5	44.4	0.0	0.0
29070870	6.5	6.4	6.3	762	759	6.4	6.3	762	759	0.0	0.0	100.0	100.0	0.0	0.0	3.2	0.4
29077151	13.6	3.3	3.3	391	391	3.3	3.3	391	391	76.0	55.3	24.0	44.7	0.0	0.0	0.0	0.0
29090020	7.6	4.2	4.2	501	376	4.2	4.2	501	376	37.2	22.6	62.8	77.4	0.0	0.0	21.6	24.9
29090450	8.4	4.5	4.5	534	534	4.5	4.5	534	534	46.9	38.7	53.1	61.3	0.0	0.0	0.0	0.0
29090490	8.1	5.0	5.0	596	596	5.0	5.0	596	596	38.8	31.4	61.2	68.6	0.0	0.0	0.0	0.0
29090521	8.8	5.0	5.0	602	602	5.0	5.0	602	602	40.4	32.0	59.6	66.0	0.0	0.0	0.0	0.0
29090560	8.4	4.0	4.0	485	482	3.4	2.8	406	332	53.6	44.5	46.4	55.5	0.0	0.0	0.5	0.7
29090570	8.5	4.8	4.8	536	536	4.8	4.8	536	536	37.9	32.1	62.1	68.9	0.2	0.2	10.5	9.0
29090580	8.5	4.7	4.6	560	550	4.7	4.6	560	550	44.8	38.6	55.2	61.4	0.0	0.0	1.4	1.7
29095204	8.4	0.2	0.2	23	23	0.2	0.2	23	23	97.0	96.8	3.0	3.2	0.8	0.8	0.0	0.0
29100001	9.0	2.3	1.7	274	209	2.3	1.7	274	209	53.6	50.8	46.4	49.2	0.0	0.0	26.9	24.0
29100003	8.9	2.5	1.9	294	227	2.5	1.9	294	227	52.8	49.7	47.2	50.3	0.0	0.0	25.9	22.8
29100983	8.6	2.9	0.8	352	100	2.9	0.8	352	100	20.8	16.3	79.2	83.7	68.8	70.7	0.7	0.9
29100984	8.4	2.0	0.4	243	47	2.0	0.4	243	47	15.3	13.4	84.7	86.6	79.3	79.8	0.7	0.9
29101880	8.6	0.3	0.0	32	5	0.3	0.0	32	5	16.4	13.8	83.6	86.2	82.8	84.9	0.4	0.4
29102995	7.6	6.4	6.4	769	767	6.4	6.4	769	767	15.8	11.9	84.2	88.1	0.3	0.3	0.0	0.0
29103210	13.6	1.5	0.6	185	71	1.5	0.6	185	71	58.2	31.3	41.8	68.7	36.9	60.4	0.6	1.1
29103230	8.4	0.9	0.0	112	6	0.9	0.0	112	6	5.9	4.6	94.1	95.4	93.3	94.5	0.3	0.3
29103380	8.6	2.0	0.2	243	30	2.0	0.2	243	30	11.6	8.8	88.4	91.2	85.2	87.4	0.3	0.3
29103390	8.5	2.0	0.3	237	30	2.0	0.3	237	30	11.6	9.3	88.4	90.7	85.1	86.7	0.4	0.4
29103430	8.9	1.6	0.4	192	49	1.6	0.4	192	49	26.5	20.6	73.5	79.4	68.4	73.6	0.6	0.7
29103460	8.7	2.1	0.4	252	47	2.1	0.4	252	47	17.7	13.5	82.3	86.5	77.4	80.9	0.4	0.5
29103470	8.9	1.0	0.1	121	16	1.0	0.1	121	16	16.9	11.3	83.1	88.7	81.0	85.9	0.6	0.7
29103480	8.7	1.7	0.1	117	17	1.7	0.1	117	17	12.9	9.4	87.1	85.1	87.4	87.9	0.4	0.4
29103520	8.8	2.0	0.4	243	50	2.0	0.4	243	50	20.2	14.3	79.8	85.6	74.4	78.5	0.7	0.9
29103550	8.6	3.7	1.2	444	139	3.7	1.2	444	139	20.5	15.1	79.5	84.9	65.5	67.9	0.5	0.7
29103560	8.9	4.2	2.0	508	242	4.2	2.0	508	242	24.5	17.7	75.5	82.3	52.1	51.7	0.6	0.8
29103570	8.7	4.2	1.9	505	224	4.2	1.9	505	224	22.6	16.2	77.4	83.8	55.4	54.9	0.6	0.8
29103580	8.4	2.0	0.4	234	44	2.0	0.4	234	44	14.9	13.2	85.1	86.8	80.0	80.2	0.7	0.9
29103590	8.7	3.8	1.3	453	158	3.8	1.3	453	158	20.1	15.0	79.9	85.0	64.0	64.3	0.6	0.7
29103600	8.5	3.5	1.3	413	157	3.5	1.3	413	157	22.6	18.8	77.4	81.2	61.4	61.3	0.6	0.8
29103610	8.8	3.9	1.6	465	188	3.9	1.6	465	188	23.1	17.1	76.9	82.9	58.6	58.9	0.6	0.8
29103620	8.8	4.3	1.9	512	223	4.3	1.9	512	223	21.5	15.6	78.5	84.4	56.8	55.8	0.5	0.7
29103860	8.7	0.9	0.1	105	17	0.9	0.1	105	17	17.3	13.6	82.7	86.4	81.1	84.0	0.0	0.0
29103880	8.6	0.1	0.0	10	2	0.1	0.0	10	2	18.0	15.6	82.0	84.4	81.6	84.0	0.2	0.2
29105030	7.9	5.7	5.7	687	686	5.7	5.7	687	686	27.2	21.4	72.8	78.6	0.1	0.1	0.0	0.0
29105056	8.2	5.8	5.8	700	697	5.8	5.8	700	697	29.0	19.6	71.0	80.4	0.3	0.3	0.0	0.0
29105064	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.5	20.9	68.5	79.1	0.2	0.2	0.0	0.0
29105080	7.9	6.0	6.0	724	724	6.0	6.0	724	724	23.6	17.4	76.4	82.6	0.0	0.0	0.0	0.0
29105090	7.9	6.0	6.0	723	723	6.0	6.0	723	723	23.5	17.3	76.5	82.7	0.0	0.0	0.0	0.0
29105107	8.3	5.8	5.8	710	71												

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
29105960	8.2	5.9	5.9	709	708	5.9	5.9	709	708	27.8	18.7	72.2	81.3	0.2	0.2	0.0	0.0
29105978	8.2	5.9	5.9	707	706	5.9	5.9	707	706	28.2	18.8	71.8	81.2	0.2	0.2	0.0	0.0
29105980	8.2	5.9	5.9	703	701	5.9	5.9	703	701	28.3	19.3	71.7	80.7	0.2	0.2	0.0	0.0
29110360	7.7	7.4	7.4	882	882	7.4	7.4	882	882	4.9	3.9	95.1	96.1	0.0	0.0	0.0	0.0
29115000	8.4	3.2	1.0	386	122	3.2	1.0	386	122	19.8	17.3	80.2	82.7	67.0	67.2	1.2	1.4
29120039	7.7	6.2	6.2	748	748	6.2	6.2	748	748	18.5	14.2	81.5	85.8	0.0	0.0	0.0	0.0
29130549	7.1	7.1	7.1	847	847	7.1	7.1	847	847	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
29132200	8.8	2.6	2.6	312	312	2.6	2.6	312	312	70.5	64.3	29.5	35.7	0.0	0.0	0.0	0.0
29132300	8.9	2.6	2.6	316	316	2.6	2.6	316	316	70.4	64.3	29.6	35.2	0.0	0.0	0.0	0.0
29132400	9.0	2.7	2.7	319	319	2.7	2.7	319	319	70.4	65.4	29.6	34.6	0.0	0.0	0.0	0.0
29132450	9.1	2.7	2.7	321	321	2.7	2.7	321	321	70.4	65.8	29.6	34.2	0.0	0.0	0.0	0.0
29133017	7.3	6.6	6.6	794	794	6.6	6.6	794	794	8.7	8.0	91.3	92.0	0.0	0.0	0.0	0.0
29133020	14.0	2.1	1.3	246	151	2.1	1.3	246	151	61.1	44.1	38.9	55.9	0.2	0.3	29.8	38.2
29133021	12.7	2.4	1.5	293	177	2.4	1.5	293	177	54.3	40.0	45.7	60.0	0.2	0.2	33.9	39.2
29133030	7.4	6.6	6.6	794	794	6.6	6.6	794	794	9.9	8.6	90.1	91.4	0.0	0.0	0.0	0.0
29133041	7.4	7.0	7.0	840	840	7.0	7.0	840	840	4.7	3.7	95.3	96.3	0.0	0.0	0.0	0.0
29133070	8.3	4.3	4.3	517	517	4.3	4.3	517	517	47.8	40.8	52.2	59.2	0.0	0.0	0.0	0.0
29133106	8.3	4.3	4.3	518	518	4.3	4.3	518	518	48.0	41.1	52.0	58.9	0.0	0.0	0.0	0.0
29133157	8.5	4.3	4.3	513	513	4.3	4.3	513	513	49.5	43.4	50.5	56.6	0.0	0.0	0.0	0.0
29133203	8.5	4.3	4.3	515	515	4.3	4.3	515	515	49.5	43.5	50.5	56.5	0.0	0.0	0.0	0.0
29133250	8.6	4.4	4.4	522	522	4.4	4.4	522	522	49.5	44.1	50.5	55.9	0.0	0.0	0.0	0.0
29133637	7.7	7.7	7.7	919	919	7.7	7.7	919	919	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
29133661	7.8	7.8	7.8	939	939	7.8	7.8	939	939	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
29133920	8.9	7.3	0.3	876	40	7.3	0.3	876	40	0.4	0.5	99.6	99.5	0.0	0.0	95.8	95.4
29133940	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
29135080	11.9	3.4	3.4	411	411	3.4	3.4	411	411	71.2	56.0	28.8	44.0	0.0	0.0	0.0	0.0
29140550	8.0	3.8	0.9	451	108	3.8	0.9	451	108	17.7	10.5	82.3	89.5	0.2	0.1	70.9	75.9
29140560	6.8	6.5	5.0	776	601	6.5	5.0	776	601	3.8	1.6	96.2	98.4	3.5	2.9	19.0	19.6
29140751	8.1	5.8	5.8	700	698	5.8	5.8	700	698	28.1	15.8	71.9	84.2	0.3	0.3	0.0	0.0
29140760	7.3	6.9	6.8	831	815	6.9	6.8	831	815	4.7	2.2	95.3	97.8	2.1	1.8	0.0	0.0
29140850	8.9	5.4	5.4	652	648	5.4	5.4	652	648	38.7	19.5	61.3	80.5	0.6	0.6	0.0	0.0
29141901	9.7	4.3	2.2	520	265	4.3	2.2	520	265	21.2	20.7	78.8	79.3	0.0	0.0	55.8	49.0
29145000	14.3	3.3	3.3	394	394	3.3	3.3	394	394	77.0	56.0	23.0	44.0	0.0	0.0	0.0	0.0
29145010	7.3	5.7	5.7	678	678	5.7	5.7	678	678	22.7	19.3	77.3	80.7	0.0	0.0	0.0	0.0
29145020	12.6	1.4	0.8	171	101	1.4	0.8	171	101	62.8	47.2	37.2	52.8	0.0	0.0	30.5	41.1
29145080	7.4	5.5	5.5	654	654	5.5	5.5	654	654	26.1	26.1	73.9	73.9	0.0	0.0	0.0	0.0
29145402	12.9	2.0	1.2	244	147	2.0	1.2	244	147	56.7	42.9	43.3	57.1	0.2	0.3	33.7	39.6
29145403	13.9	2.1	1.3	253	154	2.1	1.3	253	154	59.8	42.8	40.2	57.2	0.2	0.3	30.8	38.8
29145404	12.7	2.2	1.4	266	164	2.2	1.4	266	164	55.9	42.6	44.1	57.4	0.2	0.2	33.1	38.1
29145405	12.7	2.3	1.4	279	173	2.3	1.4	279	173	55.6	41.8	44.4	58.2	0.2	0.3	32.9	37.9
29160540	8.3	2.4	0.2	293	19	2.4	0.2	293	19	4.7	4.3	95.3	95.7	93.3	93.6	0.1	0.1
29176905	7.5	7.5	7.5	900	900	7.5	7.5	900	900	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
29180708	8.7	4.2	4.2	509	509	4.2	4.2	509	509	51.3	42.7	48.7	57.3	0.0	0.0	0.0	0.0
29180920	9.8	2.2	1.2	356	140	2.2	1.2	356	140	109	85.5	60.5	62.2	0.0	0.0	45.6	45.3
29180960	8.9	2.3	1.7	274	208	2.3	1.7	274	208	53.5	50.8	46.5	49.2	0.0	0.0	27.0	24.0
29185106	7.2	7.2	7.2	861	861	7.2	7.2	861	861	0.9	0.6	99.1	99.4	0.0	0.0	0.0	0.0
29185500	11.6	3.8	3.8	453	453	3.8	3.8	453	453	67.6	48.3	32.4	51.7	0.0	0.0	0.0	0.0
29185602	7.3	6.7	6.7	799	798	6.7	6.7	799	798	8.1	6.0	91.9	94.0	0.1	0.1	0.0	0.0
29185807	7.3	7.3	7.3	880	880	7.3	7.3	880	880	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
29185815	7.2	7.2	7.2	859	859	7.2	7.2	859	859	0.0	0.0	100.0	100.0	0.1	0.0	0.0	0.0
29190020	9.6	2.1	1.4	249	167	2.1	1.4	249	167	62.4	47.8	37.6	52.2	0.0	0.0	23.0	32.9
29190100	7.5	7.5	7.5	900	900	7.5	7.5	900	900	0.2	0.2	99.8	99.8	0.0	0.0	0.0	0.0
29190150	7.7	7.7	7.7	922	922	7.7	7.7	922	922	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
29190250	7.4	7.4	7.1	883	854	7.4	7.1	883	854	0.7	0.6	99.3	99.4	0.0	0.0	2.9	3.3
29190509	8.8	1.7	1.7	202	202	1.7	1.7	202	202	80.9	77.1	19.1	22.9	0.0	0.0	0.0	0.0
29191000	9.5	3.3	1.7	399	201	3.3	1.7	399	201	26.6	26.9	73.4	73.1	0.3	0.3	55.4	49.4
29231920	9.8	1.2	0.8	144	101	1.2	0.8	144	101	54.8	55.2	45.2	44.8	0.0	0.0	36.7	30.3
29231940	9.9	1.3	0.9	156	109	1.3	0.9	156	109	54.4	55.2	45.6	44.8	0.0	0.0	36.4	30.1
29231960	9.9	1.3	0.9	159	108	1.3	0.9	159	108	54.3	55.3	45.7	44.7	0.0	0.0	36.6	31.9
29232554	6.6	5.2	3.7	449	449	5.2	3.7	449	449	31.7	28.5	68.3	54.3	0.3	0.3	28.3	28.2
29233003	10.0	4.6	4.6	556	556	4.6	4.6	556	556	53.6	36.4	46.4	63.6	0.0	0.0	0.0	0.0
29233100	8.3	4.3	4.3	518	518	4.3	4.3	518	518	48.0	41.1	52.0	58.9	0.0	0.0	0.0	0.0
29233151	8.5	4.3	4.3	513	513	4.3	4.3	513	513	49.5	43.4	50.5	56.6	0.0	0.0	0.0	0.0
29233208	8.5	4.3	4.3	515	515	4.3	4.3	515	515	49.5	43.5	50.5	56.5	0.0	0.0	0.0	0.0
29240850	8.7	5.5	5.4	653	649	5.5	5.4	653	649	37.2	19.3	62.8	80.7	0.6	0.6	0.0	0.0
29254090	10.5	0.0	0.0	0	0	0.0	0.0	0	0	12.5	18.0	87.5	82.0	0.0	0.0	87.5	82.0
29254100	9.7	1.2	0.5	147	58	1.2	0.5	147	58	25.0	33.2	75.0	66.8	0.0	0.0	70.0	60.7
29257824	7.8	6.2	6.2	742	742	6.2	6.2	742	742	20.3	15.9	79.7	84.1	0.0	0.0	0.0	0.0
29271240	6.1	6.0	6.0	719	719	6.0	6.0	719	719	1.7	1.1	98.3	98.9	0.0	0.0	0.0	0.0
29276840	6.6	5.6	4.0	673	482	5.6	4.0	673	482	11.2	4.5	88.8	95.5	0.2	0.1	28.0	28.2
29276850	6.7	5.6	4.0	673	481	5.6	4.0	673	481	11.7	4.4	88.3	95.6	0.2	0.1	28.0	28.4
29303850	8.5	1.9	0.6	222	66	1.9	0.6	222	66	23.5	21.2	76.5	78.8	68.8	68.9	1.2	1.5
29303870	8.5	1.9	0.5	222	65	1.9	0.5	222	65	23.3	20.9	76.7	79.1	69.1	69.2	1.2	1.5
29305540	7.9	5.8	5.8	696	695	5.8	5.8	696	695	26.3	19.8	73.7	80.2	0.1	0.1	0.0	0.0
29307990	8.0	5.7	5.6	680	669	5.7	5.6	680	669	29.0	22.1	71.0	77.9	1.6	1.6	0.0	0.0
29310500	8.4	1.9	0.4	224	48	1.9	0.4	224	48	17.1	15.3	82.9	84.7	77.2	77.4	0.9	1.1
29310510	8.4	1.9	0.4</														

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (Lb) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
2973140	7.8	6.2	6.2	742	742	6.2	6.2	742	742	20.3	15.9	79.7	84.1	0.0	0.0	0.0	0.0
29791871	10.6	4.4	4.4	530	530	4.4	4.4	530	530	58.2	39.6	41.8	60.4	0.0	0.0	0.0	0.0
2D-2158CA5	9.6	1.5	0.7	180	85	1.5	0.7	180	85	47.8	37.9	52.2	62.1	44.8	53.0	0.1	0.1
2D-2158CA6	9.7	1.1	0.5	128	56	1.1	0.5	128	56	48.2	38.3	51.8	61.7	46.9	56.1	0.1	0.1
2D-2158HCQ	9.6	1.3	0.6	152	68	1.3	0.6	152	68	47.1	37.4	52.9	62.6	47.0	55.6	0.1	0.1
2D-2158HOR	9.7	0.9	0.4	110	48	0.9	0.4	110	48	48.3	38.6	51.7	61.4	47.5	56.7	0.1	0.1
2D-2158LWD	9.7	1.5	0.7	179	84	1.5	0.7	179	84	48.2	38.1	51.8	61.9	44.4	52.9	0.1	0.1
2D-2158NY4	9.7	0.9	0.4	108	49	0.9	0.4	108	49	49.8	40.0	50.2	60.0	45.9	55.0	0.1	0.1
2MB25P	11.9	2.1	2.0	247	244	2.1	2.0	247	244	81.9	71.0	18.1	29.0	0.0	0.0	1.0	1.1
2MB35P	12.9	2.5	2.4	294	286	2.5	2.4	294	286	80.0	65.4	20.0	34.6	0.0	0.0	1.5	2.7
2MB34P	10.2	3.4	3.4	409	409	3.4	3.4	409	409	66.4	54.0	33.6	46.0	0.0	0.0	0.0	0.0
2MB72P	9.9	1.8	0.8	220	97	1.8	0.8	220	97	44.9	34.4	55.1	65.6	46.9	55.8	0.0	0.0
300	7.4	7.0	7.0	840	840	7.0	7.0	840	840	4.7	3.7	95.3	96.3	0.0	0.0	0.0	0.0
304S	7.2	5.9	4.0	707	481	5.9	4.0	707	481	15.1	9.6	84.9	90.4	0.0	0.0	29.4	31.9
30460EB	8.6	3.8	3.8	454	454	3.8	3.8	454	454	55.7	47.1	44.3	52.9	0.0	0.0	0.0	0.0
30461EB	8.6	3.8	3.8	456	456	3.8	3.8	456	456	55.8	46.8	44.2	53.2	0.0	0.0	0.0	0.0
305S	7.1	6.0	4.1	720	487	6.0	4.1	720	487	12.8	8.5	87.2	91.5	0.0	0.0	30.2	32.3
305	9.7	4.3	2.2	520	265	4.3	2.2	520	265	21.2	20.7	78.8	79.3	0.0	0.0	55.8	49.0
306S	7.1	6.1	4.1	726	490	6.1	4.1	726	490	11.7	8.0	88.3	92.0	0.0	0.0	30.6	32.6
3100	9.5	2.9	2.7	347	327	2.9	2.7	347	327	65.2	54.3	34.8	45.7	0.1	0.1	5.9	5.6
3101	8.0	2.9	2.7	345	325	2.9	2.7	345	325	59.7	54.7	40.3	45.3	0.1	0.1	6.3	5.7
3105	9.1	2.9	2.7	347	325	2.9	2.7	347	325	63.3	54.1	36.7	45.9	0.1	0.1	6.7	6.0
3107	8.7	2.9	2.7	350	327	2.9	2.7	350	327	60.8	53.4	39.2	46.6	0.1	0.1	7.7	6.6
3108	8.8	3.0	2.8	357	335	3.0	2.8	357	335	61.6	53.6	38.4	46.4	0.1	0.1	6.5	6.2
3109	8.0	2.9	2.8	350	330	2.9	2.8	350	330	59.4	54.2	40.6	45.8	0.1	0.1	6.3	5.6
3100A	6.1	6.0	6.0	719	719	6.0	6.0	719	719	1.7	1.1	98.3	98.9	0.0	0.0	0.0	0.0
3110	8.0	2.9	2.8	349	330	2.9	2.8	349	330	59.2	54.3	40.8	45.7	0.1	0.1	6.4	6.1
3115	8.2	3.0	2.8	354	333	3.0	2.8	354	333	58.8	53.6	41.2	46.4	0.1	0.1	7.1	6.0
3116	8.1	2.8	2.6	341	316	2.8	2.6	341	316	59.0	54.2	41.0	45.8	0.1	0.1	8.3	7.2
3119	8.5	2.8	2.5	336	300	2.8	2.5	336	300	58.7	52.7	41.3	47.3	0.1	0.1	11.7	10.4
3121	8.1	2.9	2.6	343	314	2.9	2.6	343	314	58.4	53.4	41.6	46.6	0.1	0.1	9.2	8.3
3125	8.3	2.9	2.5	347	302	2.9	2.5	347	302	56.0	50.8	44.0	49.2	0.1	0.1	13.7	12.8
3145	9.5	2.2	1.8	263	213	0.7	0.4	83	52	59.2	56.1	40.8	43.9	0.1	0.1	22.1	18.9
3151	8.3	2.8	2.6	339	313	2.8	2.6	339	313	59.2	54.3	40.8	45.7	0.1	0.1	9.1	7.6
3164	8.3	2.9	2.6	342	312	2.9	2.6	342	312	58.3	53.4	41.7	46.6	0.1	0.1	10.2	8.7
3165	8.8	2.9	2.7	346	318	2.9	2.7	346	318	61.5	53.3	38.5	46.7	0.1	0.1	8.2	7.9
3176	8.5	2.8	2.6	330	308	2.8	2.6	330	308	63.1	55.7	36.9	44.3	0.1	0.1	6.6	6.4
31779	8.8	2.8	2.7	335	319	2.8	2.7	335	319	65.4	59.5	34.6	40.5	0.1	0.1	4.2	4.7
31844D	8.6	2.9	2.8	342	330	2.9	2.8	342	330	64.5	56.4	35.5	43.6	0.1	0.1	3.5	3.3
31844C	7.9	2.8	2.7	336	318	2.8	2.7	336	318	61.0	56.2	39.0	43.8	0.1	0.1	5.2	5.2
31844W	9.0	2.9	2.7	343	329	2.9	2.7	343	329	64.6	55.7	35.4	44.3	0.1	0.1	5.0	4.0
3193	8.2	2.9	2.5	346	295	2.9	2.5	346	295	51.7	48.6	48.2	51.8	0.0	0.0	18.4	14.9
3195	8.0	3.0	2.8	354	337	3.0	2.8	354	337	64.3	54.2	35.3	45.4	0.3	0.3	3.8	4.4
319W1MOD	10.4	0.6	0.4	44	21	0.6	0.4	44	21	45.3	44.7	54.7	58.1	0.0	0.0	39.0	50.8
320	10.0	4.6	4.6	557	557	4.6	4.6	557	557	53.6	36.3	46.4	63.7	0.0	0.0	0.0	0.0
32030S	6.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
32069	6.6	6.6	6.6	785	785	6.6	6.6	785	785	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
32188	9.1	9.1	9.1	1092	1092	9.1	9.1	1092	1092	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
3250-R	9.0	1.9	1.9	230	230	1.9	1.9	230	230	78.8	73.8	21.3	26.2	0.0	0.0	0.0	0.0
3252-R	9.0	1.9	1.9	231	231	1.9	1.9	231	231	78.7	73.8	21.3	26.2	0.0	0.0	0.0	0.0
32883	7.9	7.9	7.9	950	950	7.9	7.9	950	950	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
328A132	9.6	2.1	1.5	253	181	2.1	1.5	253	181	53.8	51.6	46.2	48.4	0.0	0.0	30.4	28.2
328H087	9.7	2.1	1.4	253	169	2.1	1.4	253	169	49.7	47.9	50.3	52.1	0.0	0.0	35.7	33.3
330	10.2	4.4	4.4	532	532	4.4	4.4	532	532	56.6	39.1	43.4	60.9	0.0	0.0	0.0	0.0
3300-45024	8.5	2.8	2.2	332	269	2.8	2.2	332	269	51.8	50.8	48.2	49.2	0.0	0.0	21.8	19.0
3300-45025	8.3	2.8	2.0	330	243	2.6	1.9	312	222	47.2	45.4	52.8	54.6	0.0	0.0	28.3	26.3
3301	8.2	2.8	2.3	332	276	2.8	2.3	332	276	53.0	50.7	47.0	49.3	0.0	0.0	19.0	16.9
330G114	8.6	2.3	1.7	271	204	2.3	1.7	271	204	56.4	51.1	43.6	48.0	0.0	0.0	23.9	24.8
33-1015	7.7	3.9	3.7	464	449	3.9	3.7	464	449	61.4	48.8	38.6	55.2	0.0	0.0	3.5	3.3
33-1022076	9.2	3.7	3.6	442	433	3.7	3.6	442	433	58.2	45.8	41.8	48.7	0.0	0.0	21.8	21.1
33103	9.8	2.7	2.2	320	260	2.7	2.2	320	260	58.9	51.0	41.1	49.0	0.0	0.0	18.9	18.7
33104	9.1	2.8	2.2	331	269	2.8	2.2	331	269	55.9	51.9	44.1	48.1	0.0	0.0	19.4	18.8
33105	8.4	2.8	2.2	330	265	2.8	2.2	330	265	52.5	51.1	47.5	48.9	0.0	0.0	21.2	19.7
33106	8.4	2.8	2.3	332	271	2.8	2.3	332	271	52.7	51.2	47.3	48.8	0.0	0.0	20.4	18.3
33107	8.8	2.7	2.2	322	265	2.7	2.2	322	265	55.9	53.1	44.1	46.9	0.0	0.0	18.9	17.5
33108	8.5	2.8	2.3	331	274	2.8	2.3	331	274	53.9	52.4	46.1	47.6	0.0	0.0	19.4	17.3
33-1664	8.6	3.7	3.5	440	425	3.7	3.5	440	425	54.5	47.8	45.5	52.2	0.0	0.0	4.4	3.4
33-24861	11.0	3.7	3.6	447	435	3.7	3.6	447	435	64.2	47.3	35.8	52.7	0.0	0.0	2.7	2.7
33-24926	8.3	4.0	3.9	474	467	4.0	3.9	474	467	51.2	45.1	48.8	54.9	0.0	0.0	2.1	1.6
3325-3325P	8.0	3.6	3.4	428	407	3.6	3.4	428	407	53.4	48.2	46.6	51.8	0.0	0.0	4.1	5.0
33-27253	10.4	3.8	3.6	454	436	3.8	3.6	454	436	60.8	46.0	39.2	54.0	0.0	0.0	4.1	3.8
332C006	8.4	2.7	2.3	328	281	2.7	2.3	328	281	55.4	52.6	44.6	47.4	0.0	0.0	16.6	14.2
332W063	9.0	2.7	2.3	325	280	2.7	2.3	325	280	62.1	53.0	37.9	47.0	0.0	0.0	11.8	13.9
33-310	7.6	4.2	3.0	506	357	4.2	3.0	506	357	35.4	28.7	64.6	71.3	0.0	0.0	25.6	29.4
33-3186	8.8	3.9	3.8	471	452	3.9	3.8	471	452	52.1	43.4	47.9	56.6	0.0	0.0	5.1	4.0
33-33728	10.9	3.8	3.7	455	439	3.8	3.7	455	439	62.6	46.1	37.4	49.9	0.0	0.0	3.6	3.5
33-33736	10.6	3.4	3.4	408	392	3.4	3.4	408	392	65.7	45.6	34.3	48.6	0.0	0.0	3.6	3.6
33-33737	11.																

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) (lb/gal)	VOC (AP) (lb/gal)	VOC (LE) (g/L)	VOC (AP) (g/L)	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT LITRES %	VOLUME LITRES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
34-202	8.0	5.2	5.2	628	628	5.2	5.2	628	628	34.4	28.4	65.6	71.6	0.0	0.0	0.0	0.0
34305	8.0	3.7	3.6	445	428	3.7	3.6	445	428	52.3	44.7	47.7	55.3	0.0	0.0	3.2	3.9
34-600	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
34-670	10.0	1.6	0.9	197	108	1.6	0.9	197	108	40.2	41.5	59.8	58.5	0.0	0.0	50.8	44.9
347YB1500	57.0	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
347YB1502	57.0	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
34805	8.0	3.7	3.6	445	428	3.7	3.6	445	428	52.3	44.7	47.7	55.3	0.0	0.0	3.2	3.9
3500P	8.1	4.1	4.1	493	493	4.1	4.1	493	493	49.5	43.0	50.5	57.0	0.0	0.0	0.0	0.0
351-36153	12.4	2.5	1.6	297	187	2.5	1.6	297	187	58.0	41.0	42.0	58.9	0.1	0.2	29.3	36.7
351-40571	11.1	4.0	3.5	519	420	4.0	3.5	519	420	55.2	33.2	44.8	66.8	0.1	0.1	13.0	18.9
351-40574	10.8	4.4	3.5	525	422	4.4	3.5	525	422	53.6	32.3	46.4	67.7	0.1	0.1	13.8	19.5
351-40577	10.6	4.4	3.7	531	439	4.4	3.7	531	439	52.9	32.7	47.1	67.3	0.1	0.1	12.4	17.3
351-41536	12.0	3.6	3.1	431	376	3.6	3.1	431	376	66.0	44.0	34.0	56.0	0.1	0.2	7.8	12.5
3520	6.7	6.7	4.4	802	528	6.7	4.4	802	528	0.0	0.0	100.0	100.0	0.0	0.0	34.2	34.2
3525-100	11.8	2.5	1.8	294	217	2.5	1.8	294	217	69.8	48.7	30.2	51.3	0.1	0.2	14.7	26.2
3525-200	12.4	3.1	2.9	367	348	3.1	2.9	367	348	73.8	54.5	26.2	45.5	0.0	0.0	2.8	5.2
3595	7.6	5.7	5.7	683	683	5.7	5.7	683	683	25.5	21.6	74.5	78.4	0.0	0.0	0.0	0.0
36001S	14.3	3.0	3.0	356	355	3.0	3.0	356	355	79.2	60.5	20.8	39.5	0.1	0.3	0.0	0.0
36004S	14.4	3.0	2.9	354	353	3.0	2.9	354	353	79.3	60.7	20.7	39.3	0.1	0.3	0.0	0.0
36007S	14.1	3.0	3.0	365	364	3.0	3.0	365	364	78.4	59.5	21.6	40.5	0.1	0.2	0.0	0.0
3602S	6.6	6.6	5.3	788	639	6.6	5.3	788	639	0.0	0.0	100.0	100.0	0.0	0.0	18.9	18.8
3608S	6.6	6.5	5.7	777	556	6.5	4.6	777	556	0.0	0.0	100.0	100.0	0.0	0.0	29.4	28.4
36103070	8.6	2.9	0.7	342	79	2.9	0.7	342	79	17.8	13.6	82.2	86.4	74.1	76.3	0.5	0.6
36201440	8.7	2.5	0.5	304	57	2.5	0.5	304	57	16.8	12.6	83.2	87.4	77.3	80.6	0.4	0.5
3621-39209	8.3	3.0	2.8	364	336	3.0	2.8	364	336	59.4	53.4	40.6	46.6	0.0	0.0	6.7	7.7
362-300	11.6	2.9	2.4	353	285	2.9	2.4	353	285	68.6	48.4	31.4	51.6	0.0	0.0	11.0	19.3
362-500	12.1	2.9	2.4	352	288	2.9	2.4	352	288	70.3	49.1	29.7	50.9	0.0	0.0	9.9	18.3
36-300A	6.8	5.8	5.8	814	697	6.8	5.8	814	697	0.0	0.0	100.0	100.0	0.0	0.0	14.0	14.4
36305S	8.1	5.5	5.5	663	663	5.5	5.5	663	663	31.3	25.7	68.7	74.3	0.0	0.0	0.0	0.0
36-350A	6.6	6.2	6.2	743	743	6.2	6.2	743	743	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
36425C	7.0	7.1	6.2	852	747	7.1	6.2	852	747	0.0	0.0	100.0	100.0	0.0	0.0	11.5	12.3
3661S	6.6	6.6	5.1	786	607	6.6	5.1	786	607	0.0	0.0	100.0	100.0	0.0	0.0	23.5	22.8
3695-142	9.2	0.0	0.0	0	0	0.0	0.0	0	0	80.0	76.4	0.0	20.0	0.0	0.0	20.0	23.6
3695-398	9.0	2.3	2.3	270	270	2.3	2.3	270	270	75.0	69.8	25.0	30.2	0.0	0.0	0.0	0.0
36G	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
36Q	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
37110530	7.9	7.9	7.9	950	950	7.9	7.9	950	950	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
373-35255	8.9	4.0	3.6	482	431	4.0	3.6	482	431	51.5	37.7	48.5	62.3	0.0	0.0	7.9	10.6
373-36152	11.1	2.4	1.7	291	199	2.4	1.7	291	199	64.1	45.8	35.9	54.2	0.1	0.2	20.7	31.4
373P20872	11.0	3.4	2.8	409	336	3.4	2.8	409	336	63.9	42.8	36.1	57.2	0.1	0.1	10.6	17.7
373P23290	10.3	3.6	3.1	431	372	3.6	3.1	431	372	60.9	41.3	39.1	58.7	0.2	0.2	8.7	13.6
373P26339	10.9	3.5	2.9	415	348	3.5	2.9	415	348	63.6	43.1	36.4	56.9	0.1	0.1	9.7	16.0
373P27678	9.6	3.5	2.8	425	337	3.5	2.8	425	337	56.2	38.7	43.8	61.3	0.2	0.2	14.2	20.6
373P27590	9.1	4.0	3.3	477	399	4.0	3.3	477	399	51.7	35.9	46.3	64.0	0.0	0.0	11.8	16.3
373P27695	10.6	3.5	3.1	421	370	3.5	3.1	421	370	63.5	43.9	36.5	56.1	0.1	0.1	7.4	12.0
373P28794	10.6	3.7	3.1	443	374	3.7	3.1	443	374	60.8	40.7	39.2	59.3	0.1	0.1	9.6	15.4
373P29171	10.5	3.5	3.0	421	365	3.5	3.0	421	365	62.6	42.8	37.4	57.2	0.2	0.2	8.2	13.1
373P29173	10.3	3.7	3.3	438	400	3.7	3.3	438	400	62.1	43.9	37.9	56.1	0.2	0.2	5.3	8.3
373P29950	9.6	3.5	2.8	425	337	3.5	2.8	425	337	56.2	38.7	43.8	61.3	0.2	0.2	14.2	20.6
373P34090	10.0	3.3	2.7	395	324	3.3	2.7	395	325	61.2	43.7	38.8	56.3	0.1	0.1	11.7	17.7
373P35159	10.7	3.8	3.4	450	404	3.8	3.4	450	404	62.0	41.9	38.0	58.1	0.1	0.1	6.3	10.1
37560001	8.3	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	100.0	99.7	0.0	0.0
3800S	6.5	6.5	6.5	777	777	6.5	6.5	777	777	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
3812S	6.3	6.2	5.6	746	672	6.2	5.6	746	672	0.0	0.0	100.0	100.0	0.0	0.0	10.5	9.9
3821S	8.0	6.6	6.2	791	703	8.0	6.6	791	703	0.5	0.5	99.5	99.5	82.7	79.6	14.7	17.9
3832S	6.5	6.4	5.9	772	703	6.4	5.9	772	703	0.0	0.0	100.0	100.0	0.0	0.0	9.2	9.0
3850S	6.8	6.8	5.4	819	650	6.8	5.4	819	650	0.0	0.0	100.0	100.0	0.0	0.0	20.0	20.6
389S	8.1	8.1	8.1	966	966	8.1	8.1	966	966	1.0	0.9	99.0	99.1	0.0	0.0	0.0	0.0
3900S	6.5	6.5	6.5	778	778	6.5	6.5	778	778	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
3901S	6.1	6.1	6.1	729	729	6.1	6.1	729	729	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
3909S	8.3	6.6	6.4	788	52	8.3	6.4	788	52	1.3	1.3	98.7	98.7	93.5	93.4	0.0	0.0
39195C	6.5	6.5	6.5	783	783	6.5	6.5	783	783	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
3949S	8.2	6.3	6.3	758	44	6.3	6.3	758	44	0.6	0.7	99.4	99.4	94.9	94.1	0.0	0.0
30825P	11.5	1.9	1.9	233	233	1.9	1.9	233	233	83.0	73.3	17.0	26.7	0.0	0.0	0.0	0.0
30826P	12.9	2.4	2.2	282	266	2.4	2.2	282	266	79.8	64.7	20.2	35.3	0.0	0.0	3.0	5.6
30834P	10.0	3.5	3.5	415	415	3.5	3.5	415	415	65.4	53.2	34.6	46.8	0.0	0.0	0.0	0.0
30872P	9.4	1.9	0.9	223	102	1.9	0.9	223	102	42.5	10.2	57.5	64.9	48.4	54.2	0.0	0.0
4000P	16.2	3.0	3.0	359	359	3.0	3.0	359	359	81.5	61.6	18.5	38.4	0.0	0.0	0.0	0.0
400-01	8.1	4.6	4.6	548	548	4.6	4.6	548	548	43.4	35.3	56.6	64.7	0.0	0.0	0.0	0.0
400-02	9.4	4.2	4.2	507	507	4.2	4.2	507	507	55.2	39.9	44.8	60.1	0.0	0.0	0.0	0.0
400-105	8.3	4.3	4.1	515	492	4.3	4.1	515	492	46.7	38.8	53.3	61.2	0.0	0.0	3.6	4.5
400-106	10.6	4.3	4.1	511	494	4.3	4.1	511	494	58.9	39.9	41.1	60.1	0.0	0.0	2.1	3.4
400-107	10.6	4.3	4.1	510	495	4.3	4.1	510	495	59.0	40.0	41.0	60.0	0.0	0.0	1.8	2.9
4001-G	7.7	4.2	2.8	499	331	4.2	2.8	499	331	35.1	29.0	64.9	71.0	0.0	0.0	29.1	33.8
400-20	8.1	4.5	4.5	534	534	4.5	4.5	534	534	44.8	36.1	55.2	63.9	0.0	0.0	0.0	0.0
400-38	8.2	4.4	4.4	528	528	4.4	4.4	528	528	46.0	37.6	54.0	62.4	0.0	0.0	0.0	0.0
400-40	11.7	4.5	4.2	499	449	4.5	4.2	499	4								

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
4121-1	9.0	2.3	1.2	270	139	2.3	1.2	270	139	36.2	34.5	63.8	65.5	0.0	0.0	50.8	48.5
4121-4	9.0	2.3	1.2	270	139	2.3	1.2	270	139	36.2	34.5	63.8	65.5	0.0	0.0	50.8	48.5
412-50	9.8	3.2	2.9	387	342	3.2	2.9	387	342	62.0	47.1	38.0	52.9	0.0	0.0	8.8	11.6
414-1000	8.0	4.6	4.6	553	553	4.6	4.6	553	553	42.1	34.4	57.9	65.6	0.0	0.0	0.0	0.0
414-2005	8.1	4.4	4.0	525	477	4.4	4.0	525	477	43.2	36.5	56.8	63.5	0.0	0.0	7.4	9.1
414-2006	9.9	4.1	3.8	496	453	4.1	3.8	496	453	56.1	39.2	43.9	60.8	0.0	0.0	5.8	8.7
4142-1	7.7	4.2	2.8	499	331	4.2	2.8	499	331	35.1	29.0	64.9	71.0	0.0	0.0	29.1	33.8
4142-4	7.7	4.2	2.8	499	331	4.2	2.8	499	331	35.1	29.0	64.9	71.0	0.0	0.0	29.1	33.8
414-3006	9.1	4.4	4.4	528	528	4.4	4.4	528	528	51.7	37.5	48.3	62.5	0.0	0.0	0.0	0.0
414-30073	8.2	4.6	4.6	549	549	4.6	4.6	549	549	44.3	34.5	55.7	65.5	0.0	0.0	0.0	0.0
414-40507	8.1	4.5	4.5	541	541	4.5	4.5	541	541	44.2	35.9	55.8	64.1	0.0	0.0	0.0	0.0
414-41925	8.0	4.6	4.6	555	555	4.6	4.6	555	555	41.9	33.4	58.1	66.6	0.0	0.0	0.0	0.0
414-45869	8.8	4.4	4.4	531	531	4.2	3.8	499	454	49.4	37.0	50.6	63.0	0.0	0.0	0.0	0.0
414-49053	9.7	4.2	4.2	505	505	4.2	4.2	505	505	56.6	40.5	43.4	59.5	0.0	0.0	0.0	0.0
414-6294	8.2	4.5	4.5	544	544	4.5	4.5	544	544	44.5	35.8	55.5	64.2	0.0	0.0	0.0	0.0
414-6295	8.1	4.5	4.5	540	540	4.5	4.5	540	540	44.6	36.1	55.4	63.9	0.0	0.0	0.0	0.0
414-70437	8.1	4.5	4.5	543	543	4.5	4.5	543	543	43.8	35.9	56.2	64.1	0.0	0.0	0.0	0.0
414-8501	7.8	4.7	4.2	558	498	4.7	4.2	558	498	37.7	29.7	62.3	70.3	0.0	0.0	9.1	10.8
414-9725	8.4	4.5	4.5	539	539	4.5	4.5	539	539	46.7	36.6	53.3	63.4	0.0	0.0	0.0	0.0
414-9726	8.2	4.6	4.6	546	546	4.6	4.6	546	546	44.3	35.5	55.7	64.5	0.0	0.0	0.0	0.0
414-9728	8.7	4.5	4.5	534	534	4.5	4.5	534	534	48.5	36.8	51.5	63.2	0.0	0.0	0.0	0.0
414-9745	8.3	4.6	4.6	554	553	4.6	4.6	554	553	44.5	34.7	55.5	65.3	0.1	0.1	0.0	0.0
418-01	8.0	4.7	4.7	557	557	4.7	4.7	557	557	42.0	34.3	58.0	65.7	0.0	0.0	0.0	0.0
418-03	9.4	4.4	4.4	528	528	4.4	4.4	528	528	53.2	38.4	46.8	61.6	0.0	0.0	0.0	0.0
418-05	8.2	4.3	4.0	520	483	4.3	4.0	520	483	45.0	37.1	55.0	62.9	0.0	0.0	5.7	7.1
418-06	10.5	4.2	3.9	500	471	4.2	3.9	500	471	58.9	40.0	41.1	60.0	0.0	0.0	3.7	5.8
419-00	7.7	4.3	4.3	517	515	4.3	4.3	517	515	43.8	35.0	56.2	64.0	0.0	0.0	0.3	0.3
419-01	7.6	4.6	4.6	555	555	4.6	4.6	555	555	39.4	31.1	60.6	68.9	0.0	0.0	0.0	0.0
419-08	9.1	4.4	4.4	522	522	4.4	4.4	522	522	52.3	35.3	47.7	64.7	0.0	0.0	0.0	0.0
419-105	7.9	4.2	3.7	507	441	4.2	3.7	507	441	42.6	34.8	57.4	65.2	0.0	0.0	10.9	13.1
419-106	10.3	3.9	3.5	472	420	3.9	3.5	472	420	58.9	39.7	41.1	60.3	0.0	0.0	7.1	11.0
419-24	9.0	4.4	4.4	525	525	4.4	4.4	525	525	51.3	34.8	48.7	65.2	0.0	0.0	0.0	0.0
419-25	7.5	4.6	4.6	548	548	4.6	4.6	548	548	39.2	31.0	60.8	69.0	0.0	0.0	0.0	0.0
419-45732	7.3	5.9	4.9	703	589	5.9	4.9	703	589	16.2	12.4	83.8	87.6	0.0	0.0	16.5	16.2
419-45733	7.4	6.0	4.9	716	584	6.0	4.9	716	584	15.7	11.0	84.3	89.0	0.0	0.0	18.4	18.4
419-45734	7.4	5.8	4.9	692	581	5.8	4.9	692	581	18.8	13.8	81.2	86.2	0.0	0.0	16.0	16.0
419-45736	7.6	5.8	4.9	691	586	5.8	4.9	691	586	21.0	14.6	79.0	85.4	0.0	0.0	14.7	15.1
419-45750	7.8	5.5	5.1	665	614	5.5	5.1	665	614	27.1	18.1	72.9	81.9	0.0	0.0	7.2	7.6
419-87	7.8	4.5	4.5	541	541	4.5	4.5	541	541	42.1	32.8	57.9	67.2	0.0	0.0	0.0	0.0
420	8.1	5.8	5.8	700	698	5.8	5.8	700	698	28.1	15.8	71.9	84.2	0.3	0.3	0.0	0.0
4202-4	7.8	4.5	4.5	543	543	4.5	4.5	543	543	42.2	34.1	57.8	65.9	0.0	0.0	0.0	0.0
4204	8.7	0.1	0.1	8	8	0.1	0.1	8	8	99.2	99.1	0.9	0.9	0.0	0.0	0.1	0.1
421	7.3	6.9	6.8	831	815	6.9	6.8	831	815	4.7	2.2	95.3	97.8	2.1	1.8	0.0	0.0
421-08	9.4	4.5	4.5	534	534	4.5	4.5	534	534	56.6	35.7	43.4	63.3	0.0	0.0	0.0	0.0
421-09	9.9	4.4	4.2	531	501	4.4	4.2	531	501	54.1	35.3	45.9	64.7	0.0	0.0	3.8	5.7
421-10	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
421-11	13.4	2.1	1.3	256	150	2.1	1.3	256	150	57.5	41.7	42.5	58.3	0.0	0.0	33.2	41.1
421-12	13.2	2.1	1.2	251	147	2.1	1.2	251	147	56.7	41.5	43.3	58.5	0.0	0.0	34.1	41.7
421-17	12.3	3.9	3.8	466	458	3.9	3.8	466	458	67.9	45.3	32.1	54.7	0.0	0.0	0.9	1.7
421-19	11.8	4.1	4.1	494	486	4.1	4.1	494	486	64.8	41.7	35.2	58.3	0.0	0.0	0.9	1.6
421-23	10.9	4.6	4.6	557	557	4.6	4.6	557	557	57.4	35.3	42.6	64.7	0.0	0.0	0.0	0.0
421-24	6.7	4.3	3.6	512	430	4.3	3.6	512	430	15.0	11.5	85.0	88.5	0.0	0.0	31.8	16.1
421-25	6.7	4.3	3.8	520	450	4.3	3.8	520	450	13.8	11.4	86.2	88.6	0.0	0.0	30.5	13.5
421-26	6.7	4.0	3.1	477	367	4.0	3.1	477	367	18.8	12.5	81.2	87.5	0.0	0.0	35.7	23.0
421-30	10.3	1.9	1.0	225	126	1.9	1.0	225	126	58.6	39.7	41.5	60.3	0.0	0.0	31.3	44.1
422-05	7.4	4.9	3.5	589	415	4.9	3.5	589	415	26.2	19.4	73.8	80.6	0.0	0.0	26.9	29.5
422-23	8.1	4.6	2.4	547	287	4.6	2.4	547	287	32.2	20.1	67.8	79.9	0.0	0.0	38.2	47.4
422-46	10.3	3.6	3.6	434	434	3.6	3.6	434	434	64.9	49.2	35.1	50.8	0.0	0.0	0.0	0.0
422-50	10.7	4.3	4.1	519	491	4.3	4.1	519	491	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
422-51	10.8	4.4	4.1	523	491	4.4	4.1	523	491	58.2	36.8	41.8	63.6	0.0	0.0	1.2	3.0
422-52	10.7	4.3	4.1	520	492	4.3	4.1	520	492	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
424005	9.4	4.3	4.0	514	477	4.3	4.0	514	477	52.6	36.8	47.4	63.2	0.0	0.0	5.1	7.1
424105	13.4	4.3	4.3	514	514	4.3	4.3	514	514	67.9	40.4	32.1	59.6	0.0	0.0	0.0	0.0
4242-1	7.7	4.2	3.0	508	359	4.2	3.0	508	359	35.8	29.3	64.2	70.7	0.0	0.0	25.3	29.3
424405	12.8	4.3	4.3	513	513	4.3	4.3	513	513	66.7	40.6	33.3	59.4	0.0	0.0	0.0	0.0
424555	7.4	6.1	6.1	727	727	6.1	6.1	727	727	17.6	17.8	82.4	82.2	0.0	0.0	0.0	0.0
424705	12.8	4.3	4.3	514	514	4.3	4.3	514	514	66.5	40.4	33.5	59.6	0.0	0.0	0.1	0.1
424755	7.7	6.3	6.3	758	758	6.3	6.3	758	758	17.6	18.5	82.4	81.5	0.0	0.0	0.0	0.0
424955	7.5	6.2	6.2	744	744	6.2	6.2	744	744	17.5	18.1	82.5	81.9	0.0	0.0	0.0	0.0
425	8.0	3.8	0.9	451	108	3.8	0.9	451	108	17.7	10.5	82.3	89.5	0.2	0.1	70.9	75.9
426	6.8	6.5	5.0	776	601	6.5	5.0	776	601	3.8	1.6	96.2	98.4	3.5	2.9	19.0	19.6
430	7.4	6.6	1.5	786	178	6.6	1.5	786	178	4.4	4.0	95.6	96.0	0.0	0.0	75.5	77.3
430-01	8.2	4.5	4.5	537	537	4.5	4.5	537	537	53.8	35.7	54.7	64.3	0.0	0.0	0.0	0.0
430-02	7.9	4.7	4.7	562	562	4.7	4.7	562	562	41.0	32.6	59.0	67.4	0.0	0.0	0.0	0.0
4300-2.5L	10.1	1.4	0.7	168	88	1.4	0.7	168	88	40.7	42.8	59.3	57.2	0.0	0.0	52.0	47.2
430-03	12.9	3.3	3.3	395	395	3.3	3.3	395	395	74.4	52.6	25.6	47.4	0.0	0.0	0.0	0.0
430-04	10.5	4.1	4.1	493	493	4.1	4.1	493	493	60.8	40.8	39.2					

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
430-53	10.5	4.6	4.6	557	557	4.6	4.6	557	557	55.8	34.8	44.2	65.2	0.0	0.0	0.0	0.0
430-54	9.3	4.3	4.3	520	520	4.3	4.3	520	520	53.6	38.6	46.4	61.4	0.0	0.0	0.0	0.0
430-55	8.8	4.6	4.6	549	549	4.6	4.6	549	549	48.0	33.9	52.0	66.1	0.0	0.0	0.0	0.0
430-56	8.5	4.1	4.1	494	490	4.1	4.1	494	490	50.7	41.1	49.3	58.9	0.0	0.0	1.0	0.9
430-57	9.3	4.2	4.2	500	500	4.2	4.2	500	500	55.0	40.4	45.0	59.6	0.0	0.0	0.0	0.0
430-58	9.4	4.2	4.2	507	507	4.2	4.2	507	507	55.0	39.5	45.0	60.5	0.0	0.0	0.0	0.0
430-59	9.4	4.2	4.2	507	507	4.2	4.2	507	507	55.0	39.1	45.0	60.9	0.0	0.0	0.0	0.0
430A	6.7	5.3	4.0	640	475	5.3	4.0	640	475	10.2	7.6	89.8	92.4	0.0	0.0	30.2	25.7
4310-2.5L	8.3	4.7	4.7	560	560	4.7	4.7	560	560	44.0	37.9	46.0	62.1	0.0	0.0	0.0	0.0
431-12	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
4311-2.5L	7.9	4.6	4.6	550	550	4.6	4.6	550	550	42.2	34.6	57.8	65.4	0.0	0.0	0.0	0.0
431-22	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
4312-2.5L	7.8	4.5	4.5	543	543	4.5	4.5	543	543	42.2	34.1	57.8	65.9	0.0	0.0	0.0	0.0
431-31	13.5	2.2	1.4	261	168	2.2	1.4	261	168	61.3	44.6	38.7	55.4	0.1	0.2	28.2	35.5
431-40	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
431-71	11.7	2.4	1.1	286	137	2.4	1.1	286	137	45.0	31.5	55.0	68.5	0.1	0.1	45.2	52.0
431-80	11.6	4.2	4.2	502	501	3.5	2.8	421	341	63.9	43.9	36.1	56.1	0.2	0.3	0.0	0.0
431-83	11.5	4.2	4.2	503	502	3.5	2.8	420	340	63.4	43.8	36.6	56.2	0.2	0.3	0.0	0.0
431-87	11.2	4.2	4.2	503	502	3.5	2.8	418	336	62.4	44.0	37.6	56.0	0.2	0.3	0.0	0.0
431-90	10.8	4.4	4.1	523	491	4.4	4.1	523	491	58.2	36.4	41.8	63.6	0.9	1.2	3.0	4.9
431-93	10.7	4.3	4.1	519	491	4.3	4.1	519	491	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
431-97	10.7	4.3	4.1	520	492	4.3	4.1	520	492	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
431A	6.7	5.3	4.0	637	477	5.3	4.0	637	477	11.4	7.9	88.6	92.1	0.0	0.0	29.2	25.1
432-01	10.9	2.0	0.7	240	86	2.0	0.7	240	86	35.7	26.1	64.3	73.9	0.0	0.0	57.7	64.2
432-03	10.2	2.5	1.0	304	124	2.3	0.9	277	108	33.5	26.1	66.5	73.9	0.0	0.0	56.3	59.2
432-05	9.2	2.6	1.1	314	130	2.6	1.1	314	130	27.7	26.3	72.3	73.7	0.0	0.0	60.5	58.7
432-08	10.9	2.1	0.8	252	92	2.1	0.8	252	92	35.6	26.1	64.4	73.9	0.0	0.0	57.4	63.7
4321-5L	8.4	2.2	1.2	266	149	2.2	1.2	266	149	42.7	38.1	57.3	61.9	0.0	0.0	42.5	43.9
432-20	9.2	2.5	1.0	305	122	2.5	1.0	305	122	27.1	26.1	72.9	73.9	0.0	0.0	61.9	59.9
432-21	9.4	2.4	0.9	290	113	2.4	0.9	290	113	27.0	26.0	73.0	74.0	0.0	0.0	62.9	61.0
432-26	9.3	2.4	0.9	283	111	2.4	0.9	283	111	27.4	26.1	72.6	73.9	0.0	0.0	62.6	60.6
432-27	9.1	2.5	1.1	297	129	2.2	0.9	268	110	29.8	28.2	70.2	71.8	0.0	0.0	58.4	56.7
432-28	9.3	2.4	1.0	291	114	2.4	1.0	291	114	27.1	26.0	72.9	74.0	0.0	0.0	62.6	60.8
432-29	9.5	2.4	1.0	290	114	2.4	1.0	290	114	27.5	26.1	72.5	73.9	0.0	0.0	62.5	60.7
432-30	9.3	2.6	1.0	310	125	2.6	1.0	310	125	27.9	26.0	72.1	74.0	0.0	0.0	60.9	59.6
432-32	9.3	2.5	1.0	294	118	2.5	1.0	294	118	28.7	26.0	71.3	74.0	0.0	0.0	60.7	59.7
432-33	9.2	2.5	1.0	296	119	2.5	1.0	296	119	27.7	26.1	72.3	73.9	0.0	0.0	61.6	59.6
432-41	10.6	2.4	0.9	288	113	2.4	0.9	288	113	35.8	25.9	64.2	74.1	0.0	0.0	55.4	60.9
432-43	9.6	2.4	0.9	288	113	2.4	0.9	288	113	27.8	26.0	72.2	74.0	0.0	0.0	62.4	60.9
432-45	9.2	2.5	1.0	295	119	2.3	0.9	280	110	27.8	26.0	72.2	74.0	0.0	0.0	61.5	59.9
432-46	9.7	2.5	1.0	304	122	2.5	1.0	304	122	27.9	25.6	72.1	74.0	0.0	0.0	61.6	59.8
432-50	9.6	2.5	1.0	299	120	2.4	1.0	291	115	28.3	26.1	71.7	73.9	0.0	0.0	61.4	60.0
432-53	9.6	2.6	1.0	309	125	2.6	1.0	309	125	28.9	26.2	71.1	73.8	0.0	0.0	60.2	59.6
432-51	9.2	2.5	1.0	295	118	2.5	1.0	295	118	27.4	26.0	72.0	74.0	0.0	0.0	61.8	59.8
432-62	9.2	2.4	0.9	291	113	2.4	0.9	286	110	27.1	26.8	72.9	73.2	0.0	0.0	62.6	61.2
432-64	9.4	2.2	0.8	264	99	2.2	0.8	264	99	27.3	26.1	72.7	73.9	0.0	0.0	63.9	62.4
432-66	9.4	2.4	1.0	293	115	2.4	1.0	293	115	27.4	26.1	72.6	73.9	0.0	0.0	62.4	60.7
432-80	9.3	1.4	0.5	170	56	1.4	0.5	170	56	26.1	26.0	73.9	74.0	0.0	0.0	68.9	67.1
432-81	10.4	2.4	0.9	287	111	2.4	0.9	287	111	33.6	25.9	66.4	74.1	0.1	0.1	57.5	61.2
432-84	9.6	0.9	0.3	104	33	0.9	0.3	104	33	29.3	27.8	70.7	72.2	0.0	0.0	67.8	68.3
432-85	9.6	2.2	0.8	268	102	2.2	0.8	268	102	27.9	26.2	72.1	73.8	0.0	0.0	63.3	62.2
432-86	9.5	2.7	1.2	322	138	2.7	1.2	322	138	28.6	27.0	71.4	73.0	0.0	0.0	59.3	57.1
432-90	9.6	2.5	1.0	295	117	2.5	1.0	295	117	30.2	26.0	69.8	74.0	0.0	0.0	59.6	60.2
432-91	9.6	2.5	1.0	300	121	2.5	1.0	300	121	30.6	26.1	69.4	73.9	0.0	0.0	58.9	59.5
432-93	9.2	2.4	1.0	290	116	2.2	0.8	260	98	27.3	26.1	72.7	73.9	0.0	0.0	62.1	60.2
432A	6.7	5.3	4.0	637	477	5.3	4.0	637	477	11.7	7.8	88.3	92.2	0.0	0.0	29.2	25.2
433-02	9.5	1.6	0.5	191	65	1.6	0.5	191	65	27.2	26.1	72.8	73.9	0.0	0.0	67.1	66.1
433-07	9.3	1.7	0.6	206	71	1.7	0.6	206	71	26.2	26.0	73.8	74.0	0.0	0.0	67.4	65.5
433-31	9.3	2.0	0.7	239	87	2.0	0.7	239	87	26.8	26.1	73.2	73.9	0.0	0.0	65.4	63.7
433-70	9.3	1.9	0.7	233	84	1.9	0.7	233	84	26.6	26.1	73.4	73.9	0.0	0.0	64.0	64.0
433-82	9.7	1.8	0.6	218	77	1.8	0.6	218	77	28.6	26.1	71.4	73.9	0.0	0.0	64.7	64.8
433A	6.7	5.3	4.0	637	477	5.3	4.0	637	477	11.6	7.8	88.4	92.2	0.0	0.0	29.2	25.2
434-10	9.5	2.1	0.8	246	91	2.1	0.8	246	91	27.8	26.0	72.2	74.0	0.0	0.0	64.2	63.0
434-11	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	25.9	71.9	74.1	0.0	0.0	63.3	62.2
434-13	9.5	2.2	0.8	261	98	2.2	0.8	261	98	28.3	25.9	71.7	74.1	0.0	0.0	63.1	62.4
434-14	9.5	2.0	0.8	245	93	2.0	0.8	245	93	28.7	26.6	71.3	73.4	0.0	0.0	63.1	62.1
434-16	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	26.0	71.9	74.0	0.0	0.0	63.3	62.1
434-18	9.7	0.6	0.2	75	22	0.6	0.2	75	22	26.9	26.1	73.1	73.9	0.0	0.0	71.2	71.3
434-19	9.5	2.0	0.7	238	87	2.0	0.7	238	87	27.9	26.2	72.1	73.8	0.0	0.0	64.4	63.3
4342-5L	7.8	3.8	3.0	456	354	3.8	3.0	456	354	43.3	36.4	56.7	63.6	0.0	0.0	18.9	22.4
434-78	9.5	2.2	0.8	258	97	2.2	0.8	258	97	28.1	25.6	71.9	74.4	0.0	0.0	63.3	62.5
434-79	9.5	2.1	0.8	253	95	2.1	0.8	253	95	28.2	25.8	71.8	74.2	0.0	0.0	63.5	62.5
434-94	9.6	1.9	0.7	232	86	1.9	0.7	232	86	29.0	26.6	71.1	73.4	0.0	0.0	63.6	63.1
434-95	9.5	2.1	0.8	246	93	2.1	0.8	246	93	28.7	26.4	71.3	73.6	0.0	0.0	63.1	62.3
434A	6.7	5.3	4.0	637	477	5.3	4.0	637	477	11.6	7.8	88.4	92.2	0.0	0.0	29.2	25.2
435-00M	8.1	4.5	4.3	540	519	4.5	4.3	540	519	43.3	35.5	56.7	64.5	0.0	0.0	3.3	4.0
435-05	8.2	4.5	4.2	539	507	4.5	4.2	539	507	43.3	35.5	56.7	64.5				

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
438-22	8.1	3.7	2.5	446	302	3.7	2.5	446	302	37.3	32.2	62.7	67.8	0.0	0.0	31.6	32.3
438-31	8.8	2.6	1.7	313	201	2.6	1.7	313	201	41.9	39.5	58.1	60.5	0.0	0.0	39.1	35.6
438-40	7.8	3.7	2.5	440	299	3.7	2.5	440	299	41.2	35.0	58.8	65.0	0.0	0.0	27.0	32.1
438A	6.7	5.3	4.0	639	478	5.3	4.0	639	478	11.4	7.6	88.6	92.4	0.0	0.0	29.2	25.2
4400-1	13.4	2.1	1.3	254	152	2.1	1.3	254	152	58.2	42.5	41.8	57.5	0.0	0.0	32.4	40.2
4401-4	10.0	1.6	0.9	197	108	1.6	0.9	197	108	40.2	41.5	59.8	58.5	0.0	0.0	50.8	44.9
4410	9.0	2.1	1.7	256	205	1.1	0.8	135	90	56.6	56.3	43.4	43.7	0.1	0.1	24.3	19.6
441-00	6.4	6.4	6.4	769	769	6.4	6.4	769	769	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
441-01	6.7	6.7	6.7	798	798	6.7	6.7	798	798	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
441-02	6.3	6.3	6.3	754	754	6.3	6.3	754	754	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
441-05	6.5	6.5	6.5	775	775	6.5	6.5	775	775	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
441-20	6.6	6.7	4.9	798	582	6.7	4.9	798	582	0.0	0.0	100.0	100.0	0.0	0.0	26.9	27.1
441-21	6.7	6.8	5.3	810	639	6.8	5.3	810	639	0.0	0.0	100.0	100.0	0.0	0.0	20.7	21.1
441-22	6.9	7.0	6.3	834	753	7.0	6.3	834	753	0.0	0.0	100.0	100.0	0.0	0.0	9.2	9.7
441-29	7.4	7.4	7.4	887	887	7.4	7.4	887	887	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
441-37	5.8	5.2	3.0	629	364	5.2	3.0	629	364	0.0	0.0	100.0	100.0	0.0	0.0	47.9	42.1
441-43	6.8	6.7	6.5	797	785	6.7	6.5	797	785	2.2	0.9	97.8	99.1	1.9	1.6	0.0	0.0
441-49	8.0	8.0	8.0	955	955	8.0	8.0	955	955	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
4415	9.1	2.1	1.7	246	202	1.1	0.8	132	92	59.7	58.6	40.3	41.4	0.1	0.1	21.7	17.7
441-50	7.3	6.3	5.2	750	620	6.3	5.2	750	620	13.0	9.5	87.0	90.5	0.0	0.0	15.7	17.3
441-55	6.7	6.4	5.6	764	675	6.4	5.6	764	675	3.8	1.6	96.2	98.4	3.5	2.9	8.7	8.8
441-60	6.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
441-62	6.7	7.0	1.0	844	120	7.0	1.0	844	120	0.0	0.0	100.0	100.0	0.0	0.0	85.0	85.8
441-66	8.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
441-68	10.4	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
441-75	6.5	6.5	6.5	780	780	6.5	6.5	780	780	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
441-83	8.6	1.9	1.4	225	174	1.9	1.4	225	174	57.0	55.5	43.0	44.5	0.0	0.0	25.1	22.9
442-00	8.0	6.2	6.2	740	740	6.2	6.2	740	740	22.9	16.2	77.1	82.8	0.1	0.1	0.0	0.0
442-01	9.1	5.8	5.8	690	689	5.8	5.8	690	689	37.0	21.3	63.0	78.7	0.1	0.1	0.0	0.0
442-03	8.4	6.0	6.0	716	716	6.0	6.0	716	716	28.9	18.8	71.1	81.2	0.1	0.1	0.0	0.0
442-05	7.9	5.8	5.8	691	690	5.5	4.5	657	545	26.7	21.1	73.3	78.9	0.2	0.2	0.0	0.0
442-06	8.1	5.3	5.3	639	639	5.3	5.3	639	639	34.1	28.5	65.9	71.5	0.0	0.0	0.0	0.0
442-07	7.9	5.9	5.9	705	704	5.9	5.9	705	704	25.0	20.0	75.0	80.0	0.2	0.2	0.0	0.0
442-20	7.8	6.0	6.0	723	723	6.0	6.0	723	723	23.0	18.2	77.0	81.8	0.1	0.1	0.0	0.0
442-21	7.8	6.0	6.0	724	723	6.0	6.0	724	723	22.7	18.1	77.3	81.9	0.1	0.1	0.0	0.0
442-25	7.8	6.2	6.2	743	743	6.2	6.2	743	743	20.7	15.6	79.3	84.4	0.1	0.1	0.0	0.0
442-26	7.9	6.0	6.0	724	723	6.0	6.0	724	723	23.0	18.2	77.0	81.8	0.1	0.1	0.0	0.0
442-28	8.3	6.0	5.9	714	713	6.0	5.9	714	713	28.4	19.1	71.6	80.9	0.1	0.1	0.0	0.0
442-29	7.8	6.1	6.1	728	728	6.1	6.1	728	728	22.3	17.6	77.7	82.4	0.1	0.1	0.0	0.0
442-30	7.9	6.1	6.1	727	726	6.1	6.1	727	726	23.2	17.8	76.8	82.2	0.1	0.1	0.0	0.0
442-32	8.0	6.1	6.1	728	727	6.1	6.1	728	727	24.0	17.7	76.0	82.3	0.1	0.1	0.0	0.0
442-41	8.5	6.0	6.0	720	719	6.0	6.0	720	719	29.0	18.8	71.0	81.2	0.1	0.1	0.0	0.0
442-43	7.9	6.0	6.0	720	720	6.0	6.0	720	720	23.9	18.5	76.1	81.5	0.1	0.1	0.0	0.0
442-46	8.0	5.7	5.7	689	688	5.7	5.7	689	688	28.2	21.9	71.8	78.1	0.2	0.2	0.0	0.0
442-50	7.9	6.1	6.1	726	725	6.1	6.1	726	725	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
442-52	7.9	6.1	6.1	729	729	6.1	6.1	729	729	22.8	17.5	77.2	82.5	0.1	0.1	0.0	0.0
442-53	8.0	6.1	6.1	729	728	6.1	6.1	729	728	24.0	17.0	76.0	83.0	0.1	0.1	0.0	0.0
442-54	7.8	5.7	5.7	688	687	5.7	5.7	688	687	26.7	20.3	73.3	79.7	0.2	0.2	0.0	0.0
442-55	7.9	6.0	6.0	716	716	6.0	6.0	716	716	24.2	19.1	75.8	80.9	0.1	0.1	0.0	0.0
442-56	7.8	6.1	6.1	731	730	6.1	6.1	731	730	21.3	17.3	78.7	82.7	0.1	0.1	0.0	0.0
442-61	7.8	6.1	6.1	730	730	6.1	6.1	730	730	22.0	17.3	78.0	82.7	0.1	0.1	0.0	0.0
442-63	7.8	5.8	5.7	689	684	5.8	5.7	689	684	25.8	19.8	74.2	80.2	0.2	0.2	0.4	0.5
442-64	7.8	6.1	6.1	733	732	6.1	6.1	733	732	21.7	17.1	78.3	82.9	0.1	0.1	0.0	0.0
442-65	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.0	0.0	0.0	0.0
442-66	7.8	6.1	6.1	729	729	6.1	6.1	729	729	21.9	17.5	78.1	82.5	0.1	0.1	0.0	0.0
442-86	8.1	5.4	5.4	646	645	5.4	5.4	646	645	33.4	26.9	66.6	73.1	0.2	0.2	0.0	0.0
442-90	8.2	6.0	6.0	720	720	6.0	6.0	720	720	26.8	18.6	73.2	81.4	0.1	0.1	0.0	0.0
442-91	7.8	5.9	5.9	703	702	5.9	5.9	703	702	25.1	19.4	74.9	80.6	0.1	0.1	0.0	0.0
442-93	7.9	6.0	6.0	721	720	6.0	6.0	721	720	23.7	18.5	76.3	81.5	0.1	0.1	0.0	0.0
443-02	8.9	6.1	6.1	734	734	6.1	6.1	734	734	30.8	23.1	69.2	83.4	0.1	0.1	0.0	0.0
443-07	7.8	6.0	6.0	720	719	6.0	6.0	720	719	23.0	18.5	77.0	81.5	0.1	0.1	0.0	0.0
443-45	7.9	6.0	6.0	719	718	6.0	6.0	719	718	24.0	18.2	76.0	81.8	0.1	0.1	0.0	0.0
443-62	8.0	6.0	6.0	717	717	6.0	6.0	717	717	25.0	18.1	75.0	81.9	0.1	0.1	0.0	0.0
443-70	7.8	6.1	6.1	726	726	6.1	6.1	726	726	22.6	17.9	77.4	82.1	0.1	0.1	0.0	0.0
443-82	8.1	5.7	5.7	686	686	5.7	5.7	686	686	29.4	22.5	70.6	77.5	0.1	0.1	0.0	0.0
443-85	7.8	6.1	6.1	731	730	6.1	6.1	731	730	21.7	17.2	78.3	82.8	0.1	0.1	0.0	0.0
444105	12.8	3.6	2.6	426	316	3.6	2.6	426	316	57.7	37.8	42.3	62.2	0.0	0.0	21.6	25.8
444-10	7.8	6.1	6.1	729	728	6.1	6.1	729	728	22.2	17.7	77.8	82.3	0.1	0.1	0.0	0.0
444-11	7.9	6.1	6.1	731	731	6.1	6.1	731	731	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
444-13	7.9	6.1	6.1	728	728	6.1	6.1	728	728	23.3	17.5	76.7	82.5	0.1	0.1	0.0	0.0
444-14	7.9	6.0	6.0	725	724	6.0	6.0	725	724	23.4	18.1	76.6	81.9	0.1	0.1	0.0	0.0
444-16	8.0	6.0	6.0	725	724	6.0	6.0	725	724	24.8	17.6	75.2	82.4	0.1	0.1	0.0	0.0
444-19	7.7	6.0	6.0	718	717	6.0	6.0	718	717	22.5	17.9	77.5	82.1	0.1	0.1	0.0	0.0
444405	11.1	4.2	3.5	500	419	4.2	3.5	500	419	53.5	35.1	46.5	65.0	0.0	0.0	15.1	16.1
444655	7.6	5.3	5.3	640	640	5.3	5.3	640	640	29.9	31.2	70.1	68.8	0.0	0.0	0.0	0.0
444705	11.2	4.0	3.2	477	386	4.0	3.2	477	386	53.2	36.3	46.8	63.7	0.0	0.0	18.1	19.1
444755	7.6	5.3	5.3	640	640	5.3	5.3	640	640	29.9	31.2	70.1	68.8	0.0	0.0	0.0	0.0
444855	7.6	5.2	5.2														

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	TBAC (AP) (lb/gal)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
45NB9145EX	10.6	3.5	3.3	425	394	3.5	3.3	425	394	64.4	47.5	35.6	52.5	0.0	0.0	4.6	7.3
45P364518EX	10.7	3.7	3.4	440	412	3.7	3.4	440	412	63.8	46.2	36.2	53.8	0.0	0.0	4.0	6.4
45P45870EX	10.7	3.7	3.5	444	418	3.7	3.5	444	418	63.9	46.0	36.1	54.0	0.0	0.0	3.6	5.8
45P538327EX	9.3	3.5	3.4	424	405	3.5	3.4	424	405	60.6	48.8	39.4	51.2	0.0	0.0	3.1	4.4
45P7241	11.1	3.7	3.5	443	419	3.7	3.5	443	419	65.4	46.5	34.6	53.5	0.0	0.0	3.2	5.4
45P735085	10.2	3.6	3.4	426	412	3.6	3.4	426	412	64.3	49.3	35.7	50.7	0.0	0.0	2.1	3.2
45P784080EX	8.6	3.5	3.4	424	412	3.5	3.4	422	408	58.1	49.7	41.9	50.3	0.0	0.0	2.1	2.7
45P784082EX	10.6	3.5	3.2	424	383	3.5	3.2	424	383	63.7	46.6	36.3	53.4	0.0	0.0	6.0	9.6
45P784083EX	8.6	3.7	3.5	445	414	3.7	3.5	445	414	54.3	45.3	45.7	54.7	0.0	0.0	5.4	5.9
45P785168EX	11.4	3.5	3.3	423	400	3.5	3.3	423	400	67.5	48.8	32.5	51.2	0.0	0.0	3.1	5.3X
45P855731EX	8.4	3.7	3.4	442	406	3.7	3.4	442	406	53.3	45.3	46.7	54.7	0.0	0.0	6.4	8.1
45P870839EX	9.2	3.6	3.5	429	418	3.6	3.5	429	418	60.1	49.0	39.9	51.0	0.0	0.0	1.8	2.6
45P9188EX	10.7	3.5	3.2	423	385	3.5	3.2	423	385	64.6	47.0	35.4	53.0	0.0	0.0	5.5	9.0
45P935867EX	10.2	3.6	3.2	427	383	3.6	3.2	427	383	61.8	45.8	38.2	54.2	0.0	0.0	6.7	10.4
45P943346EX	10.6	3.5	3.3	423	391	3.5	3.3	423	391	64.4	47.6	35.6	52.4	0.0	0.0	4.7	7.5
45P943354EX	10.8	3.5	3.3	423	397	3.5	3.3	423	397	65.7	48.2	34.3	51.8	0.0	0.0	3.8	6.2
45P945319EX	8.3	3.5	3.2	423	384	3.5	3.2	423	384	54.3	46.6	45.7	53.4	0.0	0.0	7.2	9.2
45P951052EX	11.0	3.5	3.3	417	401	3.5	3.3	417	401	67.3	49.9	32.7	50.1	0.0	0.0	2.3	3.8
45PF9779EX	8.8	3.4	3.4	411	403	3.4	3.3	409	398	60.1	51.8	39.9	48.2	0.0	0.0	1.6	2.1
45PN0001EX	8.2	3.5	3.2	420	382	3.5	3.2	420	382	53.8	46.3	46.2	53.7	0.0	0.0	7.2	9.0
45PN0007EX	11.0	3.7	3.4	445	404	3.7	3.4	445	404	63.8	44.3	36.2	55.7	0.0	0.0	5.5	9.2
45PN0786EX	11.6	3.7	3.5	439	415	3.7	3.5	439	415	67.0	46.9	33.0	53.1	0.0	0.0	3.1	5.5
45PN2832	9.4	3.7	3.2	438	379	3.6	3.1	434	371	56.7	42.7	43.3	57.3	0.0	0.0	9.5	13.5
45PN56365G	8.6	2.9	1.9	345	225	2.9	1.9	345	225	48.7	39.2	51.3	60.8	0.0	0.0	29.4	34.6
45PN6431EX	10.9	3.7	3.5	446	417	3.7	3.5	446	417	64.3	45.7	35.7	54.3	0.0	0.0	3.8	6.3
45PRAL2004EX	8.9	3.5	3.2	421	378	3.5	3.2	421	378	56.8	46.5	43.2	53.5	0.0	0.0	7.6	10.2
4600-1	10.3	4.5	4.5	534	534	4.5	4.5	534	534	56.6	36.7	43.4	63.3	0.0	0.0	0.0	0.0
460A	7.4	5.0	3.9	604	464	5.0	3.9	604	464	26.8	11.4	73.2	88.6	0.0	0.0	20.6	23.0
462-00	8.9	2.1	1.0	256	124	2.1	1.0	256	124	35.4	33.7	64.6	66.3	0.0	0.0	53.0	51.6
465-00	8.1	3.5	3.4	420	406	3.5	3.4	420	406	55.5	48.0	44.5	52.0	0.0	0.0	2.7	3.3
468-00	9.0	2.2	1.1	263	133	2.2	1.1	263	133	36.0	34.4	64.0	65.6	0.0	0.0	51.7	49.3
471-6355	8.6	3.9	3.9	464	464	3.9	3.9	464	464	54.8	44.8	45.2	55.2	0.0	0.0	0.0	0.0
475-00	7.8	3.8	3.0	456	354	3.8	3.0	456	354	43.3	36.4	56.7	63.6	0.0	0.0	18.9	22.4
476-00	8.8	2.6	1.7	313	201	2.6	1.7	313	201	41.9	39.5	58.1	60.5	0.0	0.0	39.1	35.6
4805	7.0	5.9	4.4	705	528	5.9	4.4	705	528	13.1	9.3	86.9	90.7	0.1	0.1	24.1	25.1
481-06	6.7	6.7	4.8	806	574	6.7	4.8	806	574	0.0	0.0	100.0	100.0	0.0	0.0	28.9	28.9
481-75	6.5	6.2	6.2	749	744	6.2	6.2	749	744	0.0	0.0	100.0	100.0	0.0	0.0	5.0	0.6
483-01	9.3	1.9	0.5	224	55	1.9	0.5	224	55	15.5	17.6	84.5	82.4	0.0	0.0	79.5	75.2
483-03	10.0	1.6	0.9	197	108	1.6	0.9	197	108	40.2	41.5	59.8	58.5	0.0	0.0	50.8	44.9
483-08	8.1	4.8	4.7	579	562	4.8	4.7	579	562	39.6	33.5	60.4	66.5	0.0	0.0	2.8	2.9
483-11	9.0	2.2	2.2	267	267	2.2	2.2	267	267	75.4	70.3	24.6	29.7	0.0	0.0	0.0	0.0
483-13	7.7	6.1	5.9	728	708	6.1	5.9	728	708	20.8	16.9	79.2	83.2	0.0	0.0	2.8	2.8
483-14	7.7	6.0	5.9	723	703	6.0	5.9	723	703	21.2	17.2	78.8	82.8	0.0	0.0	2.8	2.7
483-15	9.4	0.9	0.9	112	112	0.9	0.9	112	112	89.0	87.2	10.0	10.0	0.0	0.0	0.0	0.0
483-18	8.1	8.1	8.1	973	973	8.1	8.1	973	973	0.2	0.2	99.8	99.8	0.0	0.0	0.0	0.0
483-19	7.3	6.1	6.1	730	730	6.1	6.1	730	730	16.3	13.9	83.7	86.1	0.0	0.0	0.0	0.0
483-30	8.6	3.4	3.4	402	402	3.4	3.4	402	402	61.0	54.3	39.0	45.7	0.0	0.0	0.0	0.0
483-35	7.3	2.9	1.7	352	204	2.9	1.7	352	204	38.3	33.1	61.8	66.9	0.0	0.0	38.3	42.0
483-45	7.6	3.4	3.3	404	396	3.4	3.3	404	396	54.8	49.9	45.2	50.1	0.0	0.0	1.9	1.9
483-56	9.4	0.9	0.9	108	106	0.9	0.9	108	106	89.1	86.3	10.9	13.7	0.0	0.0	1.5	1.8
483-64	10.0	0.3	0.2	41	21	0.3	0.2	41	21	44.8	46.4	55.2	53.6	0.0	0.0	53.5	48.0
483-65	10.1	0.5	0.2	55	26	0.5	0.2	55	26	41.3	43.2	58.7	56.8	0.0	0.0	56.5	53.9
483-70	7.9	4.6	4.6	550	550	4.6	4.6	550	550	42.2	34.6	57.8	65.4	0.0	0.0	0.0	0.0
483-71	8.3	4.7	4.7	560	560	4.7	4.7	560	560	44.0	37.9	56.0	62.1	0.0	0.0	0.0	0.0
483-76	7.8	4.5	4.5	543	543	4.5	4.5	543	543	42.2	34.1	57.8	65.9	0.0	0.0	0.0	0.0
483-78	7.9	4.6	4.6	550	550	4.6	4.6	550	550	42.2	34.6	57.8	65.4	0.0	0.0	0.0	0.0
483-79	8.3	4.7	4.7	560	560	4.7	4.7	560	560	44.0	37.9	56.0	62.1	0.0	0.0	0.0	0.0
483-84	8.9	1.2	0.8	148	96	1.2	0.8	148	96	58.0	53.1	42.0	45.0	0.0	0.0	33.0	35.2
483-85	9.7	1.5	1.1	175	133	1.5	1.1	175	133	60.9	61.1	39.1	36.9	0.0	0.0	27.7	24.1
483-86	9.8	1.5	1.1	178	139	1.5	1.1	178	139	58.0	58.0	37.0	41.1	0.0	0.0	31.0	31.0
483-87	8.0	5.2	5.2	628	628	5.2	5.2	628	628	34.4	28.4	65.6	71.6	0.0	0.0	0.0	0.0
483-88	8.1	5.3	5.3	637	637	5.3	5.3	637	637	34.3	28.7	65.7	71.3	0.0	0.0	0.0	0.0
48-4055	8.6	1.6	0.5	193	64	1.6	0.5	193	64	30.2	26.8	69.8	69.8	0.0	0.0	63.6	66.8
48-4155	10.4	1.2	0.4	141	48	1.2	0.4	141	48	27.6	29.6	72.4	70.4	0.0	0.0	68.6	65.9
491-10	13.2	1.4	0.8	173	97	1.4	0.8	173	97	61.5	45.0	38.5	55.0	0.0	0.0	32.4	43.9
491-12	13.1	1.4	0.8	173	94	1.4	0.8	173	94	60.1	43.8	39.9	56.2	0.0	0.0	33.9	45.4
491-16	11.8	3.1	2.5	367	305	3.1	2.5	367	305	68.9	47.0	31.1	53.0	0.1	0.1	9.5	16.9
491-17	7.8	5.7	5.7	686	685	5.7	5.7	686	685	26.3	14.0	73.7	86.0	0.2	0.1	0.0	0.0
491-21	12.1	3.4	3.4	409	409	3.4	3.4	409	409	71.8	52.5	28.2	47.5	0.0	0.0	0.0	0.0
491-22	12.2	3.3	3.3	397	397	3.3	3.3	397	397	72.8	53.9	27.2	46.1	0.0	0.0	0.0	0.0
491-35	11.7	3.0	2.5	365	295	3.0	2.5	365	295	68.2	46.0	31.8	54.0	0.1	0.1	10.8	19.1
491-40	6.9	5.6	3.4	668	402	5.6	3.4	668	402	10.5	4.3	89.5	95.7	0.2	0.1	40.5	39.6
491-50	9.5	4.5	2.2	536	262	4.5	2.2	536	262	18.0	18.0	82.0	81.2	0.0	0.0	59.0	51.2
491-55	8.2	3.8	1.1	459	128	3.8	1.1	459	128	20.3	12.1	79.7	87.9	0.2	0.1	66.5	72.1
495	12.5	3.9	0.2	464	21	3.9	0.2	464	21	2.4	1.8	97.6	98.2	96.2	95.5	0.0	0.0
495-05	8.2	4.1	3.5	489	419	4.1	3.5	489	419	45.8	37.4	54.2	62.6	0.0	0.0	11.4	14.2
495-01	7.4	7.2	7.2	861	861	7.2	7.2	86									

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
51912337648	8.8	3.9	1.6	465	188	3.9	1.6	465	188	23.1	17.1	76.9	82.9	58.6	58.9	0.6	0.8
51912337692	9.9	1.3	0.9	156	109	1.3	0.9	156	109	54.4	55.2	45.6	44.8	0.0	0.0	36.4	30.1
51912337632	9.4	1.9	0.4	233	46	1.9	0.4	233	46	23.4	13.9	76.6	86.1	71.8	79.6	0.7	0.9
51912337624	8.8	1.0	0.1	117	14	1.0	0.1	117	14	14.9	10.5	85.1	89.5	83.3	87.3	0.5	0.6
51912337667	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.1	0.8	1.1
51912337612	8.9	1.6	0.4	192	49	1.6	0.4	192	49	26.5	20.6	73.5	79.4	68.4	73.6	0.6	0.7
51912337661	8.8	3.1	1.2	374	139	3.1	1.2	374	139	26.5	20.1	73.5	79.9	59.6	61.9	0.8	1.1
51912337641	8.7	0.9	0.1	105	17	0.9	0.1	105	17	17.3	13.6	82.7	86.4	81.1	84.0	0.0	0.0
51912337616	8.8	0.8	0.1	98	17	0.8	0.1	98	17	20.1	15.6	79.9	84.5	77.8	81.7	0.4	0.5
51912337635	9.1	1.7	0.4	199	48	1.7	0.4	199	48	25.6	18.2	74.4	81.8	69.4	75.2	0.5	0.7
51912337617	8.4	2.2	0.3	260	41	2.2	0.3	260	41	12.3	10.7	87.7	89.3	83.0	83.4	0.6	0.7
51912337676	8.8	3.1	1.2	369	138	3.1	1.2	369	138	26.5	20.5	73.5	79.5	59.6	61.6	0.8	1.1
51912337694	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
51912337622	9.4	1.8	0.2	214	24	1.8	0.2	214	24	18.7	8.2	81.3	91.8	78.8	88.5	0.3	0.4
51912337650	8.7	4.2	1.9	505	224	4.2	1.9	505	224	22.6	16.2	77.4	83.8	55.4	54.9	0.6	0.8
51912337636	8.4	2.1	0.3	250	38	2.1	0.3	250	38	11.8	10.3	88.2	89.7	83.9	84.3	0.6	0.7
51912337634	8.4	2.1	0.3	248	41	2.1	0.3	248	41	13.2	11.4	86.8	88.6	82.1	82.6	0.6	0.8
51912337639	8.8	2.0	0.4	243	50	2.0	0.4	243	50	20.2	14.3	79.8	85.7	74.4	78.5	0.7	0.9
51912337688	9.2	2.8	2.8	330	330	2.8	2.8	330	330	70.0	65.7	30.0	34.3	0.0	0.0	0.0	0.0
51912337608	8.4	2.1	0.3	247	40	2.1	0.3	247	40	12.7	11.1	87.3	88.9	82.7	83.2	0.6	0.7
51912337627	9.2	1.8	0.3	220	35	1.8	0.3	220	35	20.8	11.9	79.2	88.1	75.5	83.2	0.5	0.7
51912337619	8.7	1.6	0.3	190	34	1.6	0.3	190	34	17.6	13.7	82.4	86.3	78.8	81.8	0.3	0.4
51912337625	9.1	2.0	0.4	241	46	2.0	0.4	241	46	21.2	13.9	78.8	86.1	73.0	79.0	1.4	1.8
51912337613	8.7	1.2	0.2	141	23	1.2	0.2	141	23	17.3	13.6	82.7	86.4	80.1	83.2	0.4	0.4
51912337640	9.7	3.2	0.7	379	86	3.2	0.7	379	86	25.1	12.6	74.9	87.4	66.9	76.7	0.5	0.6
51912337670	8.8	3.2	1.2	379	139	3.2	1.2	380	139	26.4	19.7	73.6	80.3	59.6	62.2	0.8	1.1
51912337660	8.8	3.1	1.2	374	139	3.1	1.2	374	139	26.5	20.2	73.5	79.8	59.5	61.8	0.8	1.1
51912337675	8.8	3.1	1.2	373	138	3.1	1.2	373	138	26.5	20.4	73.5	79.6	59.5	61.9	0.8	1.1
51912337646	8.4	2.0	0.4	234	44	2.0	0.4	234	44	14.9	13.2	85.1	86.8	80.0	80.2	0.7	0.9
51912337637	8.6	0.1	0.0	10	2	0.1	0.0	10	2	18.0	15.6	82.0	84.4	81.6	84.0	0.2	0.2
51912337611	8.8	1.1	0.2	138	23	1.1	0.2	138	23	18.2	13.7	81.8	86.3	79.2	82.9	0.5	0.5
51912337691	9.8	1.2	0.8	144	101	1.2	0.8	144	101	54.8	55.2	45.2	44.8	0.0	0.0	36.7	30.3
51912337629	9.2	0.8	0.2	90	20	0.8	0.2	90	20	27.2	19.8	72.8	80.2	70.6	77.1	0.3	0.4
51912337623	9.6	0.8	0.3	100	31	0.8	0.3	100	31	37.3	27.8	62.7	72.2	59.7	68.4	0.3	0.4
51912337674	8.6	1.1	0.1	128	16	1.1	0.1	128	16	12.8	10.3	87.2	89.7	85.3	87.2	0.3	0.4
51912337695	9.3	2.4	1.6	282	186	2.4	1.6	282	186	43.8	43.0	56.2	57.0	0.0	0.0	39.5	33.9
51912337615	8.6	2.0	0.2	243	30	2.0	0.2	243	30	11.6	8.8	88.4	91.2	85.2	87.4	0.3	0.3
51912337659	8.4	4.4	1.6	528	191	4.4	1.6	528	191	18.2	13.2	81.8	86.8	62.4	63.1	0.5	0.6
51912337673	8.4	4.4	1.6	528	191	4.4	1.6	526	191	18.1	13.2	81.9	86.8	62.5	63.2	0.5	0.6
51912337614	8.5	2.0	0.3	237	30	2.0	0.3	237	30	11.6	9.3	88.4	90.7	85.1	86.7	0.4	0.4
51912337698	14.0	2.1	1.3	246	151	2.1	1.3	246	151	61.1	44.1	38.9	55.9	0.2	0.3	29.8	38.2
51912337680	8.6	3.0	0.7	359	81	3.0	0.7	359	81	16.7	12.7	83.3	87.3	74.9	76.9	0.5	0.6
51912337683	8.8	3.2	1.2	389	140	3.2	1.2	389	140	25.4	18.9	74.6	81.1	60.4	62.9	0.9	1.1
51912337685	8.4	2.3	0.5	271	63	2.3	0.5	271	63	17.2	15.2	82.8	84.8	75.9	76.4	0.6	0.8
51912337635	8.4	0.9	0.0	112	6	0.9	0.0	112	6	5.9	4.6	94.1	95.4	93.3	94.5	0.3	0.3
51912337618	9.0	0.5	0.1	65	15	0.5	0.1	65	15	27.4	21.3	72.6	78.7	70.7	76.0	0.5	0.6
51912337658	8.8	3.1	1.2	375	139	3.1	1.2	375	139	26.5	20.1	73.5	79.9	59.6	61.9	0.8	1.1
51912337666	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.2	0.8	1.1
51912337607	8.7	1.2	0.1	144	17	1.2	0.1	144	17	12.9	9.4	87.1	90.6	85.1	87.9	0.4	0.4
51912337689	8.9	4.5	4.5	537	537	4.5	4.5	537	537	49.6	39.1	50.4	60.9	0.0	0.0	0.0	0.0
51912337631	9.1	2.5	0.5	302	59	2.5	0.5	302	59	18.7	11.7	81.3	88.3	74.6	78.9	1.2	1.4
51912337679	8.6	3.0	0.7	361	81	3.0	0.7	361	81	16.7	12.7	83.3	87.3	74.9	77.1	0.5	0.6
51912337630	10.0	1.1	0.4	136	45	1.1	0.4	136	45	39.7	27.4	60.3	72.7	56.0	66.4	0.5	0.6
51912337664	8.8	3.1	1.2	374	139	3.1	1.2	374	139	26.5	20.1	73.5	79.9	59.6	61.9	0.8	1.1
51912337643	8.5	3.5	1.3	413	157	3.5	1.3	413	157	22.6	18.8	77.4	81.2	61.4	61.3	0.6	0.8
51912337633	8.9	1.0	0.1	121	16	1.0	0.1	121	16	16.9	11.3	83.1	88.7	81.0	85.9	0.6	0.7
51912337644	8.9	4.2	2.0	508	242	4.2	2.0	508	242	24.5	17.7	75.5	82.3	52.1	51.7	0.6	0.8
51912337621	9.6	1.4	0.5	162	60	1.4	0.5	162	60	39.7	30.3	60.3	69.8	54.7	62.0	0.5	0.6
51912337690	8.9	2.3	1.7	274	208	2.3	1.7	274	208	53.5	50.8	46.5	49.2	0.0	0.0	27.0	24.0
51912337684	8.6	1.1	0.1	141	19	1.1	0.1	141	19	14.7	11.4	85.3	88.6	83.3	86.0	0.2	0.2
51912337688	8.8	3.1	1.1	371	131	3.1	1.1	371	131	26.6	19.9	73.4	80.1	59.8	62.7	0.9	1.2
51912337647	8.6	3.7	1.2	444	139	3.7	1.2	444	139	20.5	15.1	79.5	84.9	65.5	67.9	0.5	0.7
51912337654	8.8	3.1	1.2	375	139	3.1	1.2	375	139	26.5	20.1	73.5	79.9	59.5	61.9	0.8	1.1
51912337657	8.8	3.1	1.2	375	139	3.1	1.2	375	139	26.5	20.2	73.5	79.8	59.5	61.9	0.8	1.1
51912337655	8.8	3.1	1.2	373	139	3.1	1.2	373	139	26.5	20.2	73.5	79.8	59.5	61.8	0.8	1.1
51912337609	8.7	2.1	0.4	252	47	2.1	0.4	252	47	17.7	13.5	82.3	86.5	77.4	80.9	0.4	0.5
51912337686	8.5	2.7	0.6	319	72	2.7	0.6	318	72	16.7	14.7	83.3	85.3	75.5	76.5	0.7	0.9
51912337693	9.9	1.3	0.9	159	108	1.3	0.9	159	108	54.3	55.3	45.7	44.7	0.0	0.0	36.6	31.9
51912337697	13.1	2.1	1.2	256	146	2.1	1.2	256	146	55.2	40.0	44.8	60.0	0.2	0.3	35.4	42.4
51912337642	8.7	3.8	1.3	453	158	3.8	1.3	453	158	20.1	15.0	79.9	85.0	64.0	64.3	0.6	0.7
51912337620	8.7	1.9	0.2	224	30	1.9	0.2	224	30	14.3	10.7	85.7	89.3	82.6	86.5	0.3	0.3
51912337610	8.9	1.1	0.2	131	28	1.1	0.2	131	28	22.9	17.4	77.1	82.6	74.0	78.5	0.5	0.6
51912337699	12.7	2.4	1.5	293	177	2.4	1.5	293	177	54.3	40.0	45.7	60.0	0.2	0.2	33.9	39.2
51912337672	8.5	1.9	0.6	222	66	1.9	0.6	222	66	23.5	21.2	76.5	78.8	68.8	68.9	1.2	1.5
51912337696	13.9	2.1	1.2	247	149	2.1	1.2	247	149	60.1	42.						

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
525-885	11.8	1.0	0.6	125	73	1.0	0.6	125	73	68.4	49.8	31.6	50.2	0.1	0.1	26.3	41.5
525-886	11.8	1.1	0.7	133	80	1.1	0.7	133	80	68.8	50.9	31.2	49.1	0.2	0.2	25.4	39.4
525-968	11.6	1.0	0.5	117	64	1.0	0.5	117	64	66.4	47.0	33.6	53.0	0.1	0.1	28.9	45.3
525-971	11.8	1.0	0.6	119	68	1.0	0.6	119	68	68.2	49.4	31.8	50.6	0.1	0.1	26.9	42.5
525-989	11.7	1.0	0.6	123	69	1.0	0.6	123	69	67.2	47.9	32.8	52.1	0.1	0.1	27.8	43.9
525-990	11.2	0.9	0.5	110	64	0.9	0.5	110	64	67.3	50.0	32.7	50.0	0.1	0.1	27.9	42.2
525-992	12.0	1.1	0.6	127	76	1.1	0.6	127	76	69.4	50.8	30.6	49.2	0.1	0.2	25.2	40.2
525-ZR-101	8.1	4.8	3.7	570	448	4.8	3.7	570	448	33.9	27.3	66.1	72.7	0.0	0.0	19.9	21.6
5270	7.8	2.4	2.1	283	251	2.4	2.1	283	251	61.4	56.8	38.6	43.2	0.0	0.0	11.6	11.4
5280	7.7	2.9	2.8	345	339	2.9	2.8	345	339	61.6	56.8	38.4	43.2	0.0	0.0	11.8	11.7
528-31210	8.0	3.8	3.3	453	400	3.6	3.0	428	356	48.5	40.5	51.6	59.5	0.2	0.1	9.7	11.7
528-31216	8.1	4.0	3.9	480	467	3.7	3.3	442	392	49.6	42.0	50.4	58.0	0.0	0.0	2.2	2.7
53100	11.8	2.6	2.1	314	249	2.6	2.1	314	249	70.7	49.7	29.3	50.3	0.1	0.1	11.6	20.7
55	10.7	4.3	4.1	520	492	4.3	4.1	520	492	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
5511	10.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
55844C	10.4	1.3	0.4	152	49	1.3	0.4	152	49	25.9	27.7	74.1	72.3	0.0	0.0	70.2	67.7
563115N	9.9	3.9	3.9	470	470	3.9	3.9	470	470	60.4	44.9	39.6	55.1	0.0	0.0	0.0	0.0
57175	9.7	3.7	1.5	445	179	3.7	1.5	445	179	32.5	19.8	67.5	80.2	52.1	59.9	0.0	0.0
57185	9.1	0.0	0.0	0	0	0.0	0.0	0	0	14.0	11.5	86.0	88.5	86.0	87.9	0.0	0.0
581-101	11.3	0.4	0.2	47	22	0.4	0.2	47	22	58.9	44.6	41.1	55.4	39.4	53.7	0.1	0.2
5W1-100	12.6	0.4	0.2	52	28	0.4	0.2	52	28	67.5	51.5	32.5	48.5	30.5	46.2	0.1	0.2
600-12	7.3	7.0	7.0	839	839	7.0	7.0	839	839	4.1	3.3	95.9	96.7	0.0	0.0	0.0	0.0
600-13B	7.4	7.2	7.2	868	868	7.2	7.2	868	868	1.9	1.6	98.1	98.4	0.0	0.0	0.0	0.0
6009	7.5	7.5	7.5	901	901	7.5	7.5	901	901	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
6011	7.7	7.7	7.7	923	923	7.7	7.7	923	923	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
6013	7.1	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
602B3-116	10.7	3.0	3.0	357	357	3.0	3.0	357	357	72.1	59.0	27.9	41.0	0.0	0.0	0.0	0.0
602B3-118	10.5	3.0	3.0	356	356	2.7	2.5	324	305	71.7	59.1	28.3	40.9	0.0	0.0	0.0	0.0
602D3-105	11.4	3.0	3.0	357	357	2.7	2.6	325	306	74.0	59.1	26.0	40.9	0.0	0.0	0.0	0.0
602D3-114	11.7	3.0	3.0	361	361	2.7	2.6	329	309	74.3	58.5	25.7	41.5	0.0	0.0	0.0	0.0
602D3-192	12.6	2.9	2.9	348	348	2.7	2.6	323	308	77.1	60.2	22.9	39.8	0.0	0.0	0.0	0.0
602G3-115	10.7	3.0	3.0	358	358	2.7	2.6	326	307	72.1	58.9	27.9	41.1	0.0	0.0	0.0	0.0
602R3-120	10.3	3.0	3.0	358	358	2.7	2.6	326	307	71.0	58.9	29.0	41.1	0.0	0.0	0.0	0.0
602R3-121	10.3	3.0	3.0	359	359	2.7	2.6	327	308	70.9	58.8	29.1	41.2	0.0	0.0	0.0	0.0
602W-101A	12.7	2.9	2.9	348	348	2.7	2.6	323	308	77.1	60.1	22.9	39.9	0.0	0.0	0.0	0.0
602W3-122	10.8	2.9	2.9	347	347	2.7	2.5	320	304	73.1	60.2	26.9	39.8	0.0	0.0	0.0	0.0
602W3-191	12.6	2.9	2.9	348	348	2.7	2.6	323	308	77.1	60.2	22.9	39.8	0.0	0.0	0.0	0.0
602Y3-122	10.8	2.9	2.9	352	352	2.7	2.5	320	301	72.7	59.6	27.3	40.4	0.0	0.0	0.0	0.0
605	8.2	4.9	4.9	593	593	4.9	4.9	593	593	39.8	34.4	60.2	65.6	0.0	0.0	0.0	0.0
6054	8.3	2.4	0.2	293	19	2.4	0.2	293	19	4.7	4.3	95.3	95.7	93.3	93.6	0.1	0.1
606B3-101	11.0	3.8	3.4	450	412	2.2	1.4	259	162	61.9	44.5	38.1	55.5	0.0	0.0	6.7	8.3
606H3-176	11.5	3.8	3.4	459	406	2.2	1.3	258	152	61.7	41.7	38.3	58.3	0.0	0.0	8.9	11.5
606V-101	8.4	3.8	3.8	455	455	2.8	2.2	339	265	54.8	47.9	45.2	52.1	0.0	0.0	0.0	0.0
606V3-167	11.0	3.4	3.4	456	406	2.2	1.5	258	155	60.4	45.2	35.7	57.7	0.0	0.0	3.6	11.0
606V3-102	9.9	4.0	3.5	479	424	2.3	1.3	278	162	54.0	39.7	46.0	60.3	0.0	0.0	10.3	11.5
606V3-108	10.9	3.9	3.5	468	414	2.3	1.3	270	159	59.0	40.9	41.0	59.1	0.0	0.0	9.4	11.6
606V3-168	10.6	3.9	3.5	472	417	2.0	1.1	240	133	57.6	41.0	42.4	59.0	0.0	0.0	9.7	11.6
609B3-100	10.9	3.3	3.3	393	393	3.1	2.9	369	350	70.0	54.9	30.0	45.1	0.0	0.0	0.0	0.0
609C3-101	10.9	3.3	3.3	393	393	3.1	2.9	369	350	70.0	54.9	30.0	45.1	0.0	0.0	0.0	0.0
609CR3-100	11.2	3.2	3.2	388	388	3.0	2.9	363	345	71.2	55.4	28.8	44.6	0.0	0.0	0.0	0.0
609CV-102	8.9	2.2	2.2	262	262	1.6	1.5	195	175	75.5	70.1	24.5	29.9	0.0	0.0	0.0	0.0
609CW3-102	11.8	3.2	3.2	378	378	3.1	3.0	369	363	73.3	56.6	26.7	43.4	0.0	0.0	0.0	0.0
609V-100	8.9	2.2	2.2	262	262	1.6	1.5	195	175	75.5	70.1	24.5	29.9	0.0	0.0	0.0	0.0
609W3-100	11.8	3.2	3.2	378	378	3.1	3.0	369	363	73.3	56.6	26.7	43.4	0.0	0.0	0.0	0.0
610P	8.0	3.8	3.8	452	452	3.8	3.8	452	452	53.0	45.6	47.0	54.4	0.0	0.0	0.0	0.0
610H28906	10.9	3.3	3.3	401	394	3.3	3.3	401	394	68.7	51.9	31.3	48.1	0.0	0.0	1.0	1.6
611P	8.1	3.9	3.9	471	471	3.9	3.9	471	471	51.7	45.0	48.3	55.0	0.0	0.0	0.0	0.0
613P	9.4	2.9	2.8	342	336	2.9	2.8	342	336	69.0	58.0	31.0	43.0	0.0	0.0	2.6	1.7
6155	9.8	5.2	5.0	622	596	5.2	5.0	622	596	46.2	25.3	53.8	74.7	0.2	0.2	7.7	3.9
6160	9.0	3.0	3.0	398	384	3.0	2.7	322	302	67.2	59.0	32.8	49.8	0.0	0.0	2.9	3.5
62-1060	10.8	3.0	2.2	354	258	3.0	2.2	258	158	63.7	44.2	36.3	55.8	0.1	0.2	16.3	26.7
62-1072	10.8	3.0	2.2	355	261	3.0	2.2	255	261	63.7	44.3	36.3	55.7	0.1	0.2	16.0	26.3
62-1244	10.5	2.9	1.9	348	232	2.9	1.9	348	232	60.4	40.4	39.6	59.6	0.1	0.2	21.1	33.2
62155F	7.6	6.1	6.1	733	732	6.1	6.1	733	732	20.0	16.4	80.0	83.6	0.1	0.1	0.0	0.0
62-1632	11.0	2.9	2.2	352	262	2.9	2.2	262	152	64.6	45.1	35.4	54.9	0.1	0.2	15.3	25.4
62-1640	10.3	2.8	1.9	336	233	2.8	1.9	336	233	61.4	42.9	38.6	57.1	0.2	0.2	19.7	30.4
62165F	7.7	6.1	6.1	736	736	6.1	6.1	736	736	20.6	16.5	79.4	83.5	0.0	0.0	0.0	0.0
62320F	7.4	6.4	5.5	762	661	6.4	5.5	762	660	13.8	11.1	86.2	88.9	0.0	0.0	11.8	13.3
62330F	7.5	5.8	5.0	692	599	5.8	5.0	692	599	22.0	17.8	78.0	82.2	0.0	0.0	11.8	13.4
62-705	10.2	2.9	1.8	345	212	2.9	1.8	345	212	57.5	37.4	42.5	62.6	0.1	0.1	25.1	38.5
62-ZR-101	8.1	4.7	4.6	562	550	4.7	4.6	562	550	41.5	35.6	58.5	64.4	0.0	0.0	1.8	2.2
633	8.4	1.9	0.5	230	66	1.9	0.5	230	66	31.5	18.7	68.5	81.3	0.4	0.4	61.6	71.0
63P1500	8.3	4.2	4.2	501	501	4.2	4.2	501	501	49.7	42.7	50.3	57.3	0.0	0.0	0.0	0.0
65	10.7	4.3	4.1	519	491	4.3	4.1	519	491	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
652V-100	8.8	2.6	2.6	314	314	2.2	2.1	268	247	70.2	64.3	29.8	35.7	0.0	0.0	0.0	0.0
6530MH	10.4	3.6	2.6	428	306	3.1	2.0	375	239	57.2	36.3	42.8	63.7	0.0	0.0	18.1	28.4
6600CT	8.0	3.2	2.0	378	237	3.2	2.0	378	237								

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
705A	7.8	4.6	4.6	557	557	4.6	4.6	557	557	40.5	33.5	59.5	66.5	0.0	0.0	0.0	0.0
706A	7.9	4.5	4.5	537	537	4.5	4.5	537	537	43.1	36.1	56.9	63.9	0.0	0.0	0.0	0.0
7070	7.6	7.6	7.6	913	913	7.6	7.6	913	913	0.0	100.0	100.0	100.0	0.0	0.0	0.0	0.0
710A	7.9	4.5	4.5	540	540	4.5	4.5	540	540	43.2	35.8	56.8	64.2	0.0	0.0	0.0	0.0
711A	7.9	4.6	4.6	555	555	4.6	4.6	555	555	41.5	34.3	58.5	65.7	0.0	0.0	0.0	0.0
711WF	9.7	1.6	0.8	188	90	1.6	0.8	188	90	47.2	38.5	52.8	61.5	45.0	52.1	0.0	0.0
7115P	9.6	0.0	0.0	0	0	0.0	0.0	0	0	47.0	38.9	53.0	61.1	53.0	61.1	0.0	0.0
711LOWVOC	10.7	1.5	0.7	178	81	1.5	0.7	178	81	48.3	34.3	51.7	65.7	0.0	0.0	46.0	54.4
711W1MOD	11.2	0.9	0.4	110	44	0.9	0.4	110	44	50.7	35.6	53.7	64.5	0.0	0.0	45.0	59.5
712A	8.3	5.4	4.4	641	522	5.4	4.4	641	522	11.8	8.2	88.2	91.8	0.0	0.0	19.4	18.6
712A	8.0	4.4	4.4	524	524	4.4	4.4	524	524	45.6	37.9	54.4	62.1	0.0	0.0	0.0	0.0
7140B	8.9	4.6	4.6	551	551	4.6	4.6	551	551	48.6	43.3	51.4	56.7	0.0	0.0	0.0	0.0
715	11.6	1.5	0.5	174	59	1.5	0.5	174	59	48.1	27.5	51.9	72.5	47.7	66.2	0.0	0.0
716A	8.0	4.4	4.4	533	533	4.4	4.4	533	533	44.3	37.2	55.7	62.8	0.0	0.0	0.0	0.0
7160S	6.6	6.6	6.6	792	792	6.6	6.6	792	792	0.2	0.1	99.8	99.9	0.0	0.0	0.0	0.0
717A	8.4	4.3	4.3	511	511	4.3	4.3	511	511	49.3	39.6	50.7	60.4	0.0	0.0	0.0	0.0
7175S	6.7	6.6	6.1	796	726	6.6	6.1	796	726	0.2	0.1	99.8	99.9	0.0	0.0	8.7	8.8
718A	7.9	4.5	4.5	534	534	4.5	4.5	534	534	43.6	36.4	56.4	63.6	0.0	0.0	0.0	0.0
7185S	6.7	6.7	6.7	798	798	6.7	6.7	798	798	0.2	0.1	99.8	99.9	0.0	0.0	0.0	0.0
719A	8.2	4.3	4.3	517	517	4.3	4.3	517	517	47.6	39.7	52.4	60.3	0.0	0.0	0.0	0.0
7195S	6.7	6.7	6.7	800	800	6.7	6.7	800	800	0.2	0.1	99.8	99.9	0.0	0.0	0.0	0.0
7199S	6.7	6.7	6.7	800	800	6.7	6.7	800	800	0.2	0.1	99.8	99.9	0.0	0.0	0.0	0.0
720A	7.9	4.6	4.6	555	555	4.6	4.6	555	555	41.5	34.3	58.5	65.7	0.0	0.0	0.0	0.0
7200E	8.0	3.8	3.8	459	459	3.8	3.8	459	459	52.0	43.3	48.0	56.7	0.0	0.0	0.0	0.0
721A	8.0	4.6	4.6	556	556	4.6	4.6	556	556	42.0	35.0	58.0	65.0	0.0	0.0	0.0	0.0
722A	8.1	4.7	4.7	559	559	4.7	4.7	559	559	42.5	34.3	57.5	65.7	0.0	0.0	0.0	0.0
72200S	8.1	3.4	3.0	402	359	3.4	3.0	402	359	54.1	45.6	45.9	53.4	0.0	0.0	8.7	10.7
723A	7.8	4.6	4.5	545	545	4.6	4.5	545	545	41.9	34.9	58.1	65.1	0.0	0.0	0.1	0.1
724A	8.0	4.6	4.6	548	548	4.6	4.6	548	548	43.1	36.1	56.9	63.9	0.0	0.0	0.0	0.0
725A	8.0	4.7	4.7	561	561	4.7	4.7	561	561	41.6	33.2	58.4	66.8	0.0	0.0	0.0	0.0
72500S	8.2	3.4	3.1	412	372	3.4	3.1	412	372	52.2	46.1	47.8	53.9	0.0	0.0	9.8	9.7
726A	8.1	4.9	4.9	585	585	4.9	4.9	585	585	39.5	32.3	60.5	67.7	0.0	0.0	0.0	0.0
727A	8.1	4.6	4.6	555	555	4.6	4.6	555	555	42.7	35.5	57.3	64.5	0.0	0.0	0.0	0.0
7275S	7.7	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
728A	8.0	4.7	4.7	564	564	4.7	4.7	564	564	41.2	34.1	58.8	65.9	0.0	0.0	0.0	0.0
7285S	7.3	7.4	6.5	881	784	7.4	6.5	881	784	0.0	0.0	100.0	100.0	0.0	0.0	10.0	11.0
7292P	10.0	0.0	0.0	0	0	0.0	0.0	0	0	54.5	45.4	45.5	54.6	44.1	52.8	1.4	1.8
7300E	8.7	4.2	4.2	500	500	4.2	4.2	500	500	51.8	45.7	48.2	54.3	0.0	0.0	0.0	0.0
732A	8.8	4.5	4.5	535	535	4.5	4.5	535	535	49.2	36.0	50.8	64.0	0.0	0.0	0.0	0.0
734A	7.8	5.0	5.0	594	594	5.0	5.0	594	594	36.3	29.6	63.7	70.4	0.0	0.0	0.0	0.0
7345P	9.5	0.0	0.0	0	0	0.0	0.0	0	0	31.5	22.4	68.5	77.6	68.5	77.5	0.0	0.0
7349	10.1	2.1	0.9	252	109	2.1	0.9	252	109	27.9	30.6	72.1	69.4	0.0	0.0	63.1	56.9
736A	8.0	4.3	4.3	516	516	4.3	4.3	516	516	46.4	38.7	53.6	61.3	0.0	0.0	0.0	0.0
737	8.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
7373-G	8.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
7379	8.0	4.6	3.8	551	458	4.6	3.8	551	458	36.6	31.8	63.4	68.2	0.0	0.0	15.9	16.9
7385S	7.5	7.6	7.0	914	841	7.6	7.0	914	841	0.0	0.0	100.0	100.0	0.0	0.0	7.0	8.0
7400E	7.9	4.1	3.5	488	416	4.1	3.5	488	416	43.0	34.5	57.0	65.5	0.0	0.0	13.0	14.7
7400S	7.7	3.4	2.4	409	282	3.4	2.4	409	282	43.6	35.8	56.4	64.2	0.0	0.0	26.0	31.1
7401P	9.4	0.0	0.0	0	0	0.0	0.0	0	0	43.5	36.2	56.5	63.8	56.5	63.8	0.0	0.0
7405S	9.4	1.7	1.5	199	176	1.7	1.5	199	176	70.4	68.3	29.6	31.7	0.0	0.0	14.0	11.8
740932K	7.9	5.6	5.1	676	607	5.6	5.1	676	607	27.6	20.2	72.4	79.8	0.0	0.0	8.5	10.2
741A	8.0	4.6	4.6	549	549	4.6	4.6	549	549	42.8	35.4	57.2	64.6	0.0	0.0	0.0	0.0
7410E	8.4	2.0	1.7	245	207	2.0	1.7	245	207	66.6	60.4	33.4	39.6	0.0	0.0	13.0	15.7
742A	8.0	4.6	4.6	549	549	4.6	4.6	549	549	42.4	34.6	57.6	65.4	0.0	0.0	0.0	0.0
744411D	9.9	3.5	3.5	417	417	3.5	3.5	417	417	64.9	53.2	35.1	46.8	0.0	0.0	0.0	0.0
744412EX	8.4	3.5	3.3	425	390	3.5	3.3	425	390	54.9	46.7	47.1	53.3	0.0	0.0	6.4	8.2
74500S	8.3	3.1	3.1	369	369	3.1	3.1	369	369	62.9	55.0	35.1	45.0	0.0	0.0	0.0	0.0
7451P	15.4	0.0	0.0	0	0	0.0	0.0	0	0	66.0	37.0	34.0	63.0	34.0	63.0	0.0	0.0
746	8.0	4.4	4.4	532	531	4.4	4.4	532	531	44.4	36.5	55.6	63.5	0.0	0.0	0.3	0.3
7465S	7.2	7.2	7.2	860	860	7.2	7.2	860	860	0.1	0.1	99.9	99.9	0.0	0.0	0.0	0.0
7466P	9.3	0.0	0.0	0	0	0.0	0.0	0	0	35.5	27.9	64.5	72.1	64.5	72.1	0.0	0.0
747A	8.1	4.7	4.7	559	559	4.7	4.7	559	559	42.2	35.3	57.8	64.7	0.0	0.0	0.0	0.0
74700S	8.2	3.5	3.5	419	416	3.5	3.5	419	416	57.2	50.4	42.8	49.6	0.0	0.0	0.7	0.8
7475S	7.2	7.2	7.2	860	860	7.2	7.2	860	860	0.1	0.1	99.9	99.9	0.0	0.0	0.0	0.0
748A	7.9	4.5	4.5	533	533	4.5	4.5	533	533	43.7	36.4	56.3	63.6	0.0	0.0	0.0	0.0
7480S	7.5	4.1	2.4	492	285	4.1	2.4	492	285	31.2	25.0	68.8	75.0	0.0	0.0	37.1	42.2
748536K	7.9	5.6	4.9	666	586	5.6	4.9	666	586	28.1	20.8	71.9	79.2	0.0	0.0	9.9	11.8
749A	7.9	4.7	4.7	562	562	4.7	4.7	562	562	40.9	33.5	59.1	66.5	0.0	0.0	0.0	0.0
75	10.8	4.4	4.1	523	491	4.4	4.1	523	491	58.2	36.4	41.8	63.6	0.9	1.2	3.0	4.9
750A	8.2	4.6	4.6	553	553	4.6	4.6	553	553	43.6	34.6	56.4	65.4	0.0	0.0	0.0	0.0
75-100	10.1	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
751052K	9.3	5.0	4.5	596	541	5.0	4.5	596	541	44.7	28.9	55.3	71.1	0.0	0.0	6.5	9.1
752A	8.3	4.9	4.9	587	587	4.9	4.9	587	587	40.8	30.8	59.2	69.2	0.0	0.0	0.0	0.0
756A	7.9	4.7	4.7	568	568	4.7	4.7	568	568	39.8	33.4	60.2	66.6	0.0	0.0	0.0	0.0
758S	6.9	6.5	6.5	779	779	6.5	6.5	779	779	5.3	3.4	94.7	96.6	0.0	0.0	0.0	0.0
760S	7.2	6.9	6.9	828	828	6.9	6.9	828	828	3.7	2.8	96.3	96.3	0.0	0.0	0.0	0.0
7610P	16.4	0.0	0.0	0	0	0.0	0.0	0	0	71.9	44.3	28.1	55.7	28.1	55.4	0.0	0.0
7619P	9.5	0.0	0.0	0													

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
7996	9.1	0.6	0.3	75	31	0.6	0.3	75	31	42.6	37.7	57.4	62.3	54.0	57.8	0.5	0.6
7999	8.5	0.8	0.2	95	22	0.8	0.2	95	22	21.7	20.7	78.3	79.3	76.1	76.6	0.0	0.0
8007	6.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
801J	12.6	3.5	3.5	419	419	3.5	3.5	419	419	72.3	52.0	27.7	48.0	0.0	0.0	0.0	0.0
8013	8.1	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
802J	8.5	3.9	3.9	465	465	3.9	3.9	465	465	54.4	46.8	45.6	53.2	0.0	0.0	0.0	0.0
8020	6.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
8022S	6.6	6.6	6.1	792	729	6.6	6.1	792	729	0.0	0.0	100.0	100.0	0.0	0.0	8.0	8.0
8025	6.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
803J	11.1	4.4	4.4	528	528	4.4	4.4	528	528	60.3	0.0	39.7	60.6	0.0	0.0	0.0	0.0
8034S	6.5	6.5	5.3	773	633	6.5	5.3	773	633	0.0	0.0	100.0	100.0	0.0	0.0	18.5	18.1
80354FL	7.9	5.1	3.8	616	451	5.1	3.8	616	451	26.3	19.8	73.7	80.2	0.0	0.0	25.8	26.8
805J	8.3	4.2	4.2	500	500	4.2	4.2	500	500	49.8	42.7	50.2	57.3	0.0	0.0	0.0	0.0
806J	8.3	4.2	4.2	507	507	4.2	4.2	507	507	48.9	41.9	51.1	58.1	0.0	0.0	0.0	0.0
807J	8.2	4.1	4.1	491	491	4.1	4.1	491	491	49.9	43.7	50.1	56.3	0.0	0.0	0.0	0.0
8075	10.1	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
808J	8.8	4.9	4.9	585	585	4.9	4.9	585	585	44.3	32.8	55.7	67.2	0.0	0.0	0.0	0.0
8080	7.4	7.4	7.4	889	889	7.4	7.4	889	889	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
8093S	6.8	6.8	6.1	818	733	6.8	6.1	818	733	0.0	0.0	100.0	100.0	0.0	0.0	10.0	10.3
8096S	6.9	6.9	6.2	825	747	6.9	6.2	825	747	0.0	0.0	100.0	100.0	0.0	0.0	9.1	9.5
810J	8.7	4.6	4.6	553	553	4.6	4.6	553	553	47.2	35.8	52.8	64.2	0.0	0.0	0.0	0.0
8100	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
811J	9.2	4.9	4.9	586	586	4.9	4.9	586	586	47.0	32.0	53.0	68.0	0.0	0.0	0.0	0.0
813J	8.9	4.7	4.7	559	559	4.7	4.7	559	559	47.7	34.5	52.3	65.5	0.0	0.0	0.0	0.0
8132	8.8	6.1	6.1	727	727	6.1	6.1	727	727	31.0	25.3	69.0	74.7	0.0	0.0	0.0	0.0
814J	9.2	4.7	4.7	559	559	4.7	4.7	559	559	49.1	36.0	50.9	64.0	0.0	0.0	0.0	0.0
816	8.6	4.8	4.8	572	572	4.8	4.8	572	572	45.6	34.0	54.4	66.0	0.0	0.0	0.0	0.0
817A	9.3	4.2	4.2	506	500	4.2	4.2	506	500	54.3	40.1	45.7	59.9	0.0	0.0	0.8	1.1
817U	10.0	4.6	4.4	546	524	4.6	4.4	546	524	53.8	37.9	46.3	62.1	0.0	0.0	2.6	4.0
818J	11.5	3.4	3.4	404	404	3.4	3.4	404	404	70.8	53.7	29.2	46.3	0.0	0.0	0.0	0.0
818168K	7.8	5.8	5.2	696	622	5.8	5.2	696	622	24.0	18.1	76.0	81.9	0.0	0.0	9.1	10.6
818-38454	8.2	3.8	1.1	459	128	3.8	1.1	459	128	20.3	12.1	79.7	87.9	0.2	0.1	66.5	72.1
818P31854	9.1	5.8	5.5	692	654	5.8	5.5	692	654	35.8	19.5	64.2	80.5	0.6	0.6	3.5	4.9
818P31858	9.1	5.8	5.4	691	653	5.8	5.4	691	653	35.9	19.6	64.1	80.4	0.6	0.6	3.6	4.9
819J	9.3	4.7	4.7	560	560	4.7	4.7	560	560	49.6	35.3	50.4	64.7	0.0	0.0	0.0	0.0
82	8.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
820J	8.0	5.1	5.1	616	613	5.1	5.1	616	613	35.4	29.1	64.6	70.9	0.0	0.0	0.6	0.5
8200-46700	8.6	2.4	0.7	292	86	2.4	0.7	292	86	22.7	18.7	77.3	81.3	67.9	69.3	1.1	1.4
8200E	8.0	3.8	3.8	459	459	3.8	3.8	459	459	52.0	43.3	48.0	56.7	0.0	0.0	0.0	0.0
821CR	12.1	3.9	3.5	470	419	3.9	3.5	470	419	65.2	41.7	34.8	58.3	0.0	0.0	5.9	10.8
821J	8.1	4.8	4.8	580	580	4.8	4.8	580	580	40.2	33.4	59.8	66.6	0.0	0.0	0.0	0.0
8225	7.0	5.6	5.3	672	639	5.6	5.3	672	639	19.7	16.8	80.3	83.2	0.0	0.0	4.5	4.8
8237	8.8	6.3	6.3	757	757	6.3	6.3	757	757	28.4	21.8	71.6	78.2	0.0	0.0	0.0	0.0
82375L	6.8	6.3	6.3	754	754	6.3	6.3	754	754	28.5	21.7	71.5	78.3	0.0	0.0	0.0	0.0
8235	7.2	5.6	4.6	671	546	5.6	4.6	671	546	19.6	17.1	80.4	82.9	0.0	0.0	17.1	18.2
824S	12.7	4.5	4.3	539	511	4.5	4.3	539	511	63.8	35.8	36.3	64.2	0.0	0.0	2.7	5.7
825S	13.5	4.0	3.8	482	452	4.0	3.8	482	452	69.0	41.6	31.0	58.4	0.3	0.4	2.9	5.9
825-05035	10.1	2.3	1.3	277	154	2.3	1.3	277	154	58.3	37.8	41.7	62.2	0.1	0.1	28.9	44.2
825-2520	12.1	3.9	3.4	465	409	3.9	3.4	465	409	65.3	41.7	34.7	58.3	0.0	0.0	6.5	11.9
825-35245	10.9	3.1	2.6	375	314	3.1	2.6	375	314	64.8	46.1	35.2	53.9	0.0	0.0	11.0	16.2
825-35247	11.2	3.6	3.0	431	360	3.6	3.0	431	360	63.1	40.6	36.9	59.4	0.1	0.1	10.1	16.4
825-40305	9.1	2.3	1.7	271	198	2.3	1.7	271	198	62.1	48.7	37.1	51.3	0.0	0.0	19.7	27.1
825P05034	9.5	2.2	1.0	266	121	2.2	1.0	266	121	51.6	31.5	48.4	68.5	0.1	0.1	37.7	54.3
825P28300	10.5	3.2	2.5	387	295	3.2	2.5	387	295	59.1	40.9	40.9	59.1	0.0	0.0	17.4	23.8
825P30018	12.0	3.3	3.0	398	359	3.3	3.0	398	359	69.8	48.1	30.2	51.9	0.1	0.1	5.3	9.7
825P30019	12.3	3.4	3.0	402	361	3.4	3.0	402	361	70.0	47.5	30.0	52.5	0.0	0.1	5.4	10.0
825P30020	12.1	3.2	2.8	380	341	3.2	2.8	380	341	71.0	49.5	29.0	50.5	0.1	0.1	5.4	10.0
825P30022	11.8	3.0	2.5	359	294	3.0	2.5	359	294	69.2	47.2	30.8	52.8	0.1	0.1	10.0	17.9
825P32760	11.7	3.6	3.3	430	391	2.9	2.2	351	269	67.0	44.7	33.0	55.3	0.1	0.1	5.1	9.1
826	8.0	5.8	5.2	629	629	5.2	5.2	629	629	45.6	32.9	65.4	72.6	0.0	0.0	0.0	0.0
826S	7.0	4.4	4.4	527	527	4.4	4.4	527	527	40.5	38.4	59.5	61.6	0.0	0.0	0.0	0.0
827J	8.0	5.6	5.6	670	670	5.6	5.6	670	670	29.8	23.0	70.2	77.0	0.0	0.0	0.0	0.0
828J	8.1	5.2	5.2	618	618	5.2	5.2	618	618	36.7	29.1	63.3	70.9	0.0	0.0	0.0	0.0
8282	6.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
8285S	7.2	7.2	7.2	865	865	7.2	7.2	865	865	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
829J	8.4	4.5	4.5	534	534	4.5	4.5	534	534	46.9	38.7	53.1	61.3	0.0	0.0	0.0	0.0
8295S	6.8	6.8	6.0	820	718	6.8	6.0	820	718	0.0	0.0	100.0	100.0	0.0	0.0	12.1	12.5
830J	8.3	5.1	5.1	612	612	5.1	5.1	612	612	38.5	29.8	61.5	70.2	0.0	0.0	0.0	0.0
830S	9.5	4.5	2.2	536	262	4.5	2.2	536	262	18.0	18.8	82.0	81.2	0.0	0.0	59.0	51.2
8300E	8.5	3.6	3.6	434	434	3.6	3.6	434	434	57.5	50.8	42.5	49.2	0.0	0.0	0.0	0.0
831J	8.3	4.0	4.0	485	485	4.0	4.0	485	485	51.1	44.5	48.9	55.5	0.0	0.0	0.0	0.0
832J	8.6	4.8	4.8	574	573	4.8	4.8	574	573	44.1	34.1	55.9	65.9	0.1	0.1	0.0	0.0
833J	8.0	5.3	5.3	632	632	5.3	5.3	632	632	34.2	27.4	65.8	72.6	0.0	0.0	0.0	0.0
835S	6.5	6.5	6.5	780	780	6.5	6.5	780	780	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
835267EF	9.4	3.8	3.5	455	417	3.8	3.5	455	417	56.8	42.9	43.0	57.1	0.0	0.0	6.1	8.4
835268EF	8.6	3.8	3.4	455	413	3.8	3.4	455	413	52.6	42.5	47.4	57.5	0.0	0.0	7.4	9.2
835321K	7.7	5.9	5.2	621	519	5.2	5.2	621	519	61.1	42.6	21.7	78.3	0.0	0.0	11.7	12.5
835389K	9.9	3.3	4.9	639	590	5.3	4.9	639	590								

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) g/L	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
856316K	7.7	5.7	5.1	678	607	5.7	5.1	678	607	25.3	20.0	74.7	80.0	0.0	0.0	8.9	10.3
858J	8.3	4.5	4.5	544	544	4.5	4.5	544	544	45.1	37.6	54.9	62.4	0.0	0.0	0.0	0.0
861J	8.1	4.9	4.9	590	586	4.9	4.9	590	586	38.9	32.0	61.1	68.0	0.0	0.0	0.9	0.7
862J	8.1	4.9	4.9	589	589	4.9	4.9	589	589	39.1	32.4	60.9	67.6	0.0	0.0	0.0	0.0
8624	9.9	1.8	1.1	213	133	1.8	1.1	213	133	43.2	44.2	56.8	55.8	0.0	0.0	45.6	37.8
864J	8.1	4.9	4.9	592	592	4.9	4.9	592	592	39.2	32.0	60.8	68.0	0.0	0.0	0.0	0.0
864297K	7.8	5.4	5.0	652	599	5.4	5.0	652	599	29.2	23.0	70.8	77.0	0.0	0.0	6.9	8.2
864389EB	8.4	3.8	3.8	456	456	3.8	3.8	456	456	54.9	47.9	45.1	54.1	0.0	0.0	0.0	0.0
866J	8.3	4.5	4.5	544	544	4.5	4.5	544	544	45.1	37.6	54.9	62.4	0.0	0.0	0.0	0.0
870J	8.3	3.9	3.9	465	465	3.9	3.9	465	465	53.1	46.8	46.9	53.2	0.0	0.0	0.0	0.0
8700	6.7	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
878J	9.1	4.4	4.4	523	523	4.4	4.4	523	523	52.0	38.2	48.0	61.8	0.0	0.0	0.0	0.0
8800E	8.0	3.8	3.8	459	459	3.8	3.8	459	459	52.0	43.3	48.0	56.7	0.0	0.0	0.0	0.0
881J	11.7	4.3	4.3	511	511	4.3	4.3	511	511	63.5	41.4	36.5	58.6	0.0	0.0	0.0	0.0
882J	8.8	4.0	4.0	476	476	4.0	4.0	476	476	54.8	45.4	45.2	54.6	0.0	0.0	0.0	0.0
8821S	8.8	2.8	1.8	338	217	2.8	1.8	338	217	40.2	37.9	59.8	62.1	0.0	0.0	39.3	35.9
8831S	8.8	2.8	1.7	339	205	2.8	1.7	339	205	37.4	35.4	62.6	64.6	0.0	0.0	43.3	39.7
884J	8.7	3.7	3.7	441	441	3.7	3.7	441	441	57.7	49.5	42.3	50.5	0.0	0.0	0.0	0.0
8840S	8.0	3.7	3.5	444	418	3.7	3.5	444	418	51.6	44.2	48.4	55.8	0.0	0.0	4.9	5.9
884532K	7.7	5.6	5.0	667	599	5.6	5.0	667	599	26.1	21.1	73.9	78.9	0.0	0.0	8.8	10.2
885J	8.7	4.3	4.2	513	505	4.3	4.2	513	505	49.6	40.4	50.4	59.6	0.0	0.0	1.9	1.7
886J	8.6	4.2	4.2	502	498	4.2	4.2	502	498	50.5	42.0	49.5	58.0	0.1	0.1	0.9	0.8
8875S	7.4	7.4	7.4	888	888	7.4	7.4	888	888	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
8890S	8.0	3.8	3.7	458	438	3.8	3.7	458	438	51.0	43.7	49.0	56.3	0.0	0.0	3.7	4.5
8895S	7.1	7.1	7.1	854	854	7.1	7.1	854	854	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
895	8.1	8.1	8.1	975	975	8.1	8.1	975	975	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
890J	9.8	3.9	3.9	465	465	3.9	3.9	465	465	60.4	46.7	39.6	53.3	0.0	0.0	0.0	0.0
8900E	8.1	3.5	3.3	417	398	3.5	3.3	417	398	55.5	46.8	44.5	53.2	0.0	0.0	3.7	4.6
891J	9.4	4.2	4.2	506	506	4.2	4.2	506	506	54.8	42.0	45.2	58.0	0.0	0.0	0.0	0.0
892S	8.9	2.0	1.2	238	139	2.0	1.2	238	139	50.8	42.9	49.2	57.1	0.0	0.0	36.1	41.5
8926	9.7	3.1	1.6	366	196	3.1	1.6	366	196	27.9	28.0	72.1	72.0	0.0	0.0	55.2	46.4
893J	8.0	5.3	5.3	629	629	5.3	5.3	629	629	34.5	27.7	65.5	72.3	0.0	0.0	0.0	0.0
893191K	7.7	5.6	5.1	668	606	5.6	5.1	668	606	26.3	21.5	73.7	78.6	0.0	0.0	7.9	9.2
894J	9.3	4.7	4.7	561	561	4.7	4.7	561	561	49.8	35.0	50.2	65.0	0.0	0.0	0.0	0.0
895J	9.3	4.5	4.5	538	538	4.5	4.5	538	538	51.7	37.9	48.3	62.1	0.0	0.0	0.0	0.0
896-0001	17.5	1.6	1.0	186	124	1.6	1.0	186	124	78.2	58.2	21.8	41.8	15.9	33.4	0.0	0.0
896-0401	9.1	2.3	1.0	270	114	2.3	1.0	270	114	35.2	30.1	64.8	69.9	54.3	57.6	0.0	0.0
896-0901	9.7	2.4	1.2	286	139	2.4	1.2	286	139	41.3	33.3	58.7	66.7	46.7	51.3	0.0	0.0
896-1001	14.4	2.7	1.6	192	93	2.7	1.6	192	93	65.5	38.4	34.5	61.6	23.4	40.5	0.0	0.0
896-1301	12.7	1.8	0.8	219	93	1.8	0.8	219	93	56.1	40.0	43.9	60.0	37.8	57.6	0.0	0.0
896-1801	14.0	2.7	1.5	328	176	2.7	1.5	328	176	62.1	43.1	37.9	56.9	27.4	46.2	0.0	0.0
896-2555	10.6	2.6	1.6	315	191	2.6	1.6	315	191	51.6	39.4	48.4	60.6	33.4	39.4	0.0	0.0
896-2601	9.3	3.1	1.4	374	168	3.1	1.4	374	168	34.0	27.1	66.0	72.9	51.0	55.1	0.0	0.0
896-5001	9.6	3.2	1.4	388	173	3.2	1.4	388	173	37.3	36.1	63.9	73.5	48.9	55.6	0.0	0.0
896-7201	9.2	1.3	0.5	153	61	1.3	0.5	153	61	39.9	33.7	60.1	66.3	54.5	59.9	0.0	0.0
896-9401	9.0	2.8	1.1	331	130	2.8	1.1	331	130	31.0	25.5	69.0	74.5	57.0	60.8	0.0	0.0
896-9901	9.2	2.0	0.8	246	93	2.0	0.8	246	93	35.0	28.3	65.0	71.7	56.5	61.9	0.0	0.0
8989S	8.2	7.8	7.8	930	930	7.8	7.8	930	930	5.0	4.7	95.0	95.3	0.0	0.0	0.0	0.0
901810IB	10.0	4.2	4.2	499	499	4.2	4.2	499	499	58.3	41.6	41.7	58.4	0.0	0.0	0.0	0.0
908J	8.3	5.2	4.6	623	554	5.2	4.6	623	554	34.2	25.6	65.8	74.4	0.0	0.0	10.4	11.1
9082	8.1	4.6	4.6	555	555	4.6	4.6	555	555	42.7	36.1	57.3	63.9	0.0	0.0	0.0	0.0
9090	7.3	7.3	7.3	880	880	7.3	7.3	880	880	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
9091	8.0	4.9	4.9	584	584	4.9	4.9	584	584	38.9	32.6	61.1	67.4	0.0	0.0	0.0	0.0
9092	8.2	4.9	4.9	593	593	4.9	4.9	593	593	39.8	34.4	60.2	65.6	0.0	0.0	0.0	0.0
9093	8.3	5.0	5.0	605	605	5.0	5.0	605	605	38.8	33.7	61.2	66.3	0.0	0.0	0.0	0.0
910455EZ	10.0	3.5	3.2	423	386	3.5	3.2	423	386	62.0	47.0	38.0	53.0	0.0	0.0	5.8	8.7
9127	9.2	6.4	6.4	765	765	6.4	6.4	765	765	30.7	23.2	69.3	76.8	0.0	0.0	0.0	0.0
913J	8.8	5.0	4.6	602	532	5.0	4.6	602	532	40.8	27.4	59.2	74.2	0.0	0.0	8.7	11.6
915J	8.4	5.2	4.6	622	553	5.2	4.6	622	553	35.0	25.8	65.0	74.2	0.0	0.0	10.2	11.0
920J	12.7	0.8	0.8	172	99	0.8	0.8	172	99	17.2	17.2	82.8	82.8	0.0	0.0	32.4	42.4
9201	8.0	6.2	6.2	740	740	6.2	6.2	740	740	22.9	16.2	77.1	83.8	0.1	0.1	0.0	0.0
9202	7.9	6.1	6.1	731	731	6.1	6.1	731	731	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
9203	7.9	5.9	5.9	705	704	5.9	5.9	705	704	25.0	20.0	75.0	80.0	0.2	0.2	0.0	0.0
9204	9.1	5.8	5.8	690	689	5.8	5.8	690	689	37.0	21.3	63.0	78.7	0.1	0.1	0.0	0.0
9205	7.7	6.0	6.0	718	717	6.0	6.0	718	717	22.5	17.9	77.5	82.1	0.1	0.1	0.0	0.0
9206	7.8	6.0	6.0	720	719	6.0	6.0	720	719	23.0	18.5	77.0	81.5	0.1	0.1	0.0	0.0
9208	7.8	6.1	6.1	731	730	6.1	6.1	731	730	21.7	17.2	78.3	82.8	0.1	0.1	0.0	0.0
92087FL	7.7	5.1	3.6	608	435	5.1	3.6	608	435	24.8	19.8	75.2	80.2	0.0	0.0	28.0	28.5
9209	7.8	6.2	6.2	743	743	6.2	6.2	743	743	20.7	15.6	79.3	84.4	0.1	0.1	0.0	0.0
921S	13.2	1.4	0.8	173	97	1.4	0.8	173	97	61.5	45.0	38.5	55.0	0.0	0.0	32.4	43.9
9210	7.9	6.0	6.0	724	723	6.0	6.0	724	723	23.0	18.2	77.0	81.8	0.1	0.1	0.0	0.0
9211	7.9	6.1	6.1	728	728	6.1	6.1	728	728	23.3	17.5	76.7	82.5	0.1	0.1	0.0	0.0
921116EF	9.4	3.8	3.5	453	424	3.8	3.5	453	424	57.7	43.7	42.3	56.3	0.0	0.0	4.8	6.6
921117EF	8.2	3.8	3.4	454	407	3.8	3.4	454	407	49.7	42.1	50.3	57.9	0.0	0.0	8.8	10.5
921118EF	10.1	3.8	3.6	453	437	3.8	3.6	453	437	61.3	45.2	38.3	54.8	0.0	0.0	2.5	3.7
921119EF	10.4	3.8	3.6	454	426	3.8	3.6	454	426	61.7	44.5	38.3	55.5	0.0	0.0	4.0	6.1
921J	7.9	6.1	6.1	717	716	6.1	6.1	717	716	23.2	17.8	71.8	81.9	0.1	0.1	0.0	0.0
921S	8.0	6.0	6.0	7													

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	TBAC (AP) (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
9295	13.1	1.4	0.8	173	94	1.4	0.8	173	94	60.1	43.8	39.9	56.2	0.0	0.0	33.9	45.4
9300	6.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
9302	7.9	5.8	5.8	691	690	5.5	4.5	657	545	26.7	21.1	73.3	78.9	0.2	0.2	0.0	0.0
9306	8.4	5.9	5.9	713	712	5.9	5.9	713	712	29.2	19.3	70.8	80.7	0.1	0.1	0.0	0.0
9310	7.9	6.1	6.1	726	725	6.1	6.1	726	725	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
931029EF	8.2	3.8	3.4	454	410	3.8	3.4	454	410	50.2	42.5	49.8	57.5	0.0	0.0	8.1	9.7
931030EF	10.8	3.8	3.6	455	432	3.8	3.6	455	432	63.4	44.9	36.6	55.1	0.0	0.0	3.2	5.0
9311	7.9	6.0	6.0	716	716	6.0	6.0	716	716	24.2	19.1	75.8	80.9	0.1	0.1	0.0	0.0
9312	7.8	6.1	6.1	733	732	6.1	6.1	733	732	21.7	17.3	78.3	82.9	0.1	0.1	0.0	0.0
931233EX	10.8	3.5	3.1	423	375	3.5	3.1	423	375	63.7	45.5	36.3	54.5	0.0	0.0	7.2	11.3
9313	7.8	6.0	6.0	724	723	6.0	6.0	724	723	22.7	18.1	77.3	81.9	0.1	0.1	0.0	0.0
9314	8.1	6.0	6.0	718	718	6.0	6.0	718	718	26.4	18.1	73.6	81.9	0.1	0.1	0.0	0.0
9315	8.2	6.0	6.0	720	719	6.0	6.0	720	719	27.0	17.9	73.0	82.1	0.1	0.1	0.0	0.0
9316	8.2	6.0	6.0	717	716	6.0	6.0	717	716	26.9	18.3	73.1	81.7	0.1	0.1	0.0	0.0
9317	7.8	5.8	5.7	689	684	5.8	5.7	689	684	25.8	19.8	74.2	80.2	0.2	0.2	0.4	0.5
9318	7.8	5.7	5.7	688	687	5.7	5.7	688	687	26.7	20.3	73.3	79.7	0.2	0.2	0.0	0.0
9319	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.0	0.0	0.0	0.0
9320	8.1	5.3	5.3	639	639	5.3	5.3	639	639	34.1	28.5	65.9	71.5	0.0	0.0	0.0	0.0
9336	11.6	4.2	4.2	502	501	3.5	2.8	421	341	63.9	43.9	36.1	56.1	0.2	0.3	0.0	0.0
9337	11.5	4.2	4.2	503	502	3.5	2.8	420	340	63.4	43.8	36.6	56.2	0.2	0.3	0.0	0.0
9338	11.2	4.2	4.2	503	502	3.5	2.8	418	336	62.4	44.0	37.6	56.0	0.2	0.3	0.0	0.0
9345	11.6	3.1	2.5	370	297	3.1	2.5	370	297	67.5	45.2	32.5	54.8	0.1	0.1	11.1	19.6
9347	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
9365	7.3	2.9	1.7	352	204	2.9	1.7	352	204	38.3	33.1	61.8	66.9	0.0	0.0	38.3	42.0
9375	7.6	3.4	3.3	404	396	3.4	3.3	404	396	54.8	49.9	45.2	50.1	0.0	0.0	1.9	1.9
9385	7.8	3.4	3.4	410	402	3.4	3.4	410	402	54.8	50.6	45.2	49.4	0.0	0.0	1.9	1.9
941	11.6	3.0	2.7	359	318	3.0	2.7	359	318	31.9	20.8	53.4	29.2	0.0	0.0	6.4	11.2
9465	7.8	2.4	2.1	283	251	2.4	2.1	283	251	61.4	56.8	38.6	43.2	0.0	0.0	11.6	11.6
9475	7.7	2.9	2.8	345	339	2.9	2.8	345	339	61.6	56.8	38.4	43.2	0.0	0.0	1.8	1.7
9485	8.0	3.0	3.0	361	354	3.0	3.0	361	354	61.0	57.8	39.0	42.2	0.0	0.0	1.9	1.9
9498	7.6	5.1	2.1	605	251	5.1	2.1	605	251	11.3	9.3	88.7	90.7	0.1	0.1	60.9	58.5
9508K1	9.9	3.3	2.7	400	325	3.3	2.7	400	325	59.8	40.3	40.2	59.7	0.6	0.7	12.1	18.1
952J	8.1	5.0	5.0	596	596	5.0	5.0	596	596	38.8	31.4	61.2	68.6	0.0	0.0	0.0	0.0
962J	9.0	4.3	4.3	516	516	4.3	4.3	516	516	52.0	42.4	48.0	57.6	0.0	0.0	0.0	0.0
9700	7.8	3.7	2.5	440	299	3.7	2.5	440	299	41.2	35.0	58.8	65.0	0.0	0.0	27.0	32.1
979J	9.1	4.3	4.3	516	516	4.3	4.3	516	516	52.6	39.0	47.4	61.0	0.0	0.0	0.0	0.0
9800	6.8	6.8	5.4	819	650	6.8	5.4	819	650	0.0	0.0	100.0	100.0	0.0	0.0	20.0	20.6
982PA	9.3	3.6	2.6	429	317	3.6	2.6	429	317	52.7	35.3	47.3	64.8	0.6	0.7	18.0	25.3
982	9.3	3.6	2.6	429	317	3.6	2.6	429	317	52.7	35.3	47.3	64.8	0.6	0.7	18.0	25.3
983	8.9	3.4	2.1	403	257	3.4	2.1	403	257	46.9	30.0	53.1	70.0	0.0	0.0	28.9	36.4
99A	8.0	4.6	4.6	552	552	4.6	4.6	552	552	42.3	35.6	57.7	64.4	0.0	0.0	0.0	0.0
99U	8.2	4.9	4.7	585	558	4.9	4.7	585	558	39.5	33.5	60.5	66.5	0.0	0.0	3.7	4.5
99K	7.8	5.3	5.3	634	634	5.3	5.3	634	634	32.3	26.0	67.7	74.0	0.0	0.0	0.0	0.0
9905	9.2	2.1	1.1	253	128	2.1	1.1	253	128	65.6	31.9	64.4	65.4	0.0	0.0	52.7	49.3
991	11.2	2.5	1.6	296	195	2.5	1.6	296	195	62.1	45.0	37.9	55.0	0.0	0.0	23.4	34.1
993	10.9	2.4	1.7	291	199	2.4	1.7	291	199	62.0	47.1	38.0	52.9	0.0	0.0	22.7	31.6
997	11.2	2.5	1.6	298	193	2.5	1.6	298	193	61.4	44.1	38.6	55.9	0.0	0.0	24.2	35.2
998	8.4	0.2	0.2	23	23	0.2	0.2	23	23	97.0	96.8	3.0	3.2	0.8	0.8	0.0	0.0
9C01	8.6	2.6	2.3	312	278	0.3	0.2	39	23	60.3	56.9	39.7	43.1	0.0	0.0	12.8	11.0
9M01	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
9M02	10.5	8.1	1.6	972	195	8.1	1.6	972	195	0.0	0.0	100.0	100.0	0.0	0.0	84.6	79.9
9M05	10.8	6.9	0.6	823	73	6.9	0.6	823	73	0.4	0.4	99.6	99.6	0.0	0.0	94.0	91.1
9P01	11.6	2.4	1.7	289	205	0.6	0.3	78	40	65.1	47.1	34.9	52.9	0.1	0.1	20.2	29.3
9P02	11.4	2.4	1.6	292	197	0.7	0.4	89	44	63.2	44.8	36.8	55.2	0.1	0.1	22.3	32.4
9P03	11.0	2.4	1.5	283	183	0.7	0.3	78	37	61.5	43.6	38.5	56.4	0.1	0.1	24.5	35.1
9P11	11.3	2.3	1.7	280	202	0.9	0.5	105	58	64.6	48.5	35.4	51.5	0.1	0.1	20.4	27.9
9T00-A	9.7	0.0	0.0	0	0	0.0	0.0	0	0	95.0	95.6	5.0	4.4	0.0	0.0	5.0	4.4
9T01	10.7	3.1	2.8	375	341	0.3	0.2	36	19	64.5	51.3	35.5	50.5	0.0	0.0	8.8	9.2
9T02	8.7	2.8	2.4	334	292	0.4	0.2	24	43	57.0	53.5	43.0	46.5	0.0	0.0	15.0	12.7
9T03	8.7	2.9	2.8	349	330	0.4	0.2	24	29	63.6	52.7	35.4	42.7	0.0	0.0	4.7	4.5
9T04	8.8	2.9	2.6	347	311	0.3	0.2	41	23	58.6	53.7	41.4	46.3	0.0	0.0	11.8	10.2
9T05	8.9	2.8	2.4	337	288	0.5	0.3	56	31	56.2	52.3	43.8	47.7	0.0	0.0	16.8	14.4
9T06	9.0	3.0	2.6	356	310	0.3	0.2	38	20	56.1	51.2	43.9	48.8	0.0	0.0	15.0	12.9
9T07	8.8	2.9	2.5	345	298	0.3	0.2	37	20	55.6	51.9	44.4	48.1	0.0	0.0	16.1	13.6
9T08	10.1	3.1	2.7	372	319	0.3	0.2	38	19	58.5	48.8	41.5	51.2	0.1	0.1	14.9	14.1
9T09	8.7	3.2	2.8	380	338	0.4	0.2	52	28	54.9	49.7	45.1	50.3	0.0	0.0	12.8	11.0
9T10	8.7	2.8	2.5	334	304	0.5	0.3	63	37	62.0	55.7	38.0	44.3	0.1	0.1	8.8	9.1
9T11	10.6	3.1	2.8	375	337	0.3	0.2	35	19	64.4	50.7	35.6	49.3	0.0	0.0	9.0	10.3
9T12	9.6	2.8	2.4	334	292	0.4	0.2	50	29	61.1	53.8	38.9	46.2	0.0	0.0	13.6	12.6
9T13	9.0	2.9	2.6	348	317	0.5	0.3	59	34	60.4	54.6	39.6	45.4	0.0	0.0	10.2	8.9
9T14	8.4	3.3	3.0	391	357	0.4	0.2	44	21	53.9	49.8	46.1	50.2	0.0	0.0	10.4	8.7
9T15	8.7	2.9	2.6	345	308	0.4	0.2	42	24	58.5	53.7	41.5	46.3	0.0	0.0	12.1	10.6
9T16	8.8	3.1	2.6	366	311	0.4	0.2	49	25	52.1	49.0	47.9	51.0	0.0	0.0	18.3	14.9
9T17	8.6	3.0	2.7	364	328	0.3	0.2	38	21	56.7	52.1	43.3	47.9	0.0	0.0	11.6	9.9
9T18	8.8	3.1	3.0	369	360	0.4	0.3	53	31	63.6	55.9	36.4	44.1	0.0	0.0	2.3	2.5
9T19	8.7	3.0	2.6	356	317	0.4	0.2	43	23	56.7	52.2	43.3	47.8	0.0	0.0	12.8	11.0
9T20	10.8	0.8	0.8	293	202	0.8	0.8	293	202	24.7	21.6	75.3	4	0.0	0.0	65.3	64.8
A120R3102	6.6	4.5	4.0	545	355	4.5	4.0	545	355	18.9	13.4	81.1	86.6	0.0	0.0	36.0	34.0
A120R3101	6.5	4															

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (lb) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
CH0017	10.1	0.5	0.2	55	26	0.5	0.2	55	26	41.3	43.2	58.7	56.8	0.0	0.0	56.5	53.9
CH0019	10.0	0.3	0.2	41	21	0.3	0.2	41	21	44.8	46.4	55.2	53.6	0.0	0.0	53.5	48.0
CH0050	8.1	4.6	4.6	555	555	4.6	4.6	555	555	42.7	36.1	57.3	63.9	0.0	0.0	0.0	48.0
CH0055	8.0	4.9	4.9	584	584	4.9	4.9	584	584	38.9	32.6	61.1	67.4	0.0	0.0	0.0	0.0
CH0060	8.2	4.9	4.9	593	593	4.9	4.9	593	593	39.8	34.4	60.2	65.6	0.0	0.0	0.0	0.0
CH0065	8.3	5.0	5.0	605	605	5.0	5.0	605	605	38.8	33.7	61.2	66.3	0.0	0.0	0.0	0.0
CH1018	9.7	0.6	0.2	75	22	0.6	0.2	75	22	26.9	26.1	73.1	73.9	0.0	0.0	71.2	71.3
CH1050	8.0	6.2	6.2	740	740	6.2	6.2	740	740	22.9	16.2	77.1	83.8	0.1	0.1	0.0	0.0
CH1056	7.8	6.1	6.1	731	730	6.1	6.1	731	730	21.3	17.3	78.7	82.7	0.1	0.1	0.0	0.0
CH2021	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
CH2021	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
CH2030	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
CH2042	13.5	2.2	1.4	261	168	2.2	1.4	261	168	61.3	44.6	38.7	55.4	0.1	0.2	28.2	35.5
CH2050	11.6	4.2	4.2	502	501	3.5	2.8	421	341	63.9	43.9	36.1	56.1	0.2	0.3	0.0	0.0
CH2051	10.8	4.4	4.1	523	491	4.4	4.1	523	491	58.2	36.4	41.8	63.6	0.9	1.2	3.0	4.9
CH2052	11.5	4.2	4.2	503	502	3.5	2.8	420	340	63.4	43.8	36.6	56.2	0.2	0.3	0.0	0.0
CH2053	10.7	4.3	4.1	519	491	4.3	4.1	519	491	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
CH2054	11.2	4.2	4.2	503	502	3.5	2.8	418	336	62.4	44.0	37.6	56.0	0.2	0.3	0.0	0.0
CH2055	10.7	4.3	4.1	520	492	4.3	4.1	520	492	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
CH2062	11.7	2.4	1.1	286	137	2.4	1.1	286	137	45.0	31.5	55.0	68.5	0.1	0.1	45.2	52.0
CH3020	9.2	1.5	0.6	178	72	1.5	0.6	177	72	33.5	32.2	66.5	67.8	0.0	0.0	60.0	59.7
CH3022	9.0	2.2	1.1	263	133	2.2	1.1	263	133	36.0	34.4	64.0	65.6	0.0	0.0	51.7	49.3
CH3031	8.1	3.7	2.5	446	302	3.7	2.5	446	302	37.3	32.2	62.7	67.8	0.0	0.0	31.6	32.3
CH3042	8.8	2.6	1.7	313	201	2.6	1.7	313	201	41.9	39.5	58.1	60.5	0.0	0.0	39.1	35.6
CH3050	7.8	3.7	2.5	440	299	3.7	2.5	440	299	41.2	35.0	58.8	65.0	0.0	0.0	27.0	32.1
CH4065	7.3	7.3	7.3	880	880	7.3	7.3	880	880	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CH4075	7.4	7.4	7.4	889	889	7.4	7.4	889	889	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CH4085	7.6	7.6	7.6	913	913	7.6	7.6	913	913	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CH5001	7.8	6.1	6.1	729	728	6.1	6.1	729	728	22.2	17.7	77.8	82.3	0.1	0.1	0.0	0.0
CH5002	7.9	6.1	6.1	731	731	6.1	6.1	731	731	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
CH5003	7.9	6.1	6.1	728	728	6.1	6.1	728	728	23.3	17.5	76.7	82.5	0.1	0.1	0.0	0.0
CH5004	7.9	6.0	6.0	725	724	6.0	6.0	725	724	23.4	18.1	76.6	81.9	0.1	0.1	0.0	0.0
CH5005	8.0	6.0	6.0	725	724	6.0	6.0	725	724	24.8	17.6	75.2	82.4	0.1	0.1	0.0	0.0
CH5006	7.7	6.0	6.0	718	717	6.0	6.0	718	717	22.5	17.9	77.5	82.1	0.1	0.1	0.0	0.0
CH5061	8.5	6.0	6.0	718	717	6.0	6.0	718	717	29.3	18.6	70.7	81.4	0.1	0.1	0.0	0.0
CH5062	8.2	6.0	6.0	717	716	6.0	6.0	717	716	27.5	18.9	72.5	81.1	0.1	0.1	0.0	0.0
CH5063	8.3	6.0	6.0	716	716	6.0	6.0	716	716	27.6	19.0	72.4	81.0	0.1	0.1	0.0	0.0
CH5064	8.3	5.9	5.9	710	710	5.9	5.9	710	710	28.5	19.7	71.5	80.4	0.1	0.1	0.0	0.0
CH5065	8.0	6.1	6.1	728	728	6.1	6.1	728	728	24.4	16.9	75.6	83.1	0.1	0.1	0.0	0.0
CH5067	8.2	6.0	6.0	722	721	6.0	6.0	722	721	26.1	18.4	73.9	81.6	0.1	0.1	0.0	0.0
CH5068	8.3	6.0	6.0	714	713	6.0	6.0	714	713	27.8	19.2	72.2	80.8	0.1	0.1	0.0	0.0
CH5069	8.2	6.0	6.0	718	717	6.0	6.0	718	717	26.5	18.8	73.5	81.2	0.1	0.1	0.0	0.0
CH5070	8.3	6.0	6.0	722	721	6.0	6.0	722	721	27.6	18.2	72.4	81.8	0.1	0.1	0.0	0.0
CH5071	8.1	6.0	6.0	719	719	6.0	6.0	719	719	25.2	17.9	73.8	81.2	0.1	0.1	0.0	0.0
CH5072	8.1	6.0	6.0	718	717	6.0	6.0	718	717	25.6	18.9	74.4	81.1	0.1	0.1	0.0	0.0
CH5073	8.3	5.9	5.9	712	711	5.9	5.9	712	711	28.6	19.4	71.4	80.6	0.1	0.1	0.0	0.0
CH5074	8.2	6.0	6.0	717	716	6.0	6.0	717	716	26.9	18.3	73.1	81.7	0.1	0.1	0.0	0.0
CH5075	8.4	5.9	5.9	713	712	5.9	5.9	713	712	29.2	19.3	70.8	80.7	0.1	0.1	0.0	0.0
CH5076	8.5	6.0	6.0	721	720	6.0	6.0	721	720	29.0	18.0	71.0	82.0	0.1	0.1	0.0	0.0
CH5077	8.1	6.0	6.0	718	718	6.0	6.0	718	718	26.4	18.1	73.6	81.9	0.1	0.1	0.0	0.0
CH5078	8.2	6.0	6.0	720	719	6.0	6.0	720	719	27.0	17.9	73.0	82.1	0.1	0.1	0.0	0.0
CH5079	8.1	6.0	6.0	720	719	6.0	6.0	720	719	25.6	18.6	74.4	81.4	0.1	0.1	0.0	0.0
CH5080	8.3	6.0	6.0	720	720	6.0	6.0	720	720	27.7	18.4	72.3	81.6	0.1	0.1	0.0	0.0
CH6100	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.0	0.0	0.0	0.0
CH6101	8.0	5.7	5.7	689	688	5.7	5.7	689	688	28.2	21.9	71.8	78.1	0.2	0.2	0.0	0.0
CH6103	7.8	6.0	6.0	720	719	6.0	6.0	720	719	23.0	18.5	77.0	81.5	0.1	0.1	0.0	0.0
CH6104	8.1	5.3	5.3	639	639	5.3	5.3	639	639	34.1	28.5	65.9	71.5	0.0	0.0	0.0	0.0
CH6105	8.0	6.1	6.1	728	727	6.1	6.1	728	727	24.0	17.7	76.0	82.3	0.1	0.1	0.0	0.0
CH6106	7.8	5.9	5.9	703	702	5.9	5.9	703	702	25.1	19.4	74.9	80.6	0.1	0.1	0.0	0.0
CH6107	7.8	6.1	6.1	728	728	6.1	6.1	728	728	22.3	17.6	77.7	82.4	0.1	0.1	0.0	0.0
CH6108	7.8	6.0	6.0	723	723	6.0	6.0	723	723	23.0	18.2	77.0	81.8	0.1	0.1	0.0	0.0
CH6109	7.9	5.8	5.8	691	690	5.5	4.5	657	545	26.7	21.1	73.3	78.9	0.2	0.2	0.0	0.0
CH6110	7.8	6.1	6.1	729	729	6.1	6.1	729	729	21.9	17.5	78.1	82.5	0.1	0.1	0.0	0.0
CH6111	8.5	6.0	6.0	720	719	6.0	6.0	720	719	29.0	18.8	71.0	81.2	0.1	0.1	0.0	0.0
CH6112	7.9	6.0	6.0	720	720	6.0	6.0	720	720	23.9	18.5	76.1	81.5	0.1	0.1	0.0	0.0
CH6113	7.9	6.0	6.0	724	723	6.0	6.0	724	723	23.0	18.2	77.0	81.8	0.1	0.1	0.0	0.0
CH6114	7.8	6.1	6.1	733	732	6.1	6.1	733	732	21.7	17.1	78.3	82.9	0.1	0.1	0.0	0.0
CH6115	7.8	6.0	6.0	724	723	6.0	6.0	724	723	22.7	18.1	77.3	81.9	0.1	0.1	0.0	0.0
CH6116	7.8	5.8	5.7	689	684	5.8	5.7	689	684	25.8	19.8	74.2	80.2	0.2	0.2	0.4	0.5
CH6117	7.9	6.1	6.1	726	725	6.1	6.1	726	725	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
CH6118	8.1	5.4	5.4	646	645	5.4	5.4	646	645	33.4	26.9	66.6	73.1	0.2	0.2	0.0	0.0
CH6119	7.8	6.1	6.1	730	730	6.1	6.1	730	730	22.0	17.3	78.0	82.7	0.1	0.1	0.0	0.0
CH6120	7.9	6.0	6.0	721	720	6.0	6.0	721	720	23.7	18.5	76.3	81.5	0.1	0.1	0.0	0.0
CH6121	8.3	6.0	5.9	714	713	6.0	5.9	714	713	28.4	19.1	71.6	80.9	0.1	0.1	0.0	0.0
CH6122	8.9	6.1	6.1	734	734	6.1	6.1	734	734	30.8	16.6	69.2	83.4	0.1	0.1	0.0	0.0
CH6123	7.8	6.1	6.1	726	726	6.1	6.1	726	726	22.6	17.9	77.4	81.7	0.1	0.1	0.0	0.0
CH6124	8.0	6.1	6.1	728	728	6.1	6.1	728	728	21.0	17.0	78.0	83.0	0.1	0.1	0.0	0.0
CH6125	7.8	5.7	5.7	688	687	5.7	5.7	688	687	26.7	20.3						

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (L) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
CH8132	10.2	2.5	1.0	304	124	2.3	0.9	277	108	33.5	26.1	66.5	73.9	0.0	0.0	56.3	59.2
CH8133	10.9	2.1	0.8	252	92	2.1	0.8	252	92	35.6	26.1	64.4	73.9	0.0	0.0	57.4	63.7
CH8134	10.9	2.0	0.7	240	86	2.0	0.7	240	86	35.7	26.1	64.3	73.9	0.0	0.0	57.7	64.2
CH8135	9.7	1.8	0.6	218	77	1.8	0.6	218	77	28.6	26.1	71.4	73.9	0.0	0.0	64.7	64.8
CH9001	9.5	2.1	0.8	246	91	2.1	0.8	246	91	27.8	26.0	72.2	74.0	0.0	0.0	64.2	63.0
CH9002	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	25.9	71.9	74.1	0.0	0.0	63.3	62.2
CH9003	9.5	2.2	0.8	261	98	2.2	0.8	261	98	28.3	25.9	71.7	74.1	0.0	0.0	63.1	62.4
CH9004	9.5	2.0	0.8	245	93	2.0	0.8	245	93	28.7	26.6	71.3	73.4	0.0	0.0	63.1	62.1
CH9005	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	26.0	71.9	74.0	0.0	0.0	63.3	62.1
CH9006	9.5	2.0	0.7	238	87	2.0	0.7	238	87	27.9	25.2	72.1	73.8	0.0	0.0	64.4	63.3
CH9007	9.5	2.2	0.8	258	97	2.2	0.8	258	97	28.1	25.6	71.9	74.4	0.0	0.0	63.3	62.5
CH9008	9.5	2.1	0.8	253	95	2.1	0.8	253	95	28.2	25.8	71.8	74.2	0.0	0.0	63.5	62.5
CH9009	9.6	1.9	0.7	232	86	1.9	0.7	232	86	29.0	26.6	71.1	73.4	0.0	0.0	63.6	63.1
CH9010	9.5	2.1	0.8	246	93	2.1	0.8	246	93	28.7	26.4	71.3	73.6	0.0	0.0	63.1	62.3
CH9050	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
CH9051	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
CH9052	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.4
CH9053	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.3
CH9054	10.1	1.1	0.3	137	42	1.1	0.3	137	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.6
CH9061	10.0	1.1	0.3	132	41	1.1	0.3	132	41	29.8	26.1	70.2	73.9	0.0	0.0	66.7	68.7
CH9062	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.2
CH9063	10.0	1.1	0.3	129	41	1.1	0.3	129	41	29.8	26.4	70.2	73.6	0.0	0.0	66.7	67.9
CH9064	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
CH9065	10.1	0.8	0.3	101	31	0.8	0.3	101	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.7
CH9066	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.3	70.2	73.7	0.0	0.0	66.7	68.4
CH9067	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.9
CH9068	10.1	0.9	0.3	102	31	0.9	0.3	102	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.9
CH9069	10.0	1.1	0.3	131	41	1.1	0.3	131	41	29.8	26.4	70.2	73.6	0.0	0.0	66.7	68.3
CH9070	10.0	1.1	0.3	134	41	1.1	0.3	134	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	69.0
CH9071	10.1	1.1	0.3	132	42	1.1	0.3	132	42	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.4
CH9072	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
CH9073	10.1	0.9	0.3	102	31	0.9	0.3	102	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.9
CH9074	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	68.8
CH9075	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.1
CH9076	10.0	1.1	0.3	130	41	1.1	0.3	130	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.1
CP03	8.3	4.3	4.3	517	517	4.3	4.3	517	517	47.8	40.8	52.2	59.2	0.0	0.0	0.0	0.0
CP05	8.5	4.3	4.3	513	513	4.3	4.3	513	513	49.5	43.4	50.5	56.6	0.0	0.0	0.0	0.0
CP07	8.5	4.3	4.3	515	515	4.3	4.3	515	515	49.5	43.5	50.5	56.5	0.0	0.0	0.0	0.0
CP100	9.0	5.8	5.8	691	690	5.8	5.8	691	690	35.7	20.7	64.3	79.3	0.2	0.2	0.0	0.0
CP101	9.6	5.4	5.3	642	641	5.4	5.3	642	641	44.2	26.5	55.8	73.5	0.1	0.1	0.0	0.0
CP102	8.3	6.1	6.1	729	727	6.1	6.1	729	727	26.5	16.6	73.5	83.4	0.2	0.2	0.0	0.0
CP105	7.8	5.9	5.9	710	708	5.9	5.9	709	708	24.1	18.5	75.9	81.5	0.2	0.2	0.0	0.0
CP106	7.7	6.0	6.0	716	714	6.0	6.0	716	714	22.6	17.4	77.4	82.3	0.3	0.2	0.0	0.0
CP107	5.9	5.9	5.9	703	703	5.9	5.9	703	703	25.0	17.5	75.0	81.3	0.2	0.2	0.0	0.0
CP108	8.1	5.3	5.3	639	639	5.3	5.3	639	639	34.1	28.5	65.9	71.5	0.0	0.0	0.0	0.0
CP109	7.8	6.0	6.0	716	716	6.0	6.0	716	716	22.9	17.7	77.1	82.3	0.1	0.1	0.0	0.0
CP110	7.8	5.6	5.6	673	672	5.6	5.6	673	672	28.3	22.5	71.7	77.5	0.2	0.2	0.0	0.0
CP111	7.9	5.8	5.8	696	695	5.8	5.8	696	695	26.3	19.8	73.7	80.2	0.1	0.1	0.0	0.0
CP112	7.8	5.9	5.9	708	707	5.9	5.9	708	707	23.9	18.3	76.1	81.7	0.2	0.2	0.0	0.0
CP113	7.8	5.8	5.8	697	696	5.8	5.8	697	696	25.7	19.5	74.3	80.5	0.2	0.2	0.0	0.0
CP114	7.8	6.0	6.0	725	724	6.0	6.0	725	724	22.0	16.4	78.0	83.6	0.2	0.2	0.0	0.0
CP120	8.0	5.8	5.8	694	692	5.8	5.8	694	692	27.9	19.9	72.1	80.1	0.3	0.3	0.0	0.0
CP121	7.9	5.9	5.9	703	701	5.9	5.9	703	701	25.9	19.0	74.1	81.0	0.2	0.2	0.0	0.0
CP122	7.8	5.9	5.9	712	711	5.9	5.9	712	711	23.9	17.8	76.1	82.2	0.2	0.2	0.0	0.0
CP130	8.2	5.8	5.8	700	697	5.8	5.8	700	697	29.0	19.6	71.0	80.4	0.3	0.3	0.0	0.0
CP131	8.0	6.1	6.1	728	726	6.1	6.1	728	726	24.1	16.1	75.9	83.9	0.2	0.2	0.0	0.0
CP132	9.6	5.4	5.4	653	652	5.4	5.4	653	652	43.2	24.5	56.8	75.5	0.1	0.2	0.0	0.0
CP133	8.1	5.6	5.6	670	669	5.6	5.6	670	669	30.5	23.0	69.5	77.0	0.2	0.2	0.0	0.0
CP134	7.8	5.9	5.9	713	711	5.9	5.9	713	711	23.8	17.9	76.2	82.1	0.2	0.2	0.0	0.0
CP135	5.9	5.7	5.7	681	680	5.7	5.7	681	680	24.1	17.9	74.1	78.4	0.2	0.2	0.0	0.0
CP140	7.8	5.7	5.7	688	687	5.7	5.7	688	687	26.7	20.3	73.3	79.7	0.2	0.2	0.0	0.0
CP141	7.9	5.5	5.5	664	662	5.5	5.5	664	662	30.2	23.3	69.8	76.7	0.2	0.2	0.0	0.0
CP150	7.9	5.7	5.7	687	686	5.7	5.7	687	686	27.2	21.4	72.8	78.6	0.1	0.1	0.0	0.0
CP151	7.8	5.8	5.7	689	684	5.8	5.7	689	684	25.8	19.8	74.2	80.2	0.2	0.2	0.0	0.4
CP152	7.8	5.9	5.8	702	700	5.9	5.8	702	700	25.3	19.0	74.7	81.0	0.2	0.2	0.0	0.5
CP153	7.8	5.9	5.9	703	702	5.9	5.9	703	702	24.8	19.1	75.2	80.9	0.2	0.2	0.0	0.0
CP154	7.9	5.7	5.7	684	683	5.7	5.7	684	683	27.4	21.1	72.6	78.9	0.2	0.2	0.0	0.0
CP155	7.8	5.7	5.7	686	685	5.7	5.7	686	685	26.9	20.9	73.1	79.1	0.2	0.2	0.0	0.0
CP156	8.0	5.5	5.5	662	661	5.5	5.5	662	661	31.3	24.0	68.7	76.0	0.2	0.2	0.0	0.0
CP157	7.8	5.8	5.8	697	696	5.8	5.8	697	696	25.8	19.4	74.2	80.6	0.2	0.2	0.0	0.0
CP158	8.1	6.0	6.0	720	720	6.0	6.0	720	720	26.1	17.4	73.9	82.6	0.0	0.0	0.0	0.0
CP160	7.8	5.9	5.9	705	704	5.9	5.9	705	704	24.0	19.0	76.0	81.0	0.2	0.2	0.0	0.0
CP162	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.2	0.2	0.0	0.0
CP163	7.8	6.0	5.9	714	713	6.0	5.9	714	713	23.3	17.7	76.7	82.3	0.2	0.2	0.0	0.0
CP164	7.8	5.9	5.9	713	712	5.9	5.9	713	712	23.7	17.8	76.3	82.2	0.1	0.1	0.0	0.0
CP170	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.5	20.9	68.5	79.1	0.2	0.2	0.0	0.0
CP180	8.0	6.1	6.1	728	727	6.1	6.1	728	727	24.1	17.9	74.1	82.1	0.3	0.2	0.0	0.0
CP190	8.0	6.4	6.4	769	767	6.4	6.4	769	767	15.8	11.9	84.2	88.1	0.3	0.3	0.0	0

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
CP285	8.0	5.8	5.8	697	695	5.8	5.8	697	695	27.2	19.7	72.8	80.3	0.2	0.2	0.0	0.0
CP286	8.0	5.9	5.9	710	708	5.9	5.9	710	708	25.7	18.3	74.3	81.7	0.2	0.2	0.0	0.0
CP287	8.0	5.8	5.8	699	698	5.8	5.8	699	698	27.2	19.4	72.8	80.6	0.2	0.2	0.0	0.0
CP288	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
CP289	8.0	5.9	5.9	703	701	5.9	5.9	703	701	26.7	19.0	73.3	81.0	0.2	0.2	0.0	0.0
CP290	7.9	5.9	5.9	707	705	5.9	5.9	707	705	25.7	18.6	74.3	81.4	0.2	0.2	0.0	0.0
CP291	8.3	5.7	5.7	683	681	5.7	5.7	683	681	31.4	21.4	68.6	78.6	0.2	0.2	0.0	0.0
CP75	7.3	7.3	7.3	879	879	7.3	7.3	879	879	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CP85	7.6	7.6	7.6	919	919	7.6	7.6	919	919	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CP95	7.6	7.6	7.6	908	908	7.6	7.6	908	908	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CRV21AM	9.9	1.8	1.1	213	133	1.8	1.1	213	133	43.2	44.2	56.8	55.8	0.0	0.0	45.6	37.8
CS8405	8.7	1.9	1.5	225	184	1.9	1.5	225	184	66.0	59.1	34.0	40.9	0.0	0.0	16.3	18.1
CS8407	8.7	1.9	1.5	225	183	1.9	1.5	225	183	66.0	59.6	34.0	40.4	0.0	0.0	16.5	18.5
CS8410	9.1	0.4	0.3	47	35	0.4	0.3	47	35	75.0	70.7	25.0	29.3	0.0	0.0	21.8	25.4
CS9410	8.0	3.3	2.2	391	269	3.3	2.2	391	269	46.1	39.5	53.9	60.5	0.0	0.0	25.8	31.1
CS9420	8.3	3.2	2.9	388	347	3.2	2.9	388	347	56.6	50.7	43.4	49.3	0.0	0.0	8.5	10.6
CS9430	8.2	3.2	2.2	380	265	3.2	2.2	380	265	48.6	40.2	51.4	59.8	0.0	0.0	24.4	30.2
CS9440	8.0	4.2	4.1	501	486	4.2	4.1	501	486	47.0	38.6	53.0	61.4	0.0	0.0	2.5	3.0
CT7400	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
CT7700-G	7.7	4.2	2.8	499	331	4.2	2.8	499	331	35.1	29.0	64.9	71.0	0.0	0.0	29.1	33.8
CT7775	8.1	4.6	4.6	554	554	4.6	4.6	554	554	43.2	36.3	56.8	63.7	0.0	0.0	0.0	0.0
CV21	9.2	2.1	1.0	257	118	2.1	1.0	257	118	33.1	31.8	66.9	68.2	0.0	0.0	56.2	54.0
CXA4405Q	9.3	1.9	0.5	224	55	1.9	0.5	224	55	15.5	17.6	84.5	82.4	0.0	0.0	79.5	75.2
CXC7706G	9.0	2.2	1.1	263	133	2.2	1.1	263	133	36.0	34.4	64.0	65.6	0.0	0.0	51.7	49.3
CXH8802Q	8.9	1.2	0.8	148	96	1.2	0.8	148	96	58.0	53.1	42.0	46.9	0.0	0.0	33.0	35.2
CXH8803Q	9.7	1.5	1.1	175	133	1.5	1.1	175	133	60.9	61.1	39.1	38.9	0.0	0.0	27.7	24.1
CXP4400S	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
CXP4431G	13.2	1.4	0.8	173	97	1.4	0.8	173	97	61.5	45.0	38.5	55.0	0.0	0.0	32.4	43.9
CXR035G	8.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
CXR036	9.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
CXR036G	9.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
CXT1003G	6.9	6.9	6.9	821	821	6.9	6.9	821	821	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CXT200G	6.0	6.0	6.0	717	717	6.0	6.0	717	717	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
CXT202DR	6.8	6.8	5.4	819	650	6.8	5.4	819	650	0.0	0.0	100.0	100.0	0.0	0.0	20.0	20.6
CXT202G	6.8	6.8	5.4	819	650	6.8	5.4	819	650	0.0	0.0	100.0	100.0	0.0	0.0	20.0	20.6
CXT202G5	6.8	6.8	5.4	819	650	6.8	5.4	819	650	0.0	0.0	100.0	100.0	0.0	0.0	20.0	20.6
CXT207DR	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
CXT207G	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
CXT207G5	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
D-101	14.1	3.2	3.0	385	356	3.2	3.0	385	356	72.9	52.0	27.1	48.0	0.0	0.0	6.1	7.8
D-102	8.8	3.8	3.5	455	416	3.8	3.5	455	416	49.9	43.8	50.1	56.2	0.0	0.0	10.8	8.6
D-103	9.5	3.4	3.3	410	395	3.4	3.3	410	395	60.9	51.7	39.1	48.3	0.0	0.0	4.2	3.6
D-104	9.4	3.0	2.9	355	346	3.0	2.9	355	346	66.2	57.1	33.8	42.9	0.1	0.1	3.0	2.5
D-105	9.4	3.4	3.3	398	357	3.3	3.0	398	357	55.0	48.5	44.0	51.5	0.0	0.0	12.3	10.0
D-106	9.0	3.2	3.0	389	365	3.2	3.0	389	365	58.6	52.4	41.5	47.6	0.0	0.0	7.5	6.0
D-107	8.5	4.0	4.0	477	477	4.0	4.0	477	477	52.9	44.8	47.1	55.2	0.0	0.0	0.0	0.0
D-108	8.8	3.5	3.3	418	390	3.5	3.3	418	390	54.5	49.2	45.5	50.8	0.0	0.0	8.3	6.5
D-109	9.1	3.4	3.1	411	370	3.4	3.1	411	370	53.8	47.8	46.2	52.3	0.0	0.0	12.0	9.8
D-110	9.1	3.2	3.1	382	369	3.2	3.1	382	369	61.9	55.0	38.1	45.0	0.0	0.0	4.3	3.5
D-111	8.8	3.3	3.0	401	363	3.3	3.0	401	363	53.3	49.2	46.7	50.8	0.0	0.0	12.2	9.6
D-112	12.1	3.1	3.0	367	354	3.1	3.0	367	354	72.3	56.2	27.7	43.8	0.2	0.3	3.0	3.2
D-113	9.0	3.5	3.3	420	394	3.5	3.3	420	394	56.1	49.4	43.9	50.6	0.0	0.0	7.5	6.1
D-114	9.2	3.0	2.7	357	321	3.0	2.7	357	321	58.3	53.2	41.7	46.8	0.1	0.1	12.4	10.2
D-115	8.4	3.9	3.9	472	472	3.9	3.9	472	472	53.3	45.0	46.7	55.0	0.0	0.0	0.0	0.0
D-116	14.0	3.6	3.1	427	377	3.6	3.1	427	377	68.1	44.6	31.9	55.4	0.0	0.0	9.4	11.8
D-117	8.3	3.5	3.3	422	400	3.5	3.2	422	400	53.3	49.0	46.7	51.0	0.0	0.0	6.7	5.3
D-118	13.2	2.9	2.8	344	336	2.8	2.7	344	320	76.8	59.7	23.2	40.3	0.0	0.0	1.9	2.3
D-119	9.2	3.0	2.9	363	350	3.0	2.8	363	355	56.2	44.4	56.2	43.8	0.0	0.0	3.9	3.5
D-120	8.4	4.1	4.1	487	487	4.1	4.1	487	487	51.8	43.6	48.2	56.4	0.0	0.0	0.0	0.0
D-121	10.0	3.5	3.5	436	423	3.5	3.5	436	423	64.5	47.4	35.9	57.6	0.0	0.0	3.5	3.1
D-122	10.0	3.5	3.0	425	365	3.5	3.0	425	365	53.9	43.3	46.1	56.7	0.0	0.0	15.8	14.2
D-125	8.9	3.2	2.9	384	347	3.2	2.9	384	347	55.5	51.1	44.5	48.9	0.0	0.0	12.0	9.6
D-126	9.3	2.9	2.6	343	312	2.9	2.6	343	312	61.0	55.1	39.0	44.9	0.0	0.0	11.0	9.2
D-127	8.7	3.7	3.0	438	359	3.7	3.0	438	359	51.3	38.1	48.7	61.9	0.0	0.0	14.3	17.9
D-128	8.8	3.5	2.8	418	333	3.5	2.8	418	333	52.7	39.6	47.3	60.4	0.0	0.0	15.6	20.3
DIA1-01A	6.8	6.8	5.8	814	697	6.8	5.8	814	697	0.0	0.0	100.0	100.0	0.0	0.0	14.0	14.4
DIA104-4	8.3	4.7	4.7	560	560	4.7	4.7	560	560	44.0	37.9	56.0	62.1	0.0	0.0	0.0	0.0
DIA1-05A	6.8	6.8	5.8	814	697	6.8	5.8	814	697	0.0	0.0	100.0	100.0	0.0	0.0	14.0	14.4
DIA1-16A	6.8	6.8	5.8	814	697	6.8	5.8	814	697	0.0	0.0	100.0	100.0	0.0	0.0	14.0	14.4
DIA1-53A	6.8	6.8	5.8	814	697	6.8	5.8	814	697	0.0	0.0	100.0	100.0	0.0	0.0	14.0	14.4
DIA2-01A	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
DIA2-05A	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
DIA2-16A	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
DIA2-53A	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
DIAA100-4	7.9	4.6	4.6	550	550	4.6	4.6	550	550	42.2	34.6	57.8	64.4	0.0	0.0	0.0	0.0
DIAA102-4	8.9	1.2	0.8	148	96	1.2	0.8	148	96	58.0	53.1	42.0	46.9	0.0	0.0	33.0	35.2
DIAA103-4	9.7	1.5	1.1	175	133	1.5	1.1	175	133	60.9	61.1	39.1	38.9	0.0	0.0	27.7	24.1
DIAA104-4	8.3	4.7	4.7	560	560	4.7	4.7	560	560	44.0	3						

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
DTP7200	7.5	5.4	4.5	645	544	5.4	4.5	645	544	24.3	19.3	75.7	80.7	0.0	0.0	15.3	15.7
DTP7320	7.4	5.6	3.2	670	384	5.6	3.2	670	384	13.8	11.2	86.2	88.8	0.0	0.0	43.1	42.6
DTP7326	8.3	5.4	4.6	642	552	5.4	4.6	642	552	32.5	19.7	67.5	80.3	0.0	0.0	12.3	14.0
DTP7330	7.6	5.0	3.2	603	386	5.0	3.2	603	386	21.9	17.8	78.1	82.2	0.0	0.0	35.5	36.0
DTP7375	6.9	6.6	6.6	786	786	6.6	6.6	786	786	5.2	4.0	94.8	96.0	0.0	0.0	0.0	0.0
DTP7424	7.9	5.0	4.3	598	516	5.0	4.3	598	516	33.1	24.6	66.9	75.4	0.1	0.1	12.6	13.6
DTP7701	7.8	5.5	5.1	663	616	5.5	5.1	663	616	27.4	18.6	72.6	81.4	0.0	0.0	6.7	7.1
DTP7720	8.6	5.3	4.7	634	563	5.3	4.7	633	562	35.8	21.2	64.2	78.8	0.0	0.0	9.5	11.1
DTP7727	7.5	5.8	4.6	691	546	5.8	4.6	691	546	19.0	13.2	81.0	86.8	0.0	0.0	20.6	21.0
DTP8320	7.6	4.1	3.2	494	382	4.1	3.2	494	382	37.7	30.7	62.3	69.3	0.0	0.0	20.6	22.7
DTP8330	7.6	5.0	3.2	601	386	5.0	3.2	601	386	21.9	17.7	78.1	82.3	0.0	0.0	35.5	35.8
DTP8375	7.1	6.4	6.4	762	762	6.4	6.4	762	762	10.3	8.1	89.7	91.9	0.0	0.0	0.0	0.0
DX025	9.7	0.6	0.2	75	22	0.6	0.2	75	22	26.9	26.1	73.1	73.9	0.0	0.0	71.2	71.3
DX040	8.0	6.2	6.2	740	740	6.2	6.2	740	740	22.9	16.2	77.1	83.8	0.1	0.1	0.0	0.0
DX056	7.8	6.1	6.1	731	730	6.1	6.1	731	730	21.3	17.3	78.7	82.7	0.1	0.1	0.0	0.0
DX165	8.5	7.9	0.6	950	66	7.9	0.6	950	66	0.0	0.0	100.0	100.0	0.0	0.0	93.5	93.0
DX175	9.2	7.9	0.6	950	72	7.9	0.6	950	72	0.0	0.0	100.0	100.0	0.0	0.0	93.5	92.5
DX185	10.0	7.9	0.6	950	75	7.9	0.6	950	75	0.0	0.0	100.0	100.0	0.0	0.0	93.8	92.2
DX195	10.9	7.9	0.6	947	75	7.9	0.6	947	75	0.0	0.0	100.0	100.0	0.0	0.0	94.3	92.1
DX207	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
DX215	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
DX225	11.6	4.2	4.2	502	501	3.5	2.8	421	341	63.9	43.9	36.1	56.9	0.2	0.3	0.0	0.0
DX226	10.8	4.4	4.1	523	491	4.4	4.1	523	491	58.2	36.4	41.8	63.6	0.9	1.2	3.0	4.9
DX227	10.7	4.3	4.1	519	491	4.3	4.1	519	491	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
DX228	10.7	4.3	4.1	520	492	4.3	4.1	520	492	58.3	36.9	41.7	63.1	0.3	0.4	3.0	4.9
DX230	11.5	4.2	4.2	503	502	3.5	2.8	420	340	63.4	43.8	36.6	56.2	0.2	0.3	0.0	0.0
DX235	11.2	4.2	4.2	503	502	3.5	2.8	418	336	62.4	44.0	37.6	56.0	0.2	0.3	0.0	0.0
DX252	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
DX267	13.5	2.2	1.4	261	168	2.2	1.4	261	168	61.3	44.6	38.7	55.4	0.1	0.2	28.2	35.5
DX277	11.7	2.4	1.1	286	137	2.4	1.1	286	137	45.0	31.5	55.0	68.5	0.1	0.1	45.2	52.0
DX311	9.5	2.1	0.8	246	93	2.1	0.8	246	93	28.7	26.4	71.3	73.6	0.0	0.0	63.1	62.3
DX312	9.6	1.9	0.7	232	86	1.9	0.7	232	86	29.0	26.6	71.1	73.4	0.0	0.0	63.6	63.1
DX313	9.5	2.0	0.8	245	93	2.0	0.8	245	93	28.7	26.6	71.3	73.4	0.0	0.0	63.1	62.1
DX314	9.5	2.2	0.8	261	98	2.2	0.8	261	98	28.3	25.9	71.7	74.1	0.0	0.0	63.1	62.4
DX315	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	25.9	71.9	74.1	0.0	0.0	63.3	62.2
DX316	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	26.0	71.9	74.0	0.0	0.0	63.3	62.1
DX317	9.5	2.1	0.8	246	91	2.1	0.8	246	91	27.8	26.0	72.2	74.0	0.0	0.0	64.2	63.0
DX318	9.5	2.0	0.7	238	87	2.0	0.7	238	87	27.9	26.2	72.1	73.8	0.0	0.0	64.4	63.3
DX319	9.5	2.1	0.8	253	95	2.1	0.8	253	95	28.2	25.8	71.8	74.2	0.0	0.0	63.5	62.5
DX320	9.5	2.2	0.8	258	97	2.2	0.8	258	97	28.1	25.6	71.9	74.4	0.0	0.0	63.3	62.5
DX330	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.3
DX331	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
DX332	10.1	1.1	0.3	137	42	1.1	0.3	137	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.6
DX333	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
DX335	10.0	1.1	0.3	129	41	1.1	0.3	129	41	29.8	26.4	70.2	73.6	0.0	0.0	66.7	67.9
DX336	10.1	1.1	0.3	132	42	1.1	0.3	132	42	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.4
DX337	10.0	1.1	0.3	134	41	1.1	0.3	134	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	69.0
DX338	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.4
DX340	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.3	70.2	73.7	0.0	0.0	66.7	68.4
DX341	10.0	1.1	0.3	130	41	1.1	0.3	130	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.1
DX342	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
DX343	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
DX344	10.1	0.9	0.3	102	31	0.9	0.3	102	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.9
DX345	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	68.8
DX350	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.9
DX352	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.2
DX353	10.1	0.8	0.3	101	31	0.8	0.3	101	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.7
DX354	10.0	1.1	0.3	132	41	1.1	0.3	132	41	29.8	26.1	70.2	73.9	0.0	0.0	66.7	68.7
DX360	10.1	0.9	0.3	102	31	0.9	0.3	102	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.9
DX361	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.1
DX362	10.0	1.1	0.3	131	41	1.1	0.3	131	41	29.8	26.4	70.2	73.6	0.0	0.0	66.7	68.3
DX400	9.3	1.4	0.5	170	56	1.4	0.5	170	56	26.1	26.0	73.9	74.0	0.0	0.0	68.9	67.1
DX401	10.9	2.0	0.7	240	86	2.0	0.7	240	86	35.7	26.1	64.3	73.9	0.0	0.0	57.7	64.2
DX402	9.5	1.6	0.5	191	65	1.6	0.5	191	65	27.2	26.1	72.8	73.9	0.0	0.0	67.1	66.1
DX403	10.9	2.1	0.8	252	92	2.1	0.8	252	92	35.6	26.1	64.4	73.9	0.0	0.0	57.4	63.7
DX405	9.2	2.6	1.1	314	130	2.6	1.1	314	130	27.7	26.3	72.3	73.7	0.0	0.0	60.5	58.7
DX407	9.3	1.7	0.6	206	71	1.7	0.6	206	71	26.2	26.0	73.8	74.0	0.0	0.0	67.4	65.5
DX410	10.2	2.5	1.0	304	124	2.3	0.9	277	108	33.5	26.1	66.5	73.9	0.0	0.0	56.3	59.2
DX465	10.4	2.4	0.9	287	111	2.4	0.9	287	111	33.6	25.9	66.4	74.1	0.1	0.1	57.5	61.2
DX466	9.7	1.8	0.6	218	77	1.8	0.6	218	77	28.6	26.1	71.4	73.9	0.0	0.0	64.7	64.8
DX467	10.6	2.4	0.9	288	113	2.4	0.9	288	113	35.8	25.9	64.2	74.1	0.0	0.0	55.4	60.9
DX470	9.2	2.5	1.0	296	119	2.5	1.0	296	119	27.7	26.1	72.3	73.9	0.0	0.0	61.6	59.6
DX471	9.3	2.5	1.0	294	118	2.5	1.0	294	118	28.7	26.0	71.3	74.0	0.0	0.0	60.7	59.7
DX472	9.3	2.0	0.7	239	87	2.0	0.7	239	87	26.8	26.1	73.2	73.9	0.0	0.0	65.4	63.7
DX473	9.3	2.6	1.0	310	125	2.6	1.0	310	125	27.9	26.0	72.1	74.0	0.0	0.0	60.9	59.6
DX474	9.3	2.4	1.0	291	114	2.4	1.0	291	114	27.1	26.0	72.9	74.0	0.0	0.0	62.6	60.8
DX475	9.3	1.9	0.7	233	84	1.9	0.7	233	84	25.6	26.0	73.4	74.0	0.0	0.0	64.0	64.0
DX480	9.3	2.4	0.9	283	111	2.4	0.9	283	111	27.4	26.1	72.6	73.9</				

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
DX702	8.9	6.1	6.1	734	734	6.1	6.1	734	734	30.8	16.6	69.2	83.4	0.1	0.1	0.0	0.0
DX705	7.9	5.8	5.8	691	690	5.5	4.5	657	545	26.7	21.1	73.3	78.9	0.2	0.2	0.0	0.0
DX706	8.1	5.3	5.3	639	639	5.3	5.3	639	639	34.1	28.5	65.9	71.5	0.0	0.0	0.0	0.0
DX707	7.8	6.0	6.0	720	719	6.0	6.0	720	719	23.0	18.5	77.0	81.5	0.1	0.1	0.0	0.0
DX708	7.9	5.9	5.9	705	704	5.9	5.9	705	704	25.0	20.0	75.0	80.0	0.2	0.2	0.0	0.0
DX710	8.4	6.0	6.0	716	716	6.0	6.0	716	716	28.9	18.8	71.1	81.2	0.1	0.1	0.0	0.0
DX755	7.9	6.1	6.1	729	729	6.1	6.1	729	729	22.8	17.5	77.2	82.5	0.1	0.1	0.0	0.0
DX756	7.8	5.7	5.7	688	687	5.7	5.7	688	687	26.7	20.3	73.3	79.7	0.2	0.2	0.0	0.0
DX757	7.9	6.0	6.0	716	716	6.0	6.0	716	716	24.2	19.1	75.8	80.9	0.1	0.1	0.0	0.0
DX758	7.8	5.8	5.7	689	684	5.8	5.7	689	684	25.2	19.8	74.2	80.2	0.2	0.2	0.0	0.0
DX766	8.1	5.7	5.7	686	686	5.7	5.7	686	686	29.4	22.5	70.6	77.5	0.1	0.1	0.0	0.0
DX767	8.5	6.0	6.0	720	719	6.0	6.0	720	719	29.0	18.8	71.0	81.2	0.1	0.1	0.0	0.0
DX771	8.0	6.1	6.1	728	727	6.1	6.1	728	727	24.0	17.7	76.0	82.3	0.1	0.1	0.0	0.0
DX773	7.9	6.1	6.1	727	726	6.1	6.1	727	726	23.2	17.8	76.8	82.2	0.1	0.1	0.0	0.0
DX774	8.3	6.0	5.9	714	713	6.0	5.9	714	713	28.4	19.1	71.6	80.9	0.1	0.1	0.0	0.0
DX775	7.8	6.1	6.1	726	726	6.1	6.1	726	726	22.6	17.9	77.4	82.1	0.1	0.1	0.0	0.0
DX777	7.8	6.2	6.2	743	743	6.2	6.2	743	743	20.7	15.6	79.3	84.4	0.1	0.1	0.0	0.0
DX780	7.9	6.0	6.0	724	723	6.0	6.0	724	723	23.0	18.2	77.0	81.8	0.1	0.1	0.0	0.0
DX781	7.8	6.0	6.0	724	723	6.0	6.0	724	723	22.7	18.1	77.3	81.9	0.1	0.1	0.0	0.0
DX783	7.8	6.1	6.1	728	728	6.1	6.1	728	728	22.3	17.6	77.7	82.4	0.1	0.1	0.0	0.0
DX784	7.8	6.1	6.1	729	729	6.1	6.1	729	729	21.9	17.5	78.1	82.5	0.1	0.1	0.0	0.0
DX785	7.8	6.0	6.0	723	723	6.0	6.0	723	723	23.0	18.2	77.0	81.8	0.1	0.1	0.0	0.0
DX786	7.9	6.0	6.0	719	718	6.0	6.0	719	718	24.0	18.2	76.0	81.8	0.1	0.1	0.0	0.0
DX787	7.9	6.0	6.0	720	720	6.0	6.0	720	720	23.9	18.5	76.1	81.5	0.1	0.1	0.0	0.0
DX788	8.2	6.0	6.0	720	720	6.0	6.0	720	720	26.8	18.6	73.2	81.4	0.1	0.1	0.0	0.0
DX789	8.0	5.7	5.7	689	688	5.7	5.7	689	688	28.2	21.9	71.8	78.1	0.2	0.2	0.0	0.0
DX790	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.0	0.0	0.0	0.0
DX791	8.0	6.1	6.1	729	728	6.1	6.1	729	728	24.0	17.0	76.0	83.0	0.1	0.1	0.0	0.0
DX792	7.8	6.1	6.1	730	730	6.1	6.1	730	730	22.0	17.3	78.0	82.7	0.1	0.1	0.0	0.0
DX793	7.9	6.1	6.1	726	725	6.1	6.1	726	725	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
DX794	8.0	6.0	6.0	717	717	6.0	6.0	717	717	25.0	18.1	75.0	81.9	0.1	0.1	0.0	0.0
DX795	8.1	5.4	5.4	646	645	5.4	5.4	646	645	33.4	26.9	66.6	73.1	0.2	0.2	0.0	0.0
DX796	7.8	5.9	5.9	703	702	5.9	5.9	703	702	25.1	19.4	74.9	80.6	0.1	0.1	0.0	0.0
DX797	7.9	6.0	6.0	721	720	6.0	6.0	721	720	23.7	18.5	76.3	81.5	0.1	0.1	0.0	0.0
DX798	7.8	6.1	6.1	733	732	6.1	6.1	733	732	21.7	17.1	78.3	82.9	0.1	0.1	0.0	0.0
DX799	7.8	6.1	6.1	731	730	6.1	6.1	731	730	21.7	17.2	78.3	82.8	0.1	0.1	0.0	0.0
DX800	7.8	3.7	2.5	440	299	3.7	2.5	440	299	41.2	35.0	58.8	65.0	0.0	0.0	27.0	32.1
DX822	8.1	3.7	2.5	446	302	3.7	2.5	446	302	37.3	32.2	62.7	67.8	0.0	0.0	31.6	32.3
DX-8510	10.8	1.1	0.4	134	54	1.1	0.4	134	54	35.5	34.5	64.5	65.5	0.4	0.5	60.0	59.2
DX-8515	10.9	1.2	0.5	139	55	1.2	0.5	139	55	35.0	33.4	65.0	66.6	0.4	0.5	60.4	60.3
DX-8545	11.3	1.0	0.4	124	52	1.0	0.4	124	52	40.6	36.6	59.4	63.4	0.3	0.5	55.2	57.5
DX-85844C	11.0	1.0	0.4	123	48	1.0	0.4	123	48	36.1	34.0	63.9	66.0	0.4	0.5	59.9	60.3
DX-85844D	11.8	1.0	0.4	126	52	1.0	0.4	126	52	42.1	35.7	57.9	64.3	0.3	0.5	53.9	58.1
DX-85844W	12.6	1.5	0.5	123	54	1.5	0.5	123	54	48.2	38.2	51.8	61.8	0.4	0.4	47.9	55.4
DX-8599	10.4	0.0	0.0	0	0	0.0	0.0	0	0	43.2	46.9	56.8	53.1	0.0	0.0	56.8	53.1
DX862	8.8	2.6	1.7	313	201	2.6	1.7	313	201	41.9	39.5	58.1	60.5	0.0	0.0	39.1	35.6
DX880	9.2	1.5	0.6	178	72	1.5	0.6	177	72	33.5	32.2	66.5	67.8	0.0	0.0	60.0	59.7
DX882	9.0	2.2	1.1	263	133	2.2	1.1	263	133	36.0	34.4	64.0	65.6	0.0	0.0	51.7	49.3
DX900	8.1	4.6	4.6	555	555	4.6	4.6	555	555	42.7	36.1	57.3	63.9	0.0	0.0	0.0	0.0
DX901	8.0	4.9	4.9	584	584	4.9	4.9	584	584	38.9	32.6	61.1	67.4	0.0	0.0	0.0	0.0
DX902	8.2	4.9	4.9	593	593	4.9	4.9	593	593	39.8	34.4	60.2	65.6	0.0	0.0	0.0	0.0
DX903	8.3	5.0	5.0	605	605	5.0	5.0	605	605	38.8	33.7	61.2	66.3	0.0	0.0	0.0	0.0
DX954	10.0	0.3	0.2	41	21	0.3	0.2	41	21	44.8	46.4	55.2	53.6	0.0	0.0	53.5	48.0
DX955	10.1	0.5	0.2	55	26	0.5	0.2	55	26	41.3	43.2	58.7	56.8	0.0	0.0	56.5	53.9
EA2000	9.2	2.1	1.1	253	128	2.1	1.1	253	128	35.6	34.9	64.4	65.1	0.0	0.0	52.7	49.3
EA2075	9.7	3.1	1.6	366	196	3.1	1.6	366	196	27.9	28.0	72.1	72.0	0.0	0.0	55.2	46.4
EC-0050	8.8	0.0	0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
EC-0075	10.1	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
EC-4000C-41	8.6	0.6	0.2	74	27	0.6	0.2	74	27	64.7	64.7	66.2	61.6	0.4	0.4	0.4	0.4
EC-4000M-41	9.1	0.6	0.3	72	31	0.6	0.3	72	31	53.3	53.3	56.3	53.0	0.4	0.4	0.4	0.4
EC-8000C	10.7	0.6	0.3	76	33	0.6	0.3	76	33	53.3	40.5	46.7	59.5	0.4	0.6	0.6	0.6
EC-8000M	11.2	0.6	0.3	72	33	0.6	0.3	72	33	57.2	42.7	42.8	57.3	0.4	0.6	0.6	0.6
EC-9025	7.4	7.4	7.4	892	892	7.4	7.4	892	892	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
EC-9050	7.5	7.5	7.5	901	901	7.5	7.5	901	901	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
EC-9075	7.7	7.7	7.7	923	923	7.7	7.7	923	923	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
EX-1700	7.1	5.2	5.1	622	607	5.2	5.1	622	607	26.7	17.5	73.3	82.5	0.0	0.0	2.2	2.4
EZ01	9.7	1.7	0.4	204	51	1.7	0.4	204	51	31.0	19.0	69.0	81.0	64.1	74.4	0.5	0.7
EZ02	8.8	2.0	0.4	241	45	2.0	0.4	241	45	18.4	13.1	81.6	86.9	76.7	80.5	0.6	0.8
EZ03	8.7	2.1	0.4	248	51	2.1	0.4	248	51	18.2	14.4	81.8	85.6	76.4	78.9	0.4	0.6
EZ04	8.5	1.3	0.2	157	22	1.3	0.2	157	22	13.2	11.5	86.8	88.5	84.3	85.3	0.3	0.4
EZ05	8.6	0.1	0.0	10	2	0.1	0.0	10	2	18.0	15.6	82.0	84.4	81.6	84.0	0.2	0.2
EZ06	8.4	1.6	0.2	191	25	1.6	0.2	191	25	11.5	10.0	88.5	90.0	85.6	86.5	0.4	0.4
EZ07	8.4	2.0	0.3	244	33	2.0	0.3	245	33	10.7	9.3	89.3	90.7	85.5	85.9	0.5	0.6
EZ101	8.8	3.0	0.8	361	101	3.0	0.8	361	101	21.8	15.9	78.2	84.1	68.3	71.5	0.3	0.4
EZ102	8.8	3.0	0.8	361	101	3.0	0.8	361	101	21.8	15.9	78.2	84.1	68.2	71.5	0.3	0.4
EZ103	8.8	3.0	0.8	360	98	3.0	0.8	360	98	21.4	15.6	78.6	84.4	68.9	72.2	0.3	0.4
EZ104	8.8	3.0	0.8	359	101	3.0	0.8	359	101	22.5	16.9	77.5	83.3	67.6	71.4	0.3	0.4
EZ105	8.8	3.0	0.8	360	101	3.0	0.8	360	101	21.7	15.8	78.3	84.2	68.3	71.7	0.3	0.4
EZ106																	

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (L) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
E245	8.5	1.5	0.2	176	26	1.5	0.2	176	26	14.4	11.7	85.6	88.3	82.6	84.8	0.4	0.5
E246	8.7	1.7	0.4	207	43	1.7	0.4	207	43	19.5	15.5	80.5	84.5	76.0	78.8	0.4	0.5
EZ53	8.5	1.7	0.3	209	38	1.7	0.3	209	38	16.3	13.8	83.7	86.2	79.6	81.5	0.4	0.5
EZ54	8.5	1.9	0.3	224	34	1.9	0.3	224	34	13.4	11.2	86.6	88.8	82.9	84.4	0.3	0.4
EZ60	8.7	1.7	0.4	198	46	1.7	0.4	198	46	21.6	17.7	78.4	82.3	73.6	76.3	0.4	0.5
EZ601A	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
EZ61	8.5	1.4	0.2	169	22	1.4	0.2	169	22	12.5	10.5	87.5	89.5	85.0	86.3	0.3	0.4
EZ62	8.5	1.7	0.3	209	38	1.7	0.3	209	38	16.3	13.8	83.7	86.2	79.6	81.1	0.4	0.4
EZ63	8.5	1.7	0.3	209	38	1.7	0.3	209	38	16.3	13.8	83.7	86.2	79.6	81.5	0.4	0.5
EZ64	8.5	1.6	0.2	192	27	1.6	0.2	192	27	13.0	10.8	87.0	89.2	84.0	85.5	0.3	0.4
EZ65	8.4	2.0	0.3	240	35	2.0	0.3	240	35	11.6	10.1	88.4	89.9	84.4	84.8	0.5	0.7
EZ66	8.5	1.9	0.4	227	42	1.9	0.4	227	42	15.8	13.4	84.2	86.6	79.7	80.9	0.3	0.4
EZ67	8.6	1.4	0.3	166	32	1.4	0.3	166	32	18.3	15.3	81.7	84.7	78.2	80.2	0.4	0.5
EZ68	8.5	1.5	0.3	183	31	1.5	0.3	183	31	15.9	13.4	84.1	86.6	80.6	82.4	0.4	0.5
EZ69	8.5	1.7	0.3	201	33	1.7	0.3	201	33	14.8	12.6	85.2	87.4	81.7	83.1	0.3	0.4
EZ725	8.7	3.0	0.8	356	101	3.0	0.8	356	101	21.8	16.3	78.2	83.7	68.2	71.2	0.3	0.4
EZ732	8.7	3.0	0.8	358	94	3.0	0.8	358	94	20.3	15.0	79.7	85.0	70.4	73.4	0.3	0.4
EZ795	8.7	3.2	0.9	383	112	3.2	0.9	383	112	20.7	15.6	79.3	84.4	68.1	70.3	0.3	0.4
EZ796	8.7	3.0	0.8	359	102	3.0	0.8	359	102	21.8	16.2	78.2	83.8	68.1	71.2	0.3	0.4
EZ82	8.7	1.8	0.3	220	38	1.8	0.3	220	38	16.8	12.7	83.2	87.3	79.1	82.2	0.4	0.5
EZ84	8.7	1.8	0.3	218	37	1.8	0.3	218	37	16.5	12.5	83.5	87.5	79.6	82.5	0.4	0.5
EZ90	8.6	2.0	0.4	244	48	2.0	0.4	244	48	16.9	13.5	83.1	86.5	77.8	79.6	0.7	0.8
EZ91	8.6	1.9	0.4	228	42	1.9	0.4	228	42	16.6	13.4	83.4	86.6	78.6	80.8	0.7	0.8
EZ93	8.5	1.6	0.3	188	38	1.6	0.3	188	38	18.4	15.7	81.6	84.3	77.4	79.2	0.4	0.6
FO798A	8.9	4.4	4.4	525	525	4.4	4.4	525	525	50.6	37.4	49.4	62.6	0.0	0.0	0.0	0.0
FS5000	9.8	2.7	2.4	318	291	2.7	2.4	318	291	69.5	56.3	30.5	43.7	0.2	0.2	5.5	8.2
FG-0162	9.0	2.2	2.1	260	254	2.2	2.1	260	254	75.0	69.9	25.0	30.1	0.0	0.0	1.5	2.1
FG-034	8.6	3.5	3.5	415	415	3.5	3.5	415	415	59.8	53.5	40.2	46.5	0.0	0.0	0.0	0.0
FG-040	11.2	3.1	3.1	367	367	3.1	3.1	367	367	72.7	58.3	27.3	41.7	0.0	0.1	0.0	0.0
FG-041	11.0	3.1	3.0	377	365	3.1	3.0	377	365	69.1	55.5	30.9	44.5	0.1	0.1	3.0	3.0
FG-042	11.1	3.0	2.8	354	333	3.0	2.8	354	333	69.0	56.2	31.0	43.8	0.1	0.1	5.9	5.9
FG-062	9.0	2.3	2.3	271	271	2.3	2.3	271	271	75.0	70.1	25.0	29.9	0.0	0.0	0.0	0.0
FG-090	11.4	0.7	0.7	86	86	0.7	0.7	86	86	93.7	91.2	6.3	8.8	0.0	0.1	0.0	0.0
FG-15305	8.8	1.9	1.5	225	179	1.9	1.5	225	179	65.1	59.2	34.9	40.8	0.0	0.0	17.9	20.2
FG-15307	8.8	1.8	1.4	211	168	1.8	1.4	211	168	66.0	59.8	34.0	40.2	0.0	0.0	18.0	20.3
FG-15309	9.2	0.0	0.0	0	0	0.0	0.0	0	0	80.0	76.3	20.0	23.7	0.0	0.0	20.0	23.7
FG-178	9.0	1.1	0.9	133	109	1.1	0.9	133	109	63.4	67.1	36.6	32.9	0.0	0.0	26.5	18.2
FG-196	8.5	2.0	1.5	238	183	2.0	1.5	238	183	64.3	56.6	35.7	43.4	0.0	0.0	17.9	23.1
FG-2525	7.8	5.5	5.5	656	656	5.5	5.5	656	656	30.2	27.8	69.8	72.2	0.0	0.0	0.0	0.0
FG-2HTA	10.5	2.0	1.8	242	212	2.0	1.8	242	212	75.3	63.6	24.7	36.4	0.0	0.0	7.8	12.4
FG-32860	7.0	0.0	0.0	0	0	0.0	0.0	0	0	25.1	20.5	74.9	79.5	0.0	0.0	74.9	79.2
FG-39011	12.0	2.6	2.2	309	266	2.6	2.2	309	266	73.8	55.0	26.2	45.0	0.3	0.4	7.4	13.4
FG-33272	11.5	2.7	2.3	324	273	2.7	2.3	324	273	71.2	52.5	28.8	47.5	0.2	0.3	8.7	15.2
FG-33275	7.7	4.8	4.8	572	572	4.8	4.8	572	572	35.0	31.8	63.8	65.0	0.0	0.0	0.0	0.0
FG-3533	7.3	4.2	4.2	500	500	4.2	4.2	500	500	43.0	37.0	57.0	63.0	0.0	0.0	0.0	0.0
FG-3535	7.8	4.5	4.5	536	536	4.5	4.5	536	536	43.0	39.6	57.0	60.4	0.0	0.0	0.0	0.0
FG-36656	8.8	2.6	2.6	312	312	2.6	2.6	312	312	70.5	64.3	29.5	35.7	0.0	0.0	0.0	0.0
FG-36658	8.9	2.6	2.6	316	316	2.6	2.6	316	316	70.4	64.8	29.6	35.2	0.0	0.0	0.0	0.0
FG-36660	9.0	2.7	2.7	319	319	2.7	2.7	319	319	70.4	65.4	29.6	34.6	0.0	0.0	0.0	0.0
FG-37609	9.1	2.7	2.7	321	321	2.7	2.7	321	321	70.4	65.8	29.6	34.2	0.0	0.0	0.0	0.0
FG-39007	9.0	2.4	2.4	285	285	2.4	2.4	285	285	73.5	68.2	26.5	31.8	0.0	0.0	0.0	0.0
FG-39017	9.5	3.6	1.3	426	151	3.6	1.3	426	151	15.5	17.8	84.5	82.2	0.0	0.0	71.2	64.6
FG-39023	9.8	2.2	1.0	258	115	2.2	1.0	258	115	26.5	30.7	73.5	69.3	0.0	0.0	63.6	55.4
FG-39042	7.7	3.1	3.1	377	377	3.1	3.1	377	377	59.0	55.5	41.0	44.5	0.0	0.0	0.0	0.0
FGP31277	8.1	4.4	4.4	532	532	4.4	4.4	532	532	109	45.0	37.5	55.0	0.0	0.0	0.0	0.0
FGP32563	8.2	4.1	4.1	494	494	4.1	4.1	494	494	6	50.0	42.6	50.0	0.0	0.0	0.0	0.0
FGP32564	8.6	3.1	3.1	371	371	3.1	3.1	371	371	2	64.0	56.9	43.1	0.0	0.0	0.0	0.0
FGP32763	7.3	4.5	3.6	537	426	4.5	3.6	537	426	29.4	25.3	70.6	74.7	0.0	0.0	22.1	20.7
FGP32765	7.4	4.6	4.5	547	542	4.6	4.5	547	542	37.5	32.6	62.5	67.4	0.0	0.0	1.0	0.9
FGP32767	7.8	4.9	4.8	586	581	4.9	4.8	586	581	41.9	37.1	58.1	65.0	0.0	0.0	0.0	0.0
FMS40451	10.3	0.0	0.0	0	0	0.0	0.0	0	0	2.4	2.3	97.6	97.7	0.0	0.0	97.6	97.7
FMS40563	11.1	0.0	0.0	0	0	0.0	0.0	0	0	2.2	2.3	97.8	97.7	0.0	0.0	97.8	97.7
FPL100-1	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
FPL100-5	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
FPL100-53	6.6	6.2	0.2	743	24	6.2	0.2	743	24	0.0	0.0	100.0	100.0	0.0	0.0	97.0	96.8
FS4975-Q	9.9	1.8	1.1	213	133	1.8	1.1	213	133	43.2	44.2	56.8	55.8	0.0	0.0	45.6	37.8
FS9000	7.7	4.2	2.8	499	331	4.2	2.8	499	331	35.1	29.0	64.9	71.0	0.0	0.0	29.1	33.8
FS9000-G	7.8	4.9	4.2	587	501	4.3	2.9	517	351	33.9	28.9	66.1	71.1	0.0	0.0	12.4	14.6
FS9000-Q	7.8	4.9	4.2	587	501	4.3	2.9	517	351	33.9	28.9	66.1	71.1	0.0	0.0	12.4	14.6
FS9075	8.1	4.6	4.6	554	554	4.6	4.6	554	554	43.2	36.3	56.8	63.9	0.0	0.0	0.0	0.0
FTC-01	8.7	1.9	0.9	226	107	1.9	0.9	226	107	39.3	36.1	60.7	63.7	50.4	52.7	0.0	0.0
G2-45005	7.9	3.9	3.6	469	429	3.9	3.6	469	429	47.7	40.8	52.3	59.2	0.0	0.0	7.2	8.6
G2-45075	8.8	2.3	2.3	280	280	2.3	2.3	280	280	73.5	67.0	26.5	33.0	0.0	0.0	0.0	0.0
G2-45085	8.8	2.3	2.3	280	280	2.3	2.3	280	280	73.5	66.9	26.5	33.1	0.0	0.0	0.0	0.0
G2-45095	8.8	2.3	2.3	281	281	2.3	2.3	281	281	73.4	66.8	26.6	33.2	0.0	0.0	0.0	0.0
G2-47005	8.0	3.8	3.5	453	424	3.8	3.5	453	424	50.4	42.9	49.6	57.1	0.0	0.0	5.4	5.5
G2-7605X	7.8	5.2	5.2	626	626	5.2	5.2	626	626	33.2	27.6	66.8	74.0	0.0	0.0	0.0	0.0
G2-77795	7.7	4.2	3.4	509	411	4.2	3.4	509	411	38.9	31.						

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (L) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
GBM27	8.0	5.4	5.3	642	640	5.3	5.0	631	599	32.8	26.0	67.2	74.0	0.1	0.1	0.2	0.3
GBM28	8.0	5.4	5.4	649	647	5.4	5.4	649	647	32.2	25.9	67.8	74.1	0.1	0.1	0.2	0.3
GBM29	8.1	5.4	5.4	651	650	5.4	5.4	651	650	32.7	25.9	67.3	74.1	0.0	0.0	0.1	0.1
GBM30	8.1	5.4	5.4	649	648	5.4	5.4	649	648	33.0	25.9	67.0	74.1	0.0	0.0	0.1	0.1
GBM31	8.0	5.4	5.3	647	641	5.4	5.3	647	641	32.0	26.0	68.0	74.0	0.0	0.0	0.7	0.9
GBM32	8.1	5.4	5.3	642	641	5.4	5.3	642	641	33.9	26.0	66.1	74.0	0.1	0.1	0.1	0.1
GBM33	8.0	5.4	5.4	642	642	5.4	5.4	642	642	32.7	26.0	67.3	74.0	0.0	0.0	0.1	0.2
GBM41	9.2	4.9	4.9	592	586	4.9	4.9	592	586	45.9	32.0	54.1	68.0	0.1	0.1	0.7	1.0
GBM43	8.3	4.8	4.7	574	568	4.8	4.7	574	568	42.2	34.1	57.8	65.9	0.1	0.1	0.7	0.9
GBM45	8.0	5.3	5.3	640	639	5.3	5.3	637	637	32.6	26.0	68.2	74.0	0.0	0.0	0.2	0.2
GBM46	8.3	4.8	4.8	578	574	4.8	4.8	578	574	42.0	33.6	58.0	66.4	0.1	0.1	0.4	0.5
GBM50	8.3	4.8	4.7	573	565	4.8	4.7	571	561	42.0	34.0	58.0	66.0	0.1	0.1	1.1	1.3
GBM53	8.4	4.8	4.8	578	573	4.8	4.8	578	573	42.3	34.0	57.7	66.0	0.1	0.1	0.6	0.7
GBM61	7.9	5.4	5.4	642	641	5.4	5.4	642	641	32.6	26.0	67.4	74.0	0.0	0.0	0.1	0.1
GBM62	7.9	5.3	5.3	641	638	5.3	5.3	640	635	32.2	26.8	67.8	73.2	0.0	0.0	0.3	0.3
GBM64	8.0	5.4	5.4	648	644	5.4	5.4	648	644	32.7	26.0	67.3	74.0	0.1	0.1	0.5	0.6
GBM66	8.0	5.4	5.4	647	646	5.4	5.4	647	646	32.6	26.0	67.4	74.0	0.0	0.0	0.1	0.2
GBM70	7.9	5.4	5.3	646	640	5.4	5.3	646	640	31.8	26.0	68.2	74.0	0.0	0.0	0.8	0.9
GBM78	8.1	5.4	5.3	642	637	5.4	5.3	642	637	34.1	26.0	65.9	74.0	0.0	0.0	0.6	0.8
GBM79	8.1	5.4	5.3	643	638	5.4	5.3	643	638	33.9	26.0	66.1	74.0	0.0	0.0	0.6	0.8
GBM81	9.5	4.8	4.8	577	574	4.8	4.8	577	574	49.0	34.0	51.0	66.0	0.1	0.1	0.4	0.5
GBM82	8.2	5.1	5.0	610	601	5.1	5.0	610	601	38.0	30.0	62.1	70.0	0.1	0.1	1.1	1.4
GBM84	8.2	5.1	5.0	610	600	5.1	5.0	610	600	37.5	30.0	62.5	70.0	0.1	0.1	1.2	1.5
GBM85	8.1	5.4	5.4	647	647	5.4	5.4	647	647	33.3	26.0	66.7	74.0	0.0	0.0	0.0	0.0
GBM86	8.3	4.8	4.8	577	573	4.8	4.8	577	573	41.5	34.0	58.5	66.0	0.1	0.1	0.4	0.5
GBM90	8.3	5.4	5.4	644	643	5.4	5.4	644	643	35.3	26.0	64.7	74.0	0.0	0.0	0.1	0.1
GBM91	8.3	5.4	5.4	644	642	5.4	5.4	644	642	35.1	26.0	64.9	74.0	0.0	0.0	0.2	0.3
GBM93	7.9	5.4	5.3	642	639	5.3	5.1	635	613	32.4	26.0	67.6	74.0	0.1	0.1	0.3	0.4
GBM94	8.2	5.4	5.3	645	640	5.4	5.3	645	640	33.9	26.0	66.1	74.0	0.0	0.0	0.6	0.7
GBM95	8.1	5.4	5.3	645	641	5.4	5.3	645	641	33.8	26.0	66.2	74.0	0.0	0.0	0.6	0.7
GBM962	8.0	5.4	5.4	649	644	5.4	5.4	649	644	32.6	26.0	67.4	74.0	0.0	0.0	0.6	0.8
GBM97	8.1	5.4	5.3	646	641	5.4	5.3	646	641	33.3	26.0	66.7	74.0	0.0	0.0	0.6	0.8
GBM98	8.1	5.4	5.3	645	640	5.4	5.3	645	640	33.4	26.0	66.6	74.0	0.0	0.0	0.6	0.8
GBP01	10.1	5.0	5.0	600	599	5.0	5.0	600	599	50.6	31.5	49.4	68.5	0.0	0.1	0.0	0.0
GBP02	7.9	5.4	5.4	651	651	5.4	5.4	651	651	31.2	25.5	68.8	74.5	0.1	0.1	0.0	0.0
GBP03	8.6	5.7	5.7	678	677	5.6	5.5	674	662	34.3	21.8	65.7	78.2	0.0	0.0	0.0	0.0
GBP05	7.8	5.7	5.7	683	683	5.7	5.7	683	683	26.4	21.6	73.6	78.4	0.1	0.0	0.0	0.0
GBP07	7.7	5.7	5.7	684	683	5.7	5.7	684	683	26.3	21.8	73.7	78.2	0.1	0.1	0.0	0.0
GBP10	7.9	5.7	5.7	682	682	5.7	5.7	682	682	28.0	21.7	72.0	78.3	0.1	0.0	0.0	0.0
GBP1001	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.4	21.8	69.6	78.2	0.0	0.0	0.0	0.0
GBP1002	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.5	21.8	69.5	78.2	0.0	0.0	0.0	0.0
GBP1003	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.4	21.8	69.6	78.2	0.0	0.0	0.0	0.0
GBP1004	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.6	21.8	69.4	78.2	0.0	0.0	0.0	0.0
GBP1005	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.5	21.8	69.5	78.2	0.0	0.0	0.0	0.0
GBP1006	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.5	21.8	69.5	78.2	0.0	0.0	0.0	0.0
GBP1007	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.6	21.8	69.4	78.2	0.0	0.0	0.0	0.0
GBP1008	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.7	21.8	69.3	78.2	0.0	0.0	0.0	0.0
GBP1009	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.4	21.8	69.6	78.2	0.0	0.0	0.0	0.0
GBP1011	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.5	21.8	69.5	78.2	0.0	0.0	0.0	0.0
GBP1012	8.4	5.7	5.7	683	683	5.7	5.7	683	683	31.9	21.8	68.1	78.2	0.0	0.0	0.0	0.0
GBP1013	8.4	5.7	5.7	683	683	5.7	5.7	683	683	32.2	21.8	67.8	78.2	0.0	0.0	0.0	0.0
GBP1014	8.4	5.7	5.7	683	683	5.7	5.7	683	683	32.0	21.8	68.0	78.2	0.0	0.0	0.0	0.0
GBP1015	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.4	21.8	69.6	78.2	0.0	0.0	0.0	0.0
GBP1016	8.3	5.7	5.7	683	683	5.7	5.7	683	683	31.3	22.0	68.7	78.0	0.0	0.0	0.0	0.0
GBP1020	8.3	5.7	5.7	683	683	5.7	5.7	683	683	30.9	21.8	69.1	78.2	0.0	0.0	0.0	0.0
GBP1021	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.0	21.8	69.0	78.2	0.0	0.0	0.0	0.0
GBP1022	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.1	21.8	68.9	78.2	0.0	0.0	0.0	0.0
GBP1023	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.1	21.8	68.9	78.2	0.0	0.0	0.0	0.0
GBP1024	8.5	5.7	5.7	683	683	5.7	5.7	683	683	32.6	21.8	67.4	78.2	0.0	0.0	0.0	0.0
GBP1025	8.3	5.7	5.7	683	683	5.7	5.7	683	683	31.2	21.8	68.8	78.2	0.0	0.0	0.0	0.0
GBP1075	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
GBP1085	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
GBP1095	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
GBP1099	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
GBP11	8.0	5.7	5.7	683	682	5.7	5.7	683	682	28.4	21.8	71.6	78.2	0.1	0.0	0.0	0.0
GBP13	8.0	5.7	5.7	680	680	5.7	5.7	680	680	28.7	21.8	71.3	78.2	0.1	0.0	0.0	0.0
GBP14	8.0	5.7	5.7	684	683	5.7	5.7	684	683	28.4	21.8	71.6	78.2	0.0	0.0	0.0	0.0
GBP16	7.9	5.7	5.7	683	682	5.7	5.7	683	682	28.3	21.8	71.7	78.2	0.1	0.0	0.0	0.0
GBP1725	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.0	21.8	70.0	78.2	0.0	0.0	0.0	0.0
GBP1726	8.1	5.7	5.7	683	683	5.7	5.7	683	683	29.7	21.8	70.3	78.2	0.0	0.0	0.0	0.0
GBP1732	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.2	21.8	69.8	78.2	0.0	0.0	0.0	0.0
GBP1737	7.7	5.7	5.7	683	683	5.7	5.7	683	683	26.4	22.0	73.6	78.0	0.1	0.1	0.0	0.0
GBP1795	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.1	21.8	69.9	78.2	0.0	0.0	0.0	0.0
GBP1796	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.2	21.8	69.8	78.2	0.0	0.0	0.0	0.0
GBP18	8.0	5.7	5.7	682	681	5.7	5.7	682	681	28.9	21.8	71.1	78.2	0.0	0.0	0.0	0.0
GBP19	7.9	5.7	5.7	683	683	5.7	5.7	683	683	27.9	21.8	72.1	78.2	0.1	0.0	0.0	0.0
GBP20	5.8	5.7	5.7	683	682	5.7	5.7	683	680	26.6	21.8	73.4	78.1	0.1	0.1	0.0	0.0
GBP2020	7.6	5.7	5.7	683	683	5.7	5.7	683	683	14.9	20.6	75.1	79.4	0.1	0.1	0.0	0.0
GBP21	8.3	4.7	4														

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (L) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
GCM1012	9.5	4.4	4.2	526	508	4.4	4.2	526	508	52.8	38.5	47.2	61.5	0.0	0.0	2.4	3.5
GCM1013	9.5	4.4	4.3	528	510	4.4	4.3	528	510	53.0	38.2	47.0	61.8	0.0	0.0	2.4	3.5
GCM1014	9.5	4.4	4.2	526	508	4.4	4.2	526	508	53.0	38.5	47.0	61.5	0.0	0.0	2.4	3.5
GCM1020	9.6	4.4	4.3	530	511	4.4	4.3	530	511	53.0	38.1	47.0	61.9	0.0	0.0	2.4	3.5
GCM1021	9.6	4.4	4.3	532	513	4.4	4.3	532	513	53.0	37.9	47.0	62.1	0.0	0.0	2.4	3.5
GCM1022	9.6	4.5	4.3	534	515	4.5	4.3	534	515	53.0	37.6	47.0	62.4	0.0	0.0	2.4	3.5
GCM1023	9.6	4.4	4.3	533	514	4.4	4.3	533	514	53.0	37.8	47.0	62.2	0.0	0.0	2.4	3.5
GCM1024	9.6	4.5	4.3	534	515	4.5	4.3	534	515	53.0	37.6	47.0	62.4	0.0	0.0	2.4	3.5
GCM1025	9.6	4.5	4.3	534	516	4.5	4.3	534	516	53.0	37.5	47.0	62.5	0.0	0.0	2.4	3.5
GCM11	8.9	4.6	4.5	549	540	4.6	4.5	549	540	48.0	35.2	52.0	64.8	0.0	0.0	1.2	1.7
GCM120	8.2	4.4	4.1	528	497	4.4	4.1	528	497	44.4	37.1	55.6	62.9	0.0	0.0	4.7	5.8
GCM122	8.7	3.3	2.4	400	282	3.3	2.4	400	282	43.3	38.7	56.7	61.3	0.0	0.0	29.6	29.4
GCM13	8.8	4.6	4.5	546	537	4.6	4.5	546	537	48.0	34.7	52.0	65.3	0.0	0.0	1.3	1.7
GCM14	8.9	4.6	4.5	547	538	4.6	4.5	547	538	48.0	36.1	52.0	63.9	0.0	0.0	1.3	1.7
GCM16	8.7	4.5	4.4	535	524	4.5	4.4	535	524	48.0	36.9	52.0	63.1	0.0	0.0	1.6	2.1
GCM18	8.3	5.2	5.1	623	607	5.2	5.1	623	607	37.1	28.8	62.9	71.2	0.0	0.0	2.1	2.6
GCM19	8.9	4.6	4.5	553	544	4.6	4.5	553	544	48.0	35.1	52.0	65.0	0.0	0.0	1.2	1.7
GCM20	8.1	4.9	4.8	584	572	4.9	4.8	584	572	39.0	32.8	61.0	67.2	0.0	0.0	2.0	2.0
GCM2005	8.1	4.4	4.0	525	477	4.4	4.0	525	477	43.2	36.5	56.8	63.5	0.0	0.0	7.4	9.1
GCM2006	9.9	4.1	3.8	496	453	4.1	3.8	496	453	56.1	39.2	43.9	60.8	0.0	0.0	5.8	8.7
GCM201	8.7	3.4	2.5	402	301	3.4	2.5	402	301	46.1	40.8	53.9	59.2	0.0	0.0	24.9	25.0
GCM2020	8.1	4.8	4.8	581	581	4.8	4.8	581	581	40.0	34.2	60.0	65.8	0.0	0.0	0.0	0.0
GCM20R	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
GCM21	8.2	4.5	4.4	538	526	4.5	4.4	538	526	45.0	38.0	55.0	62.0	0.0	0.0	1.7	2.2
GCM22R	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
GCM250	11.2	3.3	2.5	395	294	3.3	2.5	395	294	56.0	40.8	44.0	59.2	0.0	0.0	22.1	25.7
GCM26	8.2	4.4	4.3	533	519	4.4	4.3	533	519	45.0	37.6	55.0	62.4	0.0	0.0	2.1	2.6
GCM27	8.1	5.0	4.9	595	593	4.6	4.1	557	486	38.6	30.0	61.4	70.0	0.0	0.0	0.3	0.3
GCM28	8.3	4.5	4.5	544	539	4.5	4.5	544	539	45.0	37.3	55.0	62.7	0.0	0.0	0.8	0.9
GCM29	8.5	4.5	4.5	543	537	4.5	4.5	543	537	46.5	38.2	53.5	61.8	0.0	0.0	0.9	1.2
GCM29R	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
GCM30	8.4	5.1	5.0	606	604	5.1	5.0	606	604	40.0	30.7	60.0	69.3	0.0	0.0	0.3	0.4
GCM31	8.2	4.2	4.0	498	476	4.2	4.0	498	476	48.0	41.4	52.0	58.6	0.0	0.0	3.6	4.4
GCM318	9.2	7.6	1.4	916	165	7.6	1.4	916	165	1.0	1.1	99.0	99.0	0.0	0.0	84.0	82.0
GCM32	8.5	4.9	4.8	587	579	4.9	4.8	587	579	42.0	30.9	58.0	69.1	0.1	0.1	1.0	1.3
GCM33	8.3	4.2	4.2	509	499	4.2	4.2	509	499	48.0	39.3	52.0	60.7	0.0	0.0	1.6	2.0
GCM405	8.3	4.3	4.1	515	492	4.3	4.1	515	492	46.7	38.8	53.3	61.2	0.0	0.0	3.6	4.5
GCM41	11.7	4.7	4.7	562	560	4.7	4.7	562	560	60.0	34.1	40.0	65.9	0.0	0.0	0.2	0.3
GCM43	8.6	4.7	4.7	565	560	4.7	4.7	565	560	45.0	34.8	55.0	65.2	0.0	0.0	0.7	0.9
GCM45	8.2	4.9	4.8	585	579	4.8	4.6	574	547	40.0	30.7	60.0	69.3	0.0	0.0	0.8	1.0
GCM450	10.6	4.3	4.1	510	495	4.3	4.1	510	495	59.0	40.0	41.0	60.0	0.0	0.0	1.8	2.9
GCM46	8.8	4.4	4.4	528	526	4.4	4.4	528	526	49.9	39.9	50.1	61.1	0.1	0.1	0.2	0.2
GCM50	8.5	4.9	4.8	585	575	4.9	4.7	581	565	42.0	38.3	58.0	67.7	0.0	0.0	1.3	1.7
GCM501	8.5	2.7	0.8	326	92	2.7	0.8	326	92	42.7	17.9	82.1	82.1	0.0	0.0	73.0	71.8
GCM53	8.6	4.4	4.4	532	523	4.4	4.4	532	523	48.0	38.8	52.0	61.2	0.0	0.0	1.3	1.7
GCM56H	9.1	0.9	0.8	107	90	0.9	0.8	107	90	78.4	74.2	21.6	25.8	0.0	0.0	13.3	15.6
GCM60R	7.3	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
GCM61	8.1	4.4	4.4	532	523	4.4	4.4	532	523	45.0	36.8	55.0	63.2	0.0	0.0	1.3	1.6
GCM62	7.9	4.7	4.7	566	560	4.7	4.6	562	549	40.0	34.9	60.0	65.1	0.0	0.0	0.8	1.0
GCM64	8.4	4.2	4.1	507	494	4.2	4.1	507	494	48.7	40.9	51.3	59.1	0.0	0.0	2.1	2.7
GCM66	8.4	4.2	4.1	500	489	4.2	4.1	500	489	50.0	42.0	50.0	58.0	0.0	0.0	1.7	2.2
GCM66R	8.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
GCM68R	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
GCM70	8.1	4.1	3.9	492	468	4.1	3.9	492	468	48.0	41.9	52.0	58.1	0.0	0.0	3.9	4.8
GCM70R	11.0	0.0	0.0	0	0	0.0	0.0	0	0	6.0	7.4	94.0	92.6	0.0	0.0	94.0	92.6
GCM78	9.0	4.4	4.3	531	513	4.4	4.3	531	513	50.0	36.1	50.0	63.9	0.0	0.0	2.5	3.4
GCM79	9.0	4.4	4.2	525	507	4.4	4.2	525	507	50.3	36.7	49.7	63.3	0.0	0.0	2.5	3.5
GCM81	10.4	4.1	4.0	493	480	4.1	4.0	493	480	59.9	42.8	40.2	57.2	0.2	0.2	1.5	2.3
GCM82	8.6	3.7	3.5	444	420	3.7	3.5	444	420	55.0	46.9	45.0	53.1	0.0	0.0	4.1	5.3
GCM82B	8.9	2.3	1.5	277	182	2.3	1.5	277	182	48.9	44.6	51.1	55.4	0.0	0.0	34.0	34.1
GCM84	8.1	4.1	3.9	493	472	4.1	3.9	493	472	52.0	41.8	48.0	58.2	0.0	0.0	3.2	4.3
GCM85	8.6	4.3	4.2	513	505	4.3	4.2	513	505	50.0	40.6	50.0	59.4	0.0	0.0	1.2	1.6
GCM86	8.5	4.4	4.4	529	525	4.4	4.4	529	525	47.9	39.3	52.1	60.7	0.1	0.1	0.5	0.6
GCM90	9.3	4.3	4.2	511	503	4.3	4.2	511	503	54.0	40.2	46.0	59.8	0.0	0.0	1.1	1.5
GCM90B	7.8	3.8	3.1	459	374	3.8	3.1	459	374	43.6	35.5	56.4	64.5	0.0	0.0	16.2	18.5
GCM91	9.0	4.6	4.6	557	547	4.6	4.6	557	547	48.0	35.1	52.0	64.9	0.0	0.0	1.3	1.7
GCM93	8.2	4.2	4.2	508	500	4.0	3.6	476	430	47.6	39.5	52.4	60.5	0.0	0.0	1.3	1.6
GCM94	8.9	4.4	4.3	531	521	4.4	4.3	531	521	50.0	37.3	50.0	62.7	0.0	0.0	1.4	2.0
GCM95	8.9	4.4	4.3	528	518	4.4	4.3	528	518	50.0	37.8	50.0	62.2	0.0	0.0	1.4	1.9
GCM962	9.0	4.6	4.5	552	542	4.6	4.5	552	542	48.3	37.5	51.7	62.5	0.0	0.0	1.2	1.7
GCM98	9.0	4.6	4.5	548	539	4.6	4.5	548	539	48.6	35.3	51.4	64.7	0.0	0.0	1.2	1.7
GH01	10.9	2.1	0.8	252	92	2.1	0.8	252	92	35.6	26.1	64.4	73.9	0.0	0.0	57.4	63.7
GH03	10.2	2.5	1.0	304	124	2.3	0.9	277	108	33.5	26.1	66.5	73.9	0.0	0.0	56.3	59.2
GH05	9.2	2.6	1.1	314	130	2.6	1.1	314	130	27.7	26.3	72.3	73.7	0.0	0.0	60.5	58.7
GH07	9.3	1.7	0.6	206	71	1.7	0.6	206	71	26.2	26.0	73.8	74.0	0.0	0.0	67.4	65.5
GH08	10.9	2.0	0.7	240	86	2.0	0.7	240	86	35.7	26.1	64.3	73.9	0.0	0.0	57.7	64.2
GH09	9.5	1.6	0.5	191	65	1.6	0.5	191	65	27.2	26.1	73.8	73.9	0.0	0.0	66.1	66.1
GH10	9.5	2.1	0.8	246	91	2.1	0.8	246	91	27.8	26.0	72.2	74.0	0.0	0.0	64.2	63.0
GH1001	10.1	0.9	0.3	102	31	0.9	0.3	102	31</								

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
GH66	9.4	2.4	1.0	293	115	2.4	1.0	293	115	27.4	26.1	72.6	73.9	0.0	0.0	62.4	60.7
GH70	9.3	1.9	0.7	233	84	1.9	0.7	233	84	26.6	26.1	73.4	73.9	0.0	0.0	66.0	64.0
GH78	9.5	2.2	0.8	258	97	2.2	0.8	258	97	28.1	25.6	71.9	74.4	0.0	0.0	63.3	62.5
GH79	9.5	2.1	0.8	253	95	2.1	0.8	253	95	28.2	25.8	71.8	74.2	0.0	0.0	63.5	62.5
GH81	10.4	2.4	0.9	287	111	2.4	0.9	287	111	33.6	25.9	66.4	74.1	0.1	0.1	57.5	61.2
GH82	9.7	1.8	0.6	218	77	1.8	0.6	218	77	28.6	26.1	71.4	73.9	0.0	0.0	64.7	64.8
GH84	9.6	0.9	0.3	104	33	0.9	0.3	104	33	29.3	27.8	70.7	72.2	0.0	0.0	67.8	68.3
GH85	9.6	2.2	0.8	268	102	2.2	0.8	268	102	27.9	26.2	72.1	73.8	0.0	0.0	63.3	62.2
GH86	9.5	2.7	1.2	322	138	2.7	1.2	322	138	28.6	27.0	71.4	73.0	0.0	0.0	59.3	57.1
GH90	9.6	2.5	1.0	295	117	2.5	1.0	295	117	30.2	25.0	69.8	74.0	0.0	0.0	59.6	60.2
GH908	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
GH91	9.6	2.5	1.0	300	121	2.5	1.0	300	121	30.6	26.1	69.4	73.9	0.0	0.0	58.9	59.5
GH913	10.0	1.1	0.3	132	41	1.1	0.3	132	41	29.8	26.1	70.2	73.9	0.0	0.0	66.7	68.7
GH915	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
GH93	9.2	2.4	1.0	290	116	2.2	0.8	260	98	27.3	26.1	72.7	73.9	0.0	0.0	62.1	60.2
GH94	9.6	1.9	0.7	232	86	1.9	0.7	232	86	29.0	26.6	71.1	73.4	0.0	0.0	63.6	63.1
GH95	9.5	2.1	0.8	246	93	2.1	0.8	246	93	28.7	26.4	71.3	73.6	0.0	0.0	63.1	62.3
H137	7.9	3.1	3.1	369	369	3.1	3.1	369	369	61.1	60.0	39.0	40.0	0.0	0.0	0.0	0.0
HBR-E0834	8.6	2.4	0.7	292	86	2.4	0.7	292	86	22.7	18.7	77.1	81.3	67.9	69.3	1.1	1.4
HC-77765	7.6	4.2	2.9	499	345	4.2	2.9	499	345	34.9	28.0	65.3	72.0	0.0	0.0	26.9	30.8
HCC-6215	8.1	5.1	5.1	617	616	5.1	5.1	617	616	36.5	30.5	63.5	69.5	0.1	0.1	0.0	0.0
HCC-6230	7.8	5.3	5.3	635	634	5.3	5.3	635	634	32.2	25.9	67.8	74.1	0.1	0.1	0.0	0.0
HCC-6235	7.8	5.3	5.3	632	631	5.3	5.3	632	631	32.4	26.2	67.6	73.8	0.1	0.1	0.0	0.0
HCC-6240	8.0	4.0	4.0	482	482	4.0	4.0	482	482	49.6	41.1	50.4	58.9	0.0	0.0	0.0	0.0
HCC-6245	7.7	5.3	5.3	641	640	5.3	5.3	641	640	30.9	25.2	69.1	74.8	0.1	0.1	0.0	0.0
HCC-6250	7.8	5.4	5.4	644	643	5.4	5.4	644	643	31.2	24.9	68.8	75.1	0.1	0.1	0.0	0.0
HCC-6255	7.7	5.4	5.4	643	643	5.4	5.4	643	643	30.6	24.9	69.4	75.1	0.1	0.1	0.0	0.0
HCC-6265	7.8	4.3	4.3	516	516	4.3	4.3	516	516	44.9	37.0	55.1	63.0	0.0	0.0	0.0	0.0
HGC-01	8.6	1.3	0.6	155	75	1.3	0.6	155	75	41.9	40.3	58.1	59.7	50.8	52.0	0.0	0.0
HGC-1333	8.4	2.7	2.1	326	253	2.7	2.1	326	253	51.9	46.9	48.1	53.1	0.0	0.0	23.0	22.6
HH-6200	7.4	6.4	5.5	762	661	6.4	5.5	762	661	13.8	11.1	86.2	88.9	0.0	0.0	11.8	13.3
HH-6300	7.5	5.8	5.0	693	599	5.8	5.0	693	599	21.9	17.8	78.1	82.2	0.0	0.0	11.8	13.4
HHA-6405	8.5	4.3	4.3	512	512	4.3	4.3	512	512	49.6	43.5	50.4	56.5	0.0	0.0	0.0	0.0
HHM-6222	7.7	5.7	5.7	683	682	5.7	5.7	683	682	25.8	20.7	74.2	79.3	0.2	0.2	0.0	0.0
HHM-6390	7.6	6.1	5.3	727	630	6.1	5.3	727	630	18.7	14.5	81.3	85.5	0.0	0.0	11.7	13.4
HHM-6400	10.6	4.4	4.4	530	530	4.4	4.4	530	530	58.2	39.6	41.8	60.4	0.0	0.0	0.0	0.0
HRF-289	8.9	1.5	0.5	186	63	1.5	0.5	186	63	33.0	27.6	67.0	72.4	0.0	0.0	61.0	65.9
HS8000	8.1	4.2	4.2	505	499	4.2	4.2	505	499	48.0	42.4	52.0	57.6	0.0	0.0	0.9	1.1
HS8065	8.0	4.0	4.0	474	474	4.0	4.0	474	474	50.5	41.6	49.5	58.4	0.0	0.0	0.0	0.0
HS8075	8.0	4.0	4.0	477	477	4.0	4.0	477	477	50.3	41.6	49.7	58.4	0.0	0.0	0.0	0.0
HS8085	8.2	4.2	4.2	503	503	4.1	3.9	486	463	49.0	41.6	51.0	58.4	0.0	0.0	0.0	0.0
HSCM4	8.4	3.4	3.4	402	402	3.4	3.4	402	402	59.9	52.2	40.1	47.8	0.0	0.0	0.0	0.0
HF800	8.7	1.1	0.5	127	59	1.1	0.5	127	59	44.1	40.2	55.9	59.8	50.2	53.2	0.0	0.0
IE-1500	6.8	4.2	3.4	519	402	4.2	3.3	519	402	23.8	15.4	76.2	84.6	0.0	0.0	27.3	22.6
IMP5200-Q	7.7	4.2	2.8	499	331	4.2	2.8	499	331	35.1	29.0	64.9	71.0	0.0	0.0	29.1	33.8
IMP5275-G	8.1	4.6	4.6	554	554	4.6	4.6	554	554	43.2	36.3	58.7	63.7	0.0	0.0	0.0	0.0
I359EF	8.4	3.6	2.9	435	348	3.6	2.9	435	348	49.3	37.8	50.7	62.2	0.0	0.0	16.3	20.0
KC-210	8.6	1.7	0.5	204	65	1.7	0.5	204	65	28.9	25.4	71.1	74.6	0.0	0.0	64.8	68.0
KH-212	9.2	2.9	2.3	351	278	2.9	2.3	351	278	49.7	47.2	50.3	52.8	0.0	0.0	25.1	20.7
KK700FX	7.7	5.8	5.3	695	636	5.8	5.3	695	636	24.3	18.7	75.7	81.3	0.0	0.0	7.3	8.5
KK710FX	7.7	5.8	5.3	691	630	5.8	5.3	691	630	24.5	19.0	75.5	81.0	0.0	0.0	7.5	8.8
KK720FX	7.7	5.8	5.3	699	638	5.8	5.3	699	638	23.7	18.3	76.3	81.7	0.0	0.0	7.3	8.6
KK730FX	7.7	5.8	5.3	696	636	5.8	5.3	696	636	23.7	18.5	76.3	81.5	0.0	0.0	7.4	8.6
KK740FX	7.8	5.8	5.3	696	636	5.8	5.3	696	636	24.9	18.7	75.1	81.3	0.0	0.0	7.2	8.5
KK760FX	7.8	5.8	5.3	694	635	5.8	5.3	694	635	25.3	18.7	74.7	81.3	0.0	0.0	7.2	8.5
KR-70	7.5	7.5	7.5	901	901	7.5	7.5	901	901	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
KR-85	7.7	7.7	7.7	923	923	7.7	7.7	923	923	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
KR-025	6.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
KUS-LV-173	8.9	2.1	0.9	246	104	2.1	0.9	246	104	33.2	30.2	66.8	69.8	0.0	0.0	57.1	57.7
KUS-LV75	8.9	2.1	0.9	246	104	2.1	0.9	246	104	33.2	30.2	66.8	69.8	0.0	0.0	57.1	57.7
KUS-105CLD	8.4	1.9	0.6	234	75	2.0	0.6	234	75	24.2	23.2	75.8	76.8	67.9	67.4	0.5	0.5
KUS-105CL3	8.4	1.9	0.6	234	75	2.0	0.6	234	75	24.2	23.2	75.8	76.8	67.9	67.4	0.5	0.5
KUS-KPP-177	8.6	3.9	3.8	462	461	3.9	3.8	462	461	55.3	48.3	44.7	51.7	0.0	0.0	0.1	0.1
KUSKPP-177	8.6	3.9	3.8	462	461	3.9	3.8	462	461	55.3	48.3	44.7	51.7	0.0	0.0	0.1	0.1
KUSKPP-177P	8.6	3.9	3.9	468	468	3.9	3.9	468	468	54.6	47.6	45.4	52.4	0.0	0.0	0.1	0.1
KUS-KTC150	7.4	5.8	3.9	691	466	5.8	3.9	691	466	12.2	8.9	87.8	91.1	0.0	0.0	34.9	32.5
KUS-LVN-25	8.1	4.7	2.3	569	281	4.7	2.3	569	281	19.8	15.1	80.2	84.9	0.9	0.9	50.4	49.8
KUS-NIT-44-2	7.4	5.7	5.7	684	678	5.7	5.7	684	678	22.6	16.2	77.4	83.8	0.9	0.8	0.0	0.0
KUS-NR-70	6.8	6.8	6.8	814	814	6.8	6.8	814	814	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
KW-901	6.3	6.3	6.3	756	756	6.3	6.3	756	756	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
L0006EG	11.4	3.8	3.8	456	451	3.8	3.8	456	451	66.3	47.0	33.7	53.0	0.0	0.0	0.6	1.1
L0006FLXB	9.5	3.3	3.0	396	358	3.3	3.0	396	358	61.7	47.6	38.3	52.4	0.1	0.1	6.6	9.4
L100	8.0	6.2	6.2	740	740	6.2	6.2	740	740	22.9	16.2	77.1	83.8	0.1	0.1	0.0	0.0
L1000	8.4	5.9	5.9	713	712	5.9	5.9	713	712	29.2	19.3	70.8	80.7	0.1	0.1	0.0	0.0
L1010	8.3	5.9	5.9	712	711	5.9	5.9	712	711	28.6	19.4	71.4	80.6	0.1	0.1	0.0	0.0
L1020	8.1	6.0	6.0	718	718	6.0	6.0	718	718	26.4	18.1	73.6	81.9	0.1	0.1	0.0	0.0
L1030	8.1	6.0	6.0	716	716	6.0	6.0	716	716	28.9	18.8	71.1	81.2	0.1	0.1	0.0	0.0
L1040	8.2	6.0	6.0	721	721	6.0	6.0	721	721	26.1</							

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
L855	7.9	5.6	5.6	668	668	5.6	5.6	668	668	29.1	23.0	70.9	77.0	0.0	0.0	0.0	0.0
L860	7.8	6.1	6.1	733	732	6.1	6.1	733	732	21.7	17.1	78.3	82.9	0.1	0.1	0.0	0.0
L870	7.8	5.9	5.9	703	702	5.9	5.9	703	702	25.1	19.4	74.9	80.6	0.1	0.1	0.0	0.0
L90	9.6	4.8	1.9	580	228	3.4	0.8	408	99	12.7	13.0	87.3	87.0	0.0	0.1	67.4	60.7
L900	7.8	6.1	6.1	729	728	6.1	6.1	729	728	22.2	17.7	77.8	82.3	0.1	0.1	0.0	0.0
L910	7.9	6.1	6.1	731	731	6.1	6.1	731	731	23.2	17.7	76.8	82.3	0.1	0.1	0.0	0.0
L920	7.7	6.0	6.0	718	717	6.0	6.0	718	717	22.5	17.9	77.5	82.1	0.1	0.1	0.0	0.0
L930	7.9	6.1	6.1	728	728	6.1	6.1	728	728	23.3	17.5	76.7	82.5	0.1	0.1	0.0	0.0
L940	7.9	6.0	6.0	725	724	6.0	6.0	725	724	23.4	18.1	76.6	81.9	0.1	0.1	0.0	0.0
L950	8.0	6.0	6.0	725	724	6.0	6.0	725	724	23.3	17.6	75.2	82.4	0.1	0.1	0.0	0.0
L960	8.0	6.1	6.1	728	728	6.1	6.1	728	728	24.4	16.9	75.6	83.1	0.1	0.1	0.0	0.0
LB200	7.8	5.2	5.2	624	624	3.4	1.8	408	212	32.9	27.8	67.1	72.2	0.0	0.0	0.0	0.0
LB210	10.3	3.8	0.6	454	68	3.4	0.5	408	55	6.5	7.0	93.5	93.0	0.1	0.1	87.9	85.0
LB220	7.6	5.9	5.9	707	707	3.4	1.2	411	141	22.3	17.5	77.7	82.5	0.0	0.0	0.0	0.0
LB230	7.2	7.1	7.1	856	856	3.4	0.0	410	4	0.7	0.5	99.4	99.5	0.0	0.0	0.0	0.0
LE1003S	9.6	1.3	0.9	153	110	1.3	0.9	153	110	60.8	59.6	39.2	40.4	0.0	0.0	29.6	27.8
LE1005S	9.6	1.3	0.9	151	109	1.3	0.9	151	109	60.7	59.5	39.3	40.5	0.0	0.0	29.8	28.0
LE1007S	9.7	1.4	1.0	163	119	1.4	1.0	163	119	58.9	58.8	41.1	41.2	0.0	0.0	30.9	27.0
LE1009S	9.8	1.4	1.0	165	121	1.4	1.0	165	121	59.0	59.6	41.0	40.4	0.0	0.0	30.6	26.8
LE1065S	11.1	4.9	0.1	582	13	4.9	0.1	582	13	0.6	0.7	99.5	99.3	0.0	0.0	98.5	97.8
LE1075S	11.1	4.1	0.1	485	7	4.1	0.1	485	7	0.5	0.6	99.5	99.4	0.0	0.0	99.0	98.6
LE1160S	9.5	1.6	0.9	195	113	1.6	0.9	195	113	45.8	45.0	54.2	55.0	0.0	0.0	44.3	42.1
LE1165S	9.8	1.6	0.9	195	108	1.6	0.9	195	108	40.9	41.4	59.1	58.6	0.0	0.0	50.0	44.5
LE1170S	10.0	1.5	0.9	183	113	1.5	0.9	183	113	44.6	46.0	55.4	54.0	0.0	0.0	45.9	38.1
LE1175S	10.0	1.7	0.9	200	111	1.7	0.9	200	111	40.1	41.4	59.9	58.6	0.0	0.0	47.0	44.8
LE1180S	10.1	1.5	0.9	185	111	1.5	0.9	185	111	43.8	45.6	56.2	54.4	0.0	0.0	50.7	39.8
LE1185S	10.0	1.7	0.9	201	110	1.7	0.9	201	110	40.1	41.6	59.9	58.4	0.0	0.0	50.8	45.4
LE1195S	10.1	1.4	0.7	168	88	1.4	0.7	168	88	40.7	42.8	59.3	57.2	0.0	0.0	52.0	47.2
LE1265S	10.1	0.4	0.1	44	12	0.4	0.1	44	12	19.0	26.3	81.0	73.7	0.0	0.0	80.0	72.3
LE1275S	10.1	0.0	0.0	0	0	0.0	0.0	0	0	19.0	26.4	81.0	73.6	0.0	0.0	81.0	73.6
LE2705S	9.8	3.1	1.4	373	163	3.1	1.4	373	163	20.8	23.9	79.2	76.1	0.0	0.0	65.2	56.3
LE2710S	12.5	1.3	0.6	160	69	1.3	0.6	160	69	51.1	34.7	48.9	65.3	0.0	0.0	44.3	57.2
LE2740S	12.6	1.4	0.8	171	101	1.4	0.8	171	101	62.8	47.2	37.2	52.8	0.0	0.0	30.5	41.1
LE2770S	12.4	1.7	1.0	209	125	1.7	1.0	209	125	60.9	45.3	39.1	54.7	0.0	0.0	30.6	40.3
LE3004S	12.9	1.7	0.9	200	107	1.7	0.9	200	107	59.4	41.1	40.6	58.9	0.0	0.0	33.7	46.3
LE3010S	12.3	1.2	0.6	148	68	1.2	0.6	148	68	55.0	37.8	45.0	62.2	0.0	0.0	40.4	54.5
LE3040S	11.9	1.2	0.6	150	70	1.2	0.6	150	70	53.7	38.2	46.3	61.8	0.0	0.0	41.4	53.3
LE3070S	11.4	1.3	0.6	153	72	1.3	0.6	153	72	51.9	38.5	48.1	61.5	0.0	0.0	42.9	53.0
LE3075S	9.7	2.1	0.8	254	102	2.1	0.8	254	102	22.3	26.2	77.7	73.8	0.0	0.0	69.0	60.0
LE3095S	9.4	2.1	1.0	255	124	2.1	1.0	255	124	28.5	32.0	71.5	68.0	0.0	0.0	60.6	51.3
LE3130S	9.6	2.1	1.4	249	167	2.1	1.4	249	167	62.4	47.8	37.6	52.2	0.0	0.0	23.0	32.9
LE3210S	9.8	1.9	0.7	226	89	1.9	0.7	226	89	40.9	28.9	59.1	71.1	0.0	0.0	59.3	1.0
LE3240S	9.8	1.9	0.7	232	88	1.9	0.7	232	88	39.2	27.5	60.8	72.5	52.3	60.8	1.0	1.4
LE3270S	9.5	1.8	0.6	213	77	1.8	0.6	213	77	37.3	27.7	62.7	62.7	0.0	0.0	62.7	1.1
LE3410S	13.0	2.0	1.1	243	130	2.0	1.1	243	130	56.2	37.6	43.8	62.4	0.0	0.0	35.5	46.7
LE3501S	13.5	2.2	1.4	259	162	2.2	1.4	259	162	60.1	43.5	39.9	56.5	0.1	0.2	29.8	37.3
LE3504S	13.5	2.2	1.4	258	165	2.2	1.4	258	165	61.3	44.6	38.7	55.4	0.1	0.2	28.4	35.9
LE3507S	13.3	2.1	1.3	255	161	2.1	1.3	255	161	59.9	44.2	40.1	55.8	0.1	0.2	29.9	36.8
LE3510S	12.3	2.3	1.1	273	128	2.3	1.1	273	128	47.0	31.4	53.0	68.6	0.1	0.1	44.2	53.1
LE3540S	11.8	2.4	1.1	284	135	2.4	1.1	284	135	44.9	31.4	55.1	68.6	0.1	0.1	45.5	52.3
LE3570S	11.7	2.4	1.0	282	125	2.4	1.0	282	125	41.3	29.8	58.7	70.2	0.1	0.1	49.6	55.5
LE5100S	8.4	2.2	1.2	269	149	2.2	1.2	269	149	42.0	37.6	58.0	62.4	0.0	0.0	43.1	44.5
LE5400S	8.8	2.2	1.0	263	119	2.2	1.0	263	119	33.1	31.0	66.9	69.0	0.0	0.0	55.6	54.6
LE5600S	8.9	2.2	1.1	260	136	2.2	1.1	260	136	37.8	36.1	62.2	63.9	0.0	0.0	49.5	47.6
LE5605S	10.3	0.3	0.2	35	18	0.3	0.2	35	18	48.1	51.4	51.9	48.6	0.0	0.0	50.4	46.4
LE8300S	8.8	2.3	1.6	278	190	2.3	1.6	278	190	48.7	45.6	51.3	54.4	0.0	0.0	33.2	31.7
LE8700S	9.3	2.3	1.3	280	161	2.3	1.3	280	161	38.2	37.8	61.8	62.2	0.0	0.0	47.3	42.6
LE8800S	8.1	2.5	1.8	294	220	2.5	1.8	294	220	56.6	49.6	43.4	50.4	0.0	0.0	20.6	25.2
LE8807S	10.3	0.0	0.0	0	0	0.0	0.0	0	0	2.4	2.3	97.6	97.7	0.0	0.0	97.6	97.7
LE8809S	11.1	0.0	0.0	0	0	0.0	0.0	0	0	2.2	2.0	97.8	97.8	0.0	0.0	97.8	97.8
LF-306826P	12.4	2.6	2.6	309	308	2.6	2.6	309	308	79.0	66.1	21.0	33.9	0.0	0.0	0.3	0.4
LF-306934P	9.7	3.5	3.5	417	417	3.5	3.5	417	417	64.0	53.1	36.0	46.9	0.0	0.0	0.0	0.0
LF-63225P	14.0	2.1	2.1	247	247	2.1	2.1	247	247	85.2	71.7	14.8	28.3	0.0	0.0	0.0	0.0
LF-63226P	13.4	2.4	2.3	290	275	2.4	2.3	290	275	80.1	64.1	19.9	35.9	0.0	0.0	2.7	5.2
LF-63234P	10.5	3.5	3.5	417	417	3.5	3.5	417	417	66.8	52.9	33.2	47.1	0.0	0.0	0.0	0.0
LF-63290P	12.6	0.6	0.6	77	75	0.6	0.6	77	75	94.0	89.1	6.0	10.9	0.1	0.1	1.0	1.9
LF-63325P	12.0	2.1	2.1	249	246	2.1	2.1	249	246	81.8	70.8	18.2	29.2	0.0	0.0	1.0	1.1
LF-63326P	13.5	2.4	2.2	284	269	2.4	2.2	284	269	80.7	65.1	19.3	34.9	0.0	0.0	2.6	5.0
LF-63525P	12.9	2.1	2.1	249	249	2.1	2.1	249	249	83.9	71.5	16.1	28.5	0.0	0.0	0.0	0.0
LF-63725P	12.9	2.1	2.1	249	249	2.1	2.1	249	249	83.9	71.6	16.1	28.4	0.0	0.0	0.0	0.0
LF-63726P	13.3	2.3	2.2	279	265	2.3	2.2	279	265	80.7	65.4	19.3	34.6	0.0	0.0	2.6	5.0
LF-64025P	11.6	2.2	2.1	258	257	2.2	2.1	258	257	81.2	70.1	18.8	29.9	0.3	0.4	0.0	0.0
LF-64026P	13.6	2.6	2.6	307	306	2.6	2.6	307	306	80.9	65.5	19.1	34.5	0.1	0.2	0.2	0.2
LF-64034P	9.4	3.5	3.5	417	417	3.5	3.5	417	417	63.0	52.9	37.0	47.1	0.0	0.0	0.0	0.0
LF-64090P	12.4	0.7	0.7	81	80	0.7	0.7	81	80	93.9	89.3	6.1	10.7	0.1	0.1	0.6	1.2
LF-65526P	12.7	2.6	2.6	316	314	2.6	2.6	316	314	79.0	65.3	21.0	34.7	0.0	0.0	0.3	0.4
LF-71125P	14.0	2.1	2.1	247	246	2.1	2.1	247	246	85.2	71.7	14.8	28.3	0.0	0.0	0.0	0.0

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
LT45	10.8	4.3	4.2	509	502	3.4	2.6	409	314	60.5	40.7	39.5	59.3	0.0	0.0	0.9	1.5
LT46	8.2	4.4	4.3	525	517	3.4	2.5	408	298	46.1	38.3	53.9	61.7	0.0	0.0	1.1	1.4
LT47	8.5	4.4	4.4	531	531	3.4	2.4	405	293	48.1	37.6	51.9	62.4	0.1	0.1	0.0	0.0
LT48	8.2	4.2	4.0	498	477	3.4	2.6	406	310	48.1	41.8	51.9	58.2	0.0	0.0	3.4	4.2
LT49	8.5	4.4	4.4	522	522	3.4	2.5	405	300	48.8	40.4	51.2	59.6	0.0	0.0	0.0	0.0
LT50	8.5	4.2	4.2	509	509	3.4	2.6	406	314	50.0	39.3	50.0	60.7	0.0	0.0	0.0	0.0
LT51	8.8	4.4	4.4	525	525	3.4	2.5	404	300	50.0	37.8	50.0	62.2	0.0	0.0	0.0	0.0
LT52	8.7	4.4	4.4	522	522	3.4	2.5	407	298	50.0	37.4	50.0	62.6	0.0	0.0	0.0	0.0
LT53	8.8	4.4	4.4	524	524	3.4	2.6	406	310	50.1	38.5	49.9	61.5	0.0	0.0	0.0	0.0
LT54	8.5	4.3	4.3	511	511	3.4	2.6	407	314	50.0	39.6	50.0	60.4	0.0	0.0	0.0	0.0
LT55	8.2	4.3	4.2	519	505	3.4	2.5	406	298	46.5	38.1	53.5	61.9	0.0	0.0	2.1	2.6
LT56	8.9	4.4	4.4	523	523	3.5	2.7	418	318	50.9	38.2	49.1	61.8	0.0	0.0	0.0	0.0
LT57	8.8	4.4	4.4	526	526	3.4	2.5	410	304	50.0	37.8	50.0	62.2	0.0	0.0	0.0	0.0
LT58	8.8	4.4	4.4	524	524	3.4	2.5	407	304	50.1	38.1	49.9	61.9	0.0	0.0	0.0	0.0
LT59	8.6	4.4	4.4	522	522	3.4	2.5	409	305	49.4	37.0	50.6	63.0	0.0	0.0	0.0	0.0
LT60	8.8	4.4	4.4	524	524	3.4	2.5	406	300	50.0	36.9	50.0	63.1	0.0	0.0	0.0	0.0
LT61	8.9	5.1	5.1	613	606	3.4	1.8	403	222	42.4	28.7	57.7	71.3	0.0	0.0	0.8	1.0
LT62	8.4	5.0	4.9	601	592	3.4	1.9	405	231	39.8	30.2	60.2	69.8	0.0	0.0	1.1	1.3
LT63	8.4	5.0	4.9	601	591	3.4	1.9	405	230	40.2	30.1	59.8	69.9	0.0	0.0	1.3	1.7
LT-70	6.9	6.9	5.9	833	708	6.9	5.9	833	708	0.0	0.0	100.0	100.0	0.0	0.0	14.4	15.0
LT-85	6.8	6.9	4.9	826	584	6.9	4.9	826	584	0.0	0.0	100.0	100.0	0.0	0.0	28.8	29.3
LV101	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.3
LV102	10.1	0.9	0.3	102	31	0.9	0.3	102	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.9
LV103	10.1	0.9	0.3	102	31	0.9	0.3	102	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.9
LV104	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
LV105	10.1	0.8	0.3	101	31	0.8	0.3	101	31	30.1	26.6	69.9	73.4	0.0	0.0	67.3	69.7
LV106	10.0	1.1	0.3	129	41	1.1	0.3	129	41	29.8	26.4	70.2	73.6	0.0	0.0	66.7	67.9
LV107	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.4
LV108	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
LV109	10.1	1.1	0.3	137	42	1.1	0.3	137	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.6
LV110	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.3	70.2	73.7	0.0	0.0	66.7	68.4
LV111	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
LV112	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
LV113	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.9
LV114	10.0	1.1	0.3	130	41	1.1	0.3	130	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.1
LV115	9.5	2.2	0.8	258	97	2.2	0.8	258	97	28.1	25.6	71.9	74.4	0.0	0.0	63.3	62.5
LV116	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.2
LV117	9.5	2.1	0.8	253	95	2.1	0.8	253	95	28.2	25.8	71.8	74.2	0.0	0.0	63.5	62.5
LV118	10.0	1.1	0.3	132	41	1.1	0.3	132	41	29.8	26.1	70.2	73.9	0.0	0.0	66.7	68.7
LV119	10.0	1.1	0.3	131	41	1.1	0.3	131	41	29.8	26.4	70.2	73.6	0.0	0.0	66.7	68.3
LV120	10.1	1.1	0.3	132	42	1.1	0.3	132	42	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.4
LV121	10.0	1.1	0.3	134	41	1.1	0.3	134	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	69.0
LV122	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	68.8
LV123	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.1
LV2000	9.3	2.3	1.2	281	139	2.3	1.2	281	139	33.1	32.9	66.9	67.1	0.0	0.0	54.3	50.5
LV211	10.9	2.1	0.8	252	92	2.1	0.8	252	92	35.6	26.1	64.4	73.9	0.0	0.0	57.4	63.7
LV212	9.5	1.6	0.5	191	65	1.6	0.5	191	65	27.2	26.1	72.8	73.9	0.0	0.0	67.1	66.1
LV213	10.9	2.0	0.7	240	86	2.0	0.7	240	86	35.7	26.1	64.3	73.9	0.0	0.0	57.7	64.2
LV214	10.2	2.5	1.0	304	124	2.3	0.9	277	108	33.5	26.1	66.5	73.9	0.0	0.0	56.3	59.2
LV220	9.2	2.6	1.1	314	130	2.6	1.1	314	130	27.7	26.3	72.3	73.7	0.0	0.0	60.5	58.7
LV221	9.3	1.7	0.6	206	71	1.7	0.6	206	71	26.2	26.0	73.8	74.0	0.0	0.0	67.4	65.5
LV230	9.2	2.5	1.0	305	122	2.5	1.0	305	122	27.1	26.1	72.9	73.9	0.0	0.0	61.9	59.9
LV232	9.4	2.4	1.0	293	115	2.4	1.0	293	115	27.4	26.1	72.6	73.9	0.0	0.0	62.4	60.7
LV240	9.4	2.4	0.9	290	113	2.4	0.9	290	113	27.0	26.0	73.0	74.0	0.0	0.0	62.9	61.0
LV241	9.3	2.4	0.9	283	111	2.4	0.9	283	111	27.4	26.1	72.6	73.9	0.0	0.0	62.6	60.6
LV243	9.3	2.4	1.0	291	114	2.4	1.0	291	114	27.1	26.0	72.9	74.0	0.0	0.0	62.6	60.8
LV244	9.5	2.4	1.0	290	114	2.4	1.0	290	114	27.5	26.1	72.5	73.9	0.0	0.0	62.5	60.7
LV245	9.3	1.9	0.7	233	84	1.9	0.7	233	84	26.6	26.1	73.4	73.9	0.0	0.0	66.0	64.0
LV250	9.3	2.0	0.7	239	87	1.9	0.7	239	87	26.8	26.1	73.2	73.9	0.0	0.0	65.4	63.7
LV251	9.3	2.1	0.8	234	118	2.1	1.0	234	118	28.7	26.0	70.2	74.0	0.0	0.0	60.7	59.7
LV252	9.2	2.5	1.0	296	119	2.5	1.0	296	119	27.7	26.1	72.3	73.9	0.0	0.0	61.6	59.6
LV253	9.3	2.6	1.0	310	125	2.6	1.0	310	125	27.9	26.0	72.1	74.0	0.0	0.0	60.9	59.6
LV260	10.6	2.4	0.9	288	113	2.4	0.9	288	113	35.8	25.9	64.2	74.1	0.0	0.0	55.4	60.9
LV261	9.6	2.4	0.9	288	113	2.4	0.9	288	113	27.8	26.0	72.2	74.0	0.0	0.0	62.4	60.9
LV262	9.2	2.5	1.0	295	119	2.3	0.9	280	110	27.8	26.0	72.2	74.0	0.0	0.0	61.5	59.9
LV263	9.7	2.5	1.0	304	122	2.5	1.0	304	122	27.9	25.6	72.1	74.4	0.0	0.0	61.6	59.8
LV264	9.7	1.8	0.6	218	77	1.8	0.6	218	77	28.6	26.1	71.4	73.9	0.0	0.0	64.7	64.8
LV265	10.4	2.4	0.9	287	111	2.4	0.9	287	111	33.6	25.9	66.4	74.1	0.1	0.1	57.5	61.2
LV270	9.6	2.6	1.0	309	125	2.6	1.0	309	125	28.9	26.2	71.1	73.8	0.0	0.0	60.2	59.6
LV271	9.6	2.5	1.0	295	117	2.5	1.0	295	117	30.2	26.0	69.8	74.0	0.0	0.0	59.6	60.2
LV272	9.2	2.4	1.0	290	116	2.2	0.8	260	98	27.3	26.1	72.7	73.9	0.0	0.0	62.1	60.2
LV280	9.6	2.5	1.0	299	120	2.4	1.0	291	115	28.3	26.1	71.7	73.9	0.0	0.0	61.4	60.0
LV281	9.2	2.5	1.0	295	118	2.5	1.0	295	118	27.4	26.0	72.6	74.0	0.0	0.0	61.8	59.8
LV282	9.2	2.4	0.9	291	113	2.4	0.9	286	110	27.1	26.8	72.9	73.9	0.0	0.0	62.6	61.2
LV283	9.4	2.2	0.8	264	99	2.2	0.8	264	99	27.3	26.1	72.7	73.9	0.0	0.0	63.9	62.4
LV284	9.6	2.2	0.8	268	102	2.2	0.8	268	102	27.9	26.2	72.1	73.8	0.0	0.0	63.2	62.5
LV285	9.5	2.2	1.2	322	138	2.2	1.2	322	138	32.7	26.0	67.4	71.4	0.0	0.0	59.3	57.1
LV286	9.6	2.5	1.0	300	121	2.5	1.0	300	121	30.6	26.1	69					

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
LV9106	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.2
LV9107	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.9	70.2	74.1	0.0	0.0	66.7	68.9
LV9108	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
LV9109	10.0	1.1	0.3	130	41	1.1	0.3	130	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.1
LV911	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	25.9	71.9	74.1	0.0	0.0	63.3	62.2
LV9110	10.1	1.1	0.3	132	42	1.1	0.3	132	42	29.8	26.2	70.2	73.8	0.0	0.0	66.7	68.4
LV9111	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.1
LV9112	10.1	1.1	0.3	134	42	1.1	0.3	134	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	68.8
LV9113	10.0	1.1	0.3	132	41	1.1	0.3	132	41	29.8	26.2	70.2	73.9	0.0	0.0	66.7	68.7
LV9114	10.1	1.1	0.3	134	41	1.1	0.3	134	41	29.8	26.2	70.2	73.8	0.0	0.0	66.7	69.0
LV9115	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.2
LV9118	10.0	1.1	0.3	131	41	1.1	0.3	131	41	29.8	26.4	70.2	73.6	0.0	0.0	66.7	68.3
LV9119	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.3	70.2	73.7	0.0	0.0	66.7	68.4
LV9120	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.7	70.2	74.3	0.0	0.0	66.7	69.3
LV9121	10.1	1.1	0.3	137	42	1.1	0.3	137	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.6
LV9123	10.1	1.1	0.3	136	42	1.1	0.3	136	42	29.8	25.5	70.2	74.5	0.0	0.0	66.7	69.4
LV9124	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
LV9125	10.1	1.1	0.3	131	42	1.1	0.3	131	42	29.8	26.0	70.2	74.0	0.0	0.0	66.7	68.2
LV913	9.5	2.2	0.8	261	98	2.2	0.8	261	98	28.3	25.9	71.7	74.1	0.0	0.0	63.1	62.4
LV914	9.5	2.0	0.8	245	93	2.0	0.8	245	93	28.7	26.6	71.3	73.4	0.0	0.0	63.1	62.1
LV916	9.5	2.2	0.8	259	98	2.2	0.8	259	98	28.1	26.0	71.9	74.0	0.0	0.0	63.3	62.1
LV9165	8.5	7.9	0.6	950	66	7.9	0.6	950	66	0.0	0.0	100.0	100.0	0.0	0.0	93.5	93.0
LV9175	9.2	7.9	0.6	950	72	7.9	0.6	950	72	0.0	0.0	100.0	100.0	0.0	0.0	93.5	92.5
LV918	9.7	0.6	0.2	75	22	0.6	0.2	75	22	26.9	26.1	73.1	73.9	0.0	0.0	71.2	71.3
LV9185	10.0	7.9	0.6	950	75	7.9	0.6	950	75	0.0	0.0	100.0	100.0	0.0	0.0	93.8	92.2
LV919	9.5	2.0	0.7	238	87	2.0	0.7	238	87	27.9	26.2	72.1	73.9	0.0	0.0	64.4	63.3
LV9195	10.9	7.9	0.6	947	75	7.9	0.6	947	75	0.0	0.0	100.0	100.0	0.0	0.0	94.3	92.1
LV91P	6.7	6.4	5.6	764	675	6.4	5.6	764	675	3.8	1.6	96.2	98.4	3.5	2.9	8.7	8.8
LV920	9.2	2.5	1.0	305	122	2.5	1.0	305	122	27.1	26.1	72.9	73.9	0.0	0.0	61.9	59.9
LV921	9.4	2.4	0.9	290	113	2.4	0.9	290	113	27.0	26.0	73.0	74.0	0.0	0.0	62.9	61.0
LV926	9.3	2.4	0.9	283	111	2.4	0.9	283	111	27.4	26.1	72.6	73.9	0.0	0.0	62.6	60.6
LV927	9.1	2.5	1.1	297	129	2.2	0.9	268	110	29.8	28.2	70.2	71.8	0.0	0.0	58.4	56.7
LV928	9.3	2.4	1.0	291	114	2.4	1.0	291	114	27.1	26.0	72.9	74.0	0.0	0.0	62.6	60.8
LV929	9.5	2.4	1.0	290	114	2.4	1.0	290	114	27.5	26.1	72.5	73.9	0.0	0.0	62.5	60.7
LV930	9.3	2.6	1.0	310	125	2.6	1.0	310	125	27.9	26.0	72.1	74.0	0.0	0.0	60.9	59.6
LV9306	13.4	2.1	1.3	255	152	2.1	1.3	255	152	58.2	42.3	41.8	57.7	0.0	0.0	32.4	40.3
LV931	9.3	2.0	0.7	239	87	2.0	0.7	239	87	26.8	26.1	73.2	73.9	0.0	0.0	65.4	63.7
LV932	9.3	2.5	1.0	294	118	2.5	1.0	294	118	28.7	26.0	71.3	74.0	0.0	0.0	60.7	59.7
LV933	9.2	2.5	1.0	296	119	2.5	1.0	296	119	27.7	26.1	72.3	73.9	0.0	0.0	61.6	59.6
LV9355	8.9	1.0	0.6	123	67	1.0	0.6	123	67	51.2	47.0	48.8	53.0	0.0	0.0	42.5	45.3
LV9356	8.7	1.1	0.6	130	70	1.1	0.6	130	70	51.0	45.9	49.0	54.1	0.0	0.0	42.3	46.1
LV941	10.6	2.4	0.9	288	113	2.4	0.9	288	113	35.8	25.9	64.2	74.1	0.0	0.0	55.4	60.9
LV943	9.6	2.4	0.9	288	113	2.4	0.9	288	113	27.8	26.0	72.2	74.0	0.0	0.0	60.9	60.9
LV945	9.2	2.5	1.0	295	119	2.5	1.0	295	119	27.8	26.0	72.2	74.0	0.0	0.0	61.5	59.9
LV946	9.2	2.5	1.0	304	122	2.5	1.0	304	122	27.9	25.6	72.1	74.4	0.0	0.0	61.6	59.8
LV950	9.6	2.5	1.0	299	120	2.4	1.0	291	115	28.3	26.1	71.7	73.9	0.0	0.0	61.4	60.0
LV953	9.6	2.6	1.0	309	125	2.6	1.0	309	125	28.9	26.2	71.1	73.8	0.0	0.0	60.2	59.6
LV961	9.2	2.5	1.0	295	118	2.5	1.0	295	118	27.4	26.0	72.6	74.0	0.0	0.0	61.8	59.8
LV962	9.2	2.4	0.9	291	113	2.4	0.9	286	110	27.1	26.8	72.9	73.2	0.0	0.0	62.6	61.2
LV964	9.4	2.2	0.8	264	99	2.2	0.8	264	99	27.3	26.1	72.7	73.9	0.0	0.0	63.9	62.4
LV966	9.4	2.4	1.0	293	115	2.4	1.0	293	115	27.4	26.1	72.6	73.9	0.0	0.0	62.4	60.7
LV970	9.3	1.9	0.7	233	84	1.9	0.7	233	84	26.6	26.1	73.4	73.9	0.0	0.0	66.0	64.0
LV9703	9.2	1.5	0.6	178	72	1.5	0.6	177	72	33.5	32.2	66.5	67.8	0.0	0.0	60.0	59.7
LV9710	8.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
LV9712	8.8	2.6	1.7	313	201	2.6	1.7	313	201	41.9	39.5	58.1	60.5	0.0	0.0	39.1	35.6
LV9713	9.0	2.2	1.1	263	133	2.2	1.1	263	133	36.0	34.4	64.0	65.6	0.0	0.0	51.7	49.3
LV9714	8.8	2.2	1.0	263	115	2.2	1.0	263	115	31.5	29.7	65.5	70.3	0.0	0.0	57.7	56.5
LV9734	10.0	0.3	0.2	41	21	0.3	0.2	41	21	44.8	48.4	58.2	53.6	0.0	0.0	42.3	48.0
LV9735	10.1	0.5	0.2	55	26	0.5	0.2	55	26	41.3	43.2	56.7	55.7	0.0	0.0	56.5	53.9
LV9743	11.7	2.4	1.1	326	137	2.4	1.1	326	137	44.0	41.5	52.0	52.0	0.1	0.1	42.1	42.0
LV9745	13.5	2.2	1.4	261	168	2.2	1.4	261	168	61.3	44.6	38.7	55.4	0.1	0.2	28.2	25.5
LV978	9.5	2.2	0.8	258	97	2.2	0.8	258	97	28.1	25.6	71.9	74.4	0.0	0.0	63.3	62.5
LV979	9.5	2.1	0.8	253	95	2.1	0.8	253	95	28.2	25.8	71.8	74.2	0.0	0.0	63.5	62.5
LV981	10.4	2.4	0.9	287	111	2.4	0.9	287	111	33.6	25.9	66.4	74.1	0.1	0.1	57.5	61.2
LV982	9.7	1.8	0.6	218	77	1.8	0.6	218	77	28.6	26.1	71.4	73.9	0.0	0.0	64.7	64.8
LV984	9.6	0.9	0.3	104	33	0.9	0.3	104	33	29.3	27.8	70.7	72.2	0.0	0.0	67.8	68.3
LV985	9.6	2.2	0.8	268	102	2.2	0.8	268	102	27.9	26.2	72.1	73.8	0.0	0.0	63.3	62.2
LV986	9.5	2.7	1.2	322	138	2.7	1.2	322	138	28.6	27.0	71.4	73.0	0.0	0.0	59.3	57.1
LV990	9.6	2.5	1.0	295	117	2.5	1.0	295	117	30.2	26.0	69.8	74.0	0.0	0.0	59.6	60.2
LV991	9.6	2.5	1.0	300	121	2.5	1.0	300	121	30.6	26.1	69.4	73.9	0.0	0.0	58.9	59.5
LV993	9.2	2.4	1.0	290	116	2.2	0.8	260	98	27.3	26.1	72.7	73.9	0.0	0.0	62.1	60.2
LV994	9.6	1.9	0.7	232	86	1.9	0.7	232	86	29.0	26.6	71.1	73.4	0.0	0.0	63.6	63.1
LV995	9.5	2.1	0.8	246	93	2.1	0.8	246	93	28.7	26.4	71.3	73.6	0.0	0.0	63.1	62.3
M1100-25P	11.2	2.0	1.9	238	290	2.0	1.9	238	290	79.4	70.7	20.6	29.3	0.0	0.0	3.4	3.4
M1140EX	10.2	3.6	3.3	427	395	3.6	3.3	427	395	62.8	47.1	37.2	52.9	0.0	0.0	4.9	7.7
MD-7055	7.3	5.9	4.8	711	577	5.9	4.8	711	577	14.5	11.2	85.5	89.9	0.0	0.0	15.3	18.9
ME-1000P	9.1	2.1	0.8	238	98	2.1	0.8	238	98	28.6	26.1	71.4	73.8	0.0	0.0	63.2	62.0
ME-102	10.2	3.1	2.4	375													

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
N0006R35	9.1	3.6	2.7	434	327	3.6	2.7	434	327	50.4	38.2	49.6	61.8	0.0	0.0	19.7	24.7
N0805EX	10.8	3.5	3.3	425	395	3.5	3.3	425	395	65.1	47.7	34.9	52.3	0.0	0.0	4.3	6.9
N5636EF	8.6	3.3	2.9	400	344	3.3	2.9	400	344	56.0	45.2	44.0	54.8	0.0	0.0	10.7	13.9
N5793EF	11.2	3.9	3.7	470	448	3.9	3.7	470	448	63.8	43.3	36.2	56.7	0.0	0.0	2.9	4.7
NE-065	8.2	0.0	0.0	0	0	0.0	0.0	0	0	100.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
NE-075-G	9.6	0.0	0.0	0	0	0.0	0.0	0	0	100.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
NE-075-Q	9.6	0.0	0.0	0	0	0.0	0.0	0	0	100.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
NE-085	10.8	0.0	0.0	0	0	0.0	0.0	0	0	100.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
NE2100	9.2	2.1	1.0	257	118	2.1	1.0	257	118	33.1	31.8	66.9	68.2	0.0	0.0	56.2	54.0
NE2170	9.3	2.3	1.2	281	139	2.3	1.2	281	139	35.1	32.9	65.9	67.1	0.0	0.0	54.3	50.5
NE2175	9.9	1.8	1.1	213	133	1.8	1.1	213	133	43.2	44.2	56.8	55.8	0.0	0.0	45.6	37.8
NE2300-5L	9.2	2.1	1.1	253	128	2.1	1.1	253	128	35.6	34.9	64.4	65.1	0.0	0.0	52.7	49.3
NE2375-2.5	9.7	3.1	1.6	366	196	3.1	1.6	366	196	27.9	28.0	72.1	72.0	0.0	0.0	55.2	46.4
NE2575	8.4	3.4	3.4	402	402	3.4	3.4	402	402	59.9	52.2	40.1	47.8	0.0	0.0	0.0	0.0
NFG-35472	7.3	5.2	5.2	624	624	5.2	5.2	624	624	28.4	23.6	71.6	76.5	0.0	0.0	0.0	0.0
NR3075S	7.5	4.8	4.8	581	581	4.8	4.8	581	581	35.4	32.3	64.6	67.7	0.0	0.0	0.0	0.0
NR3095S	7.7	5.0	5.0	601	601	5.0	5.0	601	601	34.6	32.3	65.4	67.7	0.0	0.0	0.0	0.0
NRK-40165	7.6	5.7	4.8	689	575	5.7	4.8	689	575	22.6	18.1	77.4	81.9	0.0	0.0	14.3	16.5
P3029R28	9.9	3.2	2.2	381	264	3.2	2.2	382	264	55.5	38.9	44.5	61.1	0.0	0.0	22.3	30.8
P41	11.2	4.0	4.0	476	476	4.0	4.0	476	476	64.5	43.1	35.5	56.9	0.0	0.0	0.0	0.0
PB6700	8.8	2.7	2.7	318	318	2.7	2.7	318	318	70.0	64.2	30.0	35.8	0.0	0.0	0.0	0.0
PB6701	8.8	4.3	3.7	515	448	4.2	3.6	509	435	47.5	34.3	52.5	65.7	0.0	0.0	9.8	13.1
PB6702	9.4	4.2	3.3	498	392	4.1	3.2	495	388	50.4	32.9	49.6	67.1	0.0	0.0	14.8	21.1
PB6703	9.4	4.1	3.1	491	376	4.1	3.1	488	371	50.2	32.5	49.9	67.5	0.0	0.0	16.5	23.4
PB7020	7.8	5.5	5.5	659	659	5.5	5.5	659	659	29.6	21.6	70.4	78.4	0.0	0.0	0.0	0.0
PB7025	7.0	6.6	6.8	796	570	6.6	4.8	796	570	5.7	3.7	94.3	96.3	0.0	0.0	26.7	28.4
PB7026	8.5	8.5	8.5	1020	1020	8.5	8.5	1020	1020	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
PB7027	8.5	2.5	2.5	294	294	2.5	2.5	294	294	71.1	63.6	28.9	36.4	0.0	0.0	0.0	0.0
PB7045	9.0	3.2	1.9	379	232	3.2	1.9	379	232	39.4	33.6	60.6	66.4	0.0	0.0	39.1	38.7
PB7047	8.4	3.6	3.6	428	428	3.6	3.6	428	428	57.5	49.9	42.5	50.1	0.0	0.0	0.0	0.0
PB7065	8.3	4.4	4.1	529	487	4.1	3.4	490	403	44.4	35.1	55.6	64.9	0.0	0.0	6.8	8.1
PB7070	8.3	4.5	4.1	534	490	4.2	3.5	502	418	43.8	34.2	56.2	65.8	0.0	0.0	6.9	8.2
PB7072	8.4	4.3	3.8	514	459	4.1	3.5	492	414	45.6	35.4	54.4	64.6	0.0	0.0	8.6	10.6
PB7170	8.4	4.2	3.7	506	447	4.0	3.4	484	403	46.3	35.7	53.7	64.3	0.0	0.0	9.3	11.5
PB72301	8.5	2.8	2.8	341	332	2.8	2.8	341	332	65.0	57.2	35.0	42.8	0.0	0.0	2.4	2.6
PB725	7.5	7.4	7.4	885	885	7.4	7.4	885	885	2.0	1.7	98.0	98.3	0.0	0.0	0.0	0.0
PB7430	8.0	3.7	3.4	446	404	3.7	3.4	446	404	49.9	42.2	50.1	57.8	0.0	0.0	7.9	9.6
PB7435	8.7	1.9	1.5	225	184	1.9	1.5	225	184	66.0	59.1	34.0	40.9	0.0	0.0	16.3	18.1
PB7700	8.1	4.5	3.0	541	360	4.5	3.0	541	360	35.5	24.7	64.5	75.3	0.1	0.1	27.3	33.4
PB7701	7.3	6.6	6.1	796	730	3.8	0.6	452	67	8.9	6.8	91.1	93.2	0.1	0.1	7.4	8.2
PB7710	8.0	3.8	3.8	450	450	3.8	3.8	450	450	52.9	44.6	47.1	55.4	0.0	0.0	0.0	0.0
PB7711	8.4	4.8	4.4	571	531	4.2	3.2	538	389	40.7	32.6	59.3	67.4	0.0	0.0	6.2	7.0
PB7775	7.8	4.4	4.4	533	533	4.4	4.4	533	533	43.0	34.6	57.0	65.4	0.0	0.0	0.0	0.0
PB8700	4.2	3.2	3.2	419	419	3.2	3.2	419	393	52.2	45.5	47.9	65.5	0.0	0.0	20.8	18.1
PB87301	8.5	2.8	2.8	341	332	2.8	2.8	341	332	65.0	57.2	35.0	42.8	0.0	0.0	2.4	2.6
PB8800	7.4	6.1	5.7	733	682	3.7	1.1	445	128	17.3	13.8	82.7	86.2	0.1	0.1	6.1	6.8
PBT09	7.8	7.5	6.6	899	796	7.5	6.6	899	796	5.0	3.1	95.0	96.9	0.1	0.1	9.7	11.4
PBT10	9.1	3.7	3.7	439	439	3.7	3.7	439	439	59.6	48.3	40.4	51.7	0.0	0.0	0.0	0.0
PBT16041	23.8	0.0	0.0	0	0	0.0	0.0	0	0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
PBT55	8.2	5.0	5.0	601	601	3.3	1.8	395	220	39.0	30.6	61.0	69.4	0.0	0.0	0.0	0.0
PBT56	8.5	5.1	5.1	613	613	3.4	1.9	407	223	39.7	29.3	60.3	70.7	0.0	0.0	0.0	0.0
PBT57	8.3	4.4	4.4	530	530	3.7	2.9	439	343	46.6	39.0	53.4	61.0	0.0	0.0	0.0	0.0
PBT88	8.2	4.1	4.1	493	486	3.5	2.9	419	344	49.3	41.6	50.7	58.4	0.0	0.0	1.1	1.3
PBT98	8.7	4.3	4.3	513	513	3.1	2.4	373	290	50.7	40.5	49.3	59.5	0.0	0.0	0.0	0.0
PE1501	8.8	2.2	1.0	263	115	2.2	1.0	263	115	31.5	29.7	68.5	70.3	0.0	0.0	57.7	56.5
PE2100	8.1	4.0	3.5	484	418	4.0	3.5	484	418	45.7	40.7	54.3	59.3	0.0	0.0	11.2	13.7
PE2300	9.2	2.1	1.1	253	128	2.1	1.1	253	128	35.6	34.9	64.4	65.1	0.0	0.0	52.7	49.3
PE2400	7.7	4.2	3.4	509	411	4.2	3.4	509	411	38.9	31.9	61.1	68.1	0.0	0.0	16.4	19.2
PE2600	8.0	4.6	3.8	551	458	4.6	3.8	551	458	36.6	31.8	63.4	68.2	0.0	0.0	15.9	16.9
PE4000AW-G	7.7	4.2	2.8	499	331	4.2	2.8	499	331	41.2	29.0	53.1	57.0	0.0	0.0	21.0	33.8
PER9070M	9.7	3.1	1.6	366	196	3.1	1.6	366	196	27.9	28.0	72.1	72.0	0.0	0.0	55.2	46.4
PER9995	9.2	2.1	1.1	253	128	2.1	1.1	253	128	35.6	34.9	64.4	65.1	0.0	0.0	52.7	49.3
PM00	7.2	7.1	7.1	854	854	7.1	7.1	854	854	1.5	1.2	98.5	98.8	0.0	0.0	0.0	0.0
PS100CTW	6.8	0.1	0.1	16	16	0.1	0.1	16	16	98.0	98.6	2.0	1.4	0.0	0.0	0.0	0.0
PS1500POL	9.5	6.5	4.8	775	581	6.5	4.8	775	581	27.0	9.0	73.0	91.0	22.0	25.1	0.0	0.0
PS2000POL	9.4	2.2	1.5	259	180	2.2	1.5	259	180	52.0	43.5	48.0	56.5	32.0	30.4	0.0	0.0
PS2500POL	9.6	4.4	3.4	529	403	4.4	3.4	529	403	37.0	24.4	63.0	75.6	28.0	23.9	0.0	0.0
PS28448PSW	6.2	6.1	5.5	736	664	6.1	5.5	736	664	0.0	0.0	100.0	100.0	0.0	0.0	10.5	9.8
PS3000POL	9.5	4.1	3.1	496	376	4.1	3.1	496	376	39.0	27.1	61.0	72.9	28.0	24.3	0.0	0.0
PS4000	12.5	3.9	0.2	464	21	3.9	0.2	464	21	2.4	1.8	97.6	98.2	96.2	95.5	0.0	0.0
PS400POL	8.3	7.2	1.5	860	180	7.2	1.5	860	180	2.0	0.5	98.0	99.5	80.0	79.1	0.0	0.0
PSBLUEPOL	9.2	6.1	4.0	726	484	6.1	4.0	726	484	27.0	9.2	73.0	90.8	29.0	33.3	0.0	0.0
PSCTPSWREFILL	6.8	0.1	0.1	16	16	0.1	0.1	16	16	98.0	98.6	2.0	1.4	0.0	0.0	0.0	0.0
PSMASK	7.8	4.8	0.4	578	47	4.8	0.4	578	47	5.0	2.4	95.0	97.6	90.0	91.9	0.0	0.0
PT101	15.3	3.5	3.5	424	424	3.5	3.5	424	424	76.9	51.7	23.1	48.3	0.0	0.0	0.0	0.0
PT1015	9.7	3.7	3.7	447	447	3.7	3.7	447	447	37.0	37.0	63.0	53.2	0.0	0.0	0.0	0.0
PT110	11.0	4.1	4.1	497	497	4.0	3.7	474	446	62.2	40.4	37.8	59.6	0.0	0.0	0.0	0.0
PT104	8.5	3.2	1.7	383	205	3.2	1.7	383	205	36.							

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
PT291	8.3	3.2	2.9	388	347	3.2	2.9	388	347	56.6	50.7	43.4	49.3	0.0	0.0	8.5	10.6
PT292	8.3	2.5	2.4	299	286	2.5	2.4	299	286	67.2	62.7	32.8	37.3	0.0	0.0	4.0	4.2
PT293	8.2	3.5	3.5	421	416	3.5	3.5	421	416	56.7	48.8	43.3	51.2	0.0	0.0	1.0	1.2
PT296	8.4	3.5	2.2	419	267	3.5	2.2	419	267	40.9	31.0	59.1	69.0	0.0	0.0	32.6	36.3
PT297	7.8	5.1	5.1	606	606	5.1	5.1	606	606	35.1	27.5	64.9	72.5	0.0	0.0	0.0	0.0
PT298	8.3	3.2	3.2	389	389	3.2	3.2	389	389	60.6	53.4	39.4	46.6	0.0	0.0	0.0	0.0
PT299	8.2	2.7	2.7	319	319	2.7	2.7	319	319	67.8	65.2	32.2	34.8	0.0	0.0	0.0	0.0
PX24 C	10.8	1.8	1.8	220	157	0.9	0.5	107	65	58.7	53.3	41.3	46.7	0.0	0.0	29.2	28.5
Q14558	9.4	3.8	3.8	453	452	3.8	3.7	449	449	59.6	46.8	40.4	53.2	0.0	0.0	0.1	0.2
QC6000	8.9	1.1	0.4	132	47	1.1	0.4	132	47	31.1	29.7	68.9	70.3	0.0	0.0	64.5	64.7
QC6075	8.4	3.4	3.4	402	402	3.4	3.4	402	402	59.9	52.2	40.1	47.8	0.0	0.0	0.0	0.0
RAL3003RV35	8.4	3.7	2.9	440	344	3.7	2.9	440	344	47.2	39.2	52.8	60.8	0.0	0.0	18.5	21.7
RK-16644	9.2	0.1	0.1	13	13	0.1	0.1	13	13	98.8	98.6	1.2	1.4	0.0	0.0	0.0	0.0
RK-16670	8.8	3.4	3.4	413	411	3.4	3.4	413	411	60.2	54.4	39.8	45.6	0.0	0.0	0.6	0.5
RK-32926	7.8	4.4	2.5	527	300	4.4	2.5	527	300	25.4	20.2	74.6	79.8	0.0	0.0	42.7	43.1
RK-34072	7.7	4.2	3.4	509	411	4.2	3.4	509	411	38.9	31.9	61.1	68.1	0.0	0.0	16.4	19.2
RK-34545	8.0	3.8	3.5	457	415	3.8	3.5	457	415	49.0	41.2	51.0	58.8	0.0	0.0	7.5	9.0
RK-40315	8.0	3.8	3.7	458	438	3.8	3.7	458	438	51.0	43.7	49.0	56.3	0.0	0.0	3.7	4.5
RK-40429	8.1	4.0	3.8	482	461	4.0	3.8	482	461	48.8	41.8	51.2	58.2	0.0	0.0	3.5	4.3
RK-40447	8.1	4.0	3.8	480	459	4.0	3.8	480	459	49.0	42.0	51.0	58.0	0.0	0.0	3.6	4.4
RK40524	8.1	2.5	1.8	294	220	2.5	1.8	294	220	56.6	49.6	43.4	50.4	0.0	0.0	20.6	25.2
RK-40561	7.8	4.6	3.7	551	446	4.6	3.7	551	446	36.4	30.0	63.6	70.0	0.0	0.0	16.0	19.0
RK-40567	7.9	4.6	3.9	548	469	4.6	3.9	548	469	38.7	32.6	61.3	67.4	0.0	0.0	12.0	14.4
RK-4113	8.9	2.5	2.5	298	298	2.5	2.5	298	298	72.0	72.0	28.0	33.9	0.0	0.0	0.0	0.0
RK-4199	9.3	2.8	2.8	334	334	2.8	2.8	334	334	70.0	67.2	30.0	32.8	0.0	0.0	0.0	0.0
RK-4200	9.1	1.7	1.7	203	203	1.7	1.7	203	203	81.5	76.9	18.6	23.1	0.0	0.0	0.0	0.0
RK-7018	8.9	2.5	2.5	298	298	2.5	2.5	298	298	72.0	66.0	28.0	34.0	0.0	0.0	0.0	0.0
RK-7131	8.6	2.6	2.6	308	308	2.6	2.6	308	308	70.0	62.0	30.0	38.0	0.0	0.0	0.0	0.0
RKP31033	8.0	3.7	3.5	442	420	3.7	3.5	442	420	51.9	45.9	48.1	54.1	0.0	0.0	4.0	4.8
RKP32925	7.5	5.1	4.9	609	588	5.1	4.9	609	588	32.0	25.5	68.0	74.5	0.0	0.0	3.0	3.4
RT001P	7.2	7.2	7.2	860	860	7.2	7.2	860	860	0.9	0.9	99.1	99.1	0.0	0.0	0.0	0.0
RT002P	7.2	7.2	7.2	865	865	7.2	7.2	865	865	0.4	0.3	99.6	99.6	0.0	0.0	0.0	0.0
RV128	9.2	0.0	0.0	0	0	0.0	0.0	0	0	80.0	76.4	20.0	23.6	0.0	0.0	20.0	23.6
RV135	8.9	1.5	1.2	175	149	1.5	1.2	175	149	73.0	66.8	27.0	33.2	0.0	0.0	13.0	14.7
RV200	8.0	3.8	3.8	459	459	3.8	3.8	459	459	52.0	43.3	48.0	56.7	0.0	0.0	0.0	0.0
RV205	7.2	5.6	1.5	674	177	5.6	1.5	674	177	7.6	6.4	92.4	93.6	0.0	0.0	71.9	73.8
RV210	8.3	0.6	0.3	74	30	0.6	0.3	74	30	44.6	37.1	55.4	62.9	0.0	0.0	52.4	59.5
RV215	7.5	7.6	7.0	914	841	7.6	7.0	914	841	0.0	0.0	100.0	100.0	0.0	0.0	7.0	8.0
RV280	8.3	3.2	2.9	388	347	3.2	2.9	388	347	56.6	50.4	43.4	49.6	0.0	0.0	8.4	10.5
RV350	8.3	3.2	2.9	388	347	3.2	2.9	388	347	56.6	50.4	43.4	49.6	0.0	0.0	8.4	10.5
RV400	10.4	2.4	1.4	290	171	2.4	1.4	290	171	58.1	39.0	41.9	61.0	0.1	0.1	28.1	40.7
RV450	11.7	3.0	2.5	365	295	3.0	2.5	365	295	68.2	46.0	31.8	54.0	0.1	0.1	10.8	19.1
RV455	7.6	3.4	3.3	404	396	3.4	3.3	404	396	54.8	49.9	45.2	50.1	0.0	0.0	1.9	1.9
RV500	9.0	2.4	1.4	283	147	2.4	1.4	283	147	35.9	32.9	64.1	66.0	0.0	0.0	50.4	48.0
RV901	8.6	3.4	3.2	410	378	3.4	3.2	410	378	55.0	47.9	45.0	52.1	0.0	0.0	8.4	7.8
RV902	10.9	3.5	3.1	419	366	3.5	3.1	419	366	61.6	44.5	38.4	55.5	0.0	0.0	10.4	12.6
S100	9.7	1.7	0.4	203	47	1.7	0.4	203	47	30.2	17.8	69.8	82.2	65.3	76.0	0.5	0.6
S101	8.8	2.0	0.4	244	46	2.0	0.4	244	46	18.4	13.1	81.6	86.9	76.7	80.5	0.6	0.8
S102	8.7	2.1	0.4	248	51	2.1	0.4	248	51	18.2	14.4	81.8	85.6	76.4	78.9	0.4	0.6
S150	8.4	1.7	0.2	198	24	1.7	0.2	198	24	10.7	9.3	89.3	90.7	86.5	87.4	0.3	0.4
S151	8.4	2.1	0.3	249	33	2.1	0.3	249	33	10.6	9.2	89.4	90.8	85.5	85.9	0.5	0.6
S152	8.6	0.1	0.0	10	2	0.1	0.0	10	2	18.0	15.6	82.0	84.4	81.6	84.0	0.2	0.2
S200	8.6	2.0	0.4	244	48	2.0	0.4	244	48	16.9	13.5	83.1	85.5	77.8	79.6	0.7	0.8
S201	8.6	1.5	0.3	183	35	1.5	0.3	183	35	17.5	14.9	82.5	86.1	78.6	80.3	0.4	0.5
S202	8.6	1.9	0.4	228	42	1.9	0.4	228	42	16.6	13.4	83.4	86.6	78.6	80.8	0.7	0.8
S250	8.7	1.8	0.3	218	37	1.8	0.3	218	37	16.5	12.5	83.5	87.5	79.6	82.5	0.4	0.5
S251	8.5	1.8	0.3	220	36	1.8	0.3	220	36	14.6	12.3	85.4	87.7	81.5	83.3	0.3	0.4
S252	8.5	1.6	0.3	187	32	1.6	0.3	187	32	15.7	13.2	84.3	86.8	80.8	82.5	0.4	0.5
S253	8.5	1.9	0.3	228	33	1.9	0.3	228	33	12.6	10.4	87.4	89.6	83.9	85.3	0.3	0.4
S254	8.5	1.9	0.3	236	38	1.9	0.3	236	38	11.3	9.8	88.7	90.2	81.3	84.8	0.3	0.5
S255	8.5	1.7	0.3	209	38	1.7	0.3	209	38	16.3	13.8	83.7	86.2	79.6	81.1	0.4	0.4
S256	8.6	1.4	0.3	166	32	1.4	0.3	166	32	18.3	15.3	81.7	84.7	78.2	80.2	0.4	0.5
S257	8.5	1.5	0.2	176	24	1.5	0.2	176	24	12.7	10.8	87.3	89.2	84.5	85.8	0.3	0.4
S258	8.7	1.7	0.4	198	46	1.7	0.4	198	46	21.6	17.7	78.4	82.3	73.6	76.3	0.4	0.5
S300	8.8	1.4	0.3	171	38	1.4	0.3	171	38	22.0	17.5	78.0	82.5	74.1	77.6	0.4	0.5
S301	8.5	1.9	0.3	224	34	1.9	0.3	224	34	13.4	11.2	86.6	88.8	82.9	84.4	0.3	0.4
S350	8.6	1.5	0.2	185	28	1.5	0.2	185	28	14.8	11.9	85.2	88.1	82.1	84.2	0.4	0.5
S351	8.7	1.8	0.3	211	42	1.8	0.3	211	42	18.3	14.6	81.7	85.4	77.2	79.8	0.4	0.5
S352	8.7	1.5	0.3	175	36	1.5	0.3	175	36	19.7	16.0	80.3	84.0	76.4	79.1	0.4	0.5
S353	8.7	1.6	0.3	194	41	1.6	0.3	194	41	20.7	16.2	79.3	83.8	74.9	78.2	0.4	0.5
S354	8.7	1.8	0.3	220	38	1.8	0.3	220	38	16.8	12.7	83.2	87.3	79.1	82.2	0.4	0.5
S400	8.6	1.6	0.3	197	32	1.6	0.3	197	32	15.4	12.6	84.6	87.4	81.1	83.1	0.3	0.4
S401	8.6	1.9	0.3	222	42	1.9	0.3	222	42	17.2	13.8	82.8	86.2	78.3	80.6	0.5	0.6
S402	8.6	1.6	0.3	190	32	1.6	0.3	190	32	15.8	12.7	84.2	87.3	80.7	82.8	0.5	0.6
S403	8.4	2.1	0.3	248	38	2.1	0.3	248	38	12.0	10.4	88.0	89.6	83.7	84.1	0.6	0.7
S450	8.5	1.9	0.3	230	42	1.9	0.3	230	42	15.7	13.3	84.3	86.7	79.8	81.4	0.4	0.5
S451	8.6	1.7	0.3	206	37	1.7	0.3	206	37	18.4	15.2	81.6	84.8	77.2	79.6	0.4	0.5
S452	8.4	2.1	0.3	246	37	2.1	0.3	246	37	11.7	10.2	88.3	89.8	84.1	85.5	0.5	0.7
S453	8.5																

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	TBAC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
SBL14	8.8	4.4	4.4	524	524	3.4	2.6	406	310	50.1	38.5	49.9	61.5	0.0	0.0	0.0	0.0
SBL16	8.5	4.3	4.3	511	511	3.4	2.6	407	314	50.0	39.6	50.0	60.4	0.0	0.0	0.0	0.0
SBL18	8.2	4.3	4.2	519	505	3.4	2.5	406	298	46.5	38.1	53.5	61.9	0.0	0.0	2.1	2.6
SBL19	8.9	4.4	4.4	523	523	3.5	2.7	418	318	50.9	38.2	49.1	61.8	0.0	0.0	0.0	0.0
SBL20	8.1	4.7	4.7	563	563	3.4	2.2	407	266	41.9	35.5	58.1	64.5	0.0	0.0	0.0	0.0
SBL21	8.3	4.2	4.2	506	500	3.4	2.6	406	313	49.0	42.5	51.0	57.5	0.0	0.0	0.9	1.1
SBL26	8.2	4.5	4.4	535	526	3.4	2.4	406	290	45.0	37.6	55.0	62.4	0.0	0.0	1.3	1.6
SBL27	8.0	4.8	4.7	574	566	3.4	2.1	407	251	40.0	32.0	60.0	68.0	0.0	0.0	1.2	1.5
SBL28	8.2	4.5	4.5	542	542	3.4	2.7	407	286	45.1	40.7	54.9	62.2	0.0	0.0	0.0	0.0
SBL29	8.6	4.0	4.0	485	480	3.4	2.8	407	480	52.5	48.8	47.5	55.2	0.0	0.0	0.9	1.1
SBL30	8.5	4.4	4.4	522	522	3.4	2.5	405	300	48.8	40.4	51.2	59.6	0.0	0.0	0.0	0.0
SBL31	8.2	4.2	4.0	498	477	3.4	2.6	406	310	48.1	41.8	51.9	58.2	0.0	0.0	3.4	4.2
SBL32	8.5	4.4	4.4	531	531	3.4	2.4	405	293	48.1	37.6	51.9	62.4	0.1	0.1	0.0	0.0
SBL33	8.2	4.4	4.3	525	517	3.4	2.5	408	298	46.1	38.3	53.9	61.7	0.0	0.0	1.1	1.4
SBL41	10.8	4.3	4.2	509	502	3.4	2.6	409	314	60.5	40.7	39.5	59.3	0.0	0.0	0.9	1.5
SBL43	8.4	4.6	4.6	554	549	3.4	2.3	406	272	45.0	35.8	55.0	64.2	0.0	0.0	0.7	0.9
SBL45	8.1	4.8	4.8	576	575	3.4	2.1	408	253	40.6	32.3	59.4	67.7	0.0	0.0	0.2	0.2
SBL46	8.8	4.4	4.4	526	525	3.5	2.6	415	310	49.9	38.9	50.1	61.1	0.1	0.1	0.2	0.2
SBL50	8.6	4.3	4.2	509	500	3.4	2.6	406	308	50.0	40.5	50.0	59.5	0.0	0.0	1.5	1.9
SBL53	8.8	4.0	3.9	474	467	3.4	2.9	408	343	54.5	46.0	45.5	54.0	0.0	0.0	1.1	1.4
SBL61	8.2	4.2	4.2	506	501	3.4	2.6	406	314	48.1	40.2	51.9	59.8	0.0	0.0	0.7	0.9
SBL62	8.0	4.2	4.1	498	496	3.2	2.5	389	296	48.1	42.5	51.9	57.5	0.0	0.0	0.5	0.6
SBL624B	7.6	5.9	5.9	707	707	3.4	1.2	411	141	22.3	17.5	77.7	82.5	0.0	0.0	0.0	0.0
SBL626B	7.8	5.2	5.2	624	624	3.4	1.8	408	212	32.9	27.8	67.1	72.2	0.0	0.0	0.0	0.0
SBL64	8.4	4.2	4.1	498	489	3.4	2.7	406	319	50.0	42.9	50.0	57.1	0.0	0.0	1.4	1.7
SBL66	8.4	4.0	3.9	480	471	3.4	2.8	404	331	52.0	44.8	48.0	55.2	0.0	0.0	1.4	1.8
SBL6627S	10.3	3.8	0.6	454	68	3.4	0.5	408	55	6.5	7.0	93.5	93.0	0.1	0.1	87.9	85.0
SBL6629S	10.4	3.8	0.5	457	65	3.4	0.4	407	51	6.5	7.0	93.5	93.0	0.1	0.1	88.2	85.8
SBL6655S	9.7	3.7	0.5	439	59	3.4	0.4	408	51	7.0	6.9	93.5	93.1	0.1	0.1	87.9	86.6
SBL6695S	10.4	3.7	0.5	441	60	3.4	0.4	407	51	6.5	7.0	93.5	93.0	0.1	0.1	88.6	86.3
SBL70	8.1	4.1	3.9	494	470	3.4	2.6	407	314	48.0	42.1	52.0	57.9	0.0	0.0	3.8	4.7
SBL78	8.6	4.4	4.4	522	522	3.4	2.5	409	305	49.4	37.0	50.6	63.0	0.0	0.0	0.0	0.0
SBL79	8.8	4.4	4.4	524	524	3.4	2.5	406	300	50.0	36.9	50.0	63.1	0.0	0.0	0.0	0.0
SBL81	10.8	4.3	4.3	519	516	3.4	2.5	406	302	59.8	40.5	40.2	59.5	0.2	0.2	0.3	0.5
SBL82	8.7	3.8	3.6	451	428	3.4	2.9	406	348	55.0	46.8	45.0	53.2	0.0	0.0	3.8	5.0
SBL84	8.6	3.7	3.5	448	424	3.4	2.9	406	351	55.0	46.9	45.0	53.1	0.0	0.0	3.9	5.2
SBL85	8.8	4.0	4.0	485	482	3.4	2.8	406	332	53.6	44.5	46.4	55.5	0.0	0.0	0.5	0.7
SBL86	8.6	3.9	3.9	471	466	3.4	2.9	406	344	54.0	46.0	46.0	54.0	0.1	0.1	0.7	1.0
SBL877S	9.6	4.8	1.9	580	228	3.4	0.8	408	99	12.7	13.0	87.3	87.0	0.0	0.1	67.4	60.7
SBL90	9.2	4.2	4.2	503	503	3.4	2.7	407	320	54.5	41.7	45.5	58.3	0.0	0.0	0.0	0.0
SBL908	8.4	5.0	4.9	592	591	3.4	1.9	405	231	39.8	30.2	60.2	69.8	0.0	0.0	1.1	1.3
SBL91	9.2	4.1	4.1	494	491	3.4	2.7	407	327	55.0	42.8	45.0	57.2	0.0	0.0	0.4	0.5
SBL913	8.9	5.1	5.1	613	606	3.4	1.8	403	222	42.4	28.7	57.7	71.3	0.0	0.0	0.8	1.0
SBL915	8.4	5.0	4.9	601	591	3.4	1.9	405	230	40.2	30.9	59.8	69.8	0.0	0.0	1.3	1.7
SBL93	8.1	4.2	4.2	506	499	3.4	2.6	406	312	47.6	39.5	52.4	60.5	0.0	0.0	1.2	1.5
SBL94	8.8	4.4	4.4	526	526	3.4	2.5	410	304	50.0	37.8	50.0	62.2	0.0	0.0	0.0	0.0
SBL95	8.8	4.4	4.4	524	524	3.4	2.5	407	304	50.1	38.1	49.9	61.9	0.0	0.0	0.0	0.0
SBL9900B	8.0	5.2	4.9	621	586	3.3	1.6	400	196	33.9	26.5	66.1	73.5	0.0	0.0	4.8	5.8
SBL725B	7.2	7.1	7.1	856	856	3.4	0.0	410	4	0.7	0.5	99.4	99.5	0.0	0.0	0.0	0.0
SE5000	8.0	2.5	1.7	295	205	2.5	1.7	295	205	52.3	45.0	47.7	55.0	0.0	0.0	26.5	30.6
SE5001	8.2	3.2	2.5	383	298	3.2	2.5	383	298	49.3	42.0	50.7	58.0	0.0	0.0	20.2	22.1
SE5002	7.8	5.1	5.1	613	613	5.1	5.1	613	613	34.0	24.7	66.0	75.3	0.0	0.0	0.0	0.0
SE5017-GX	8.0	4.9	4.5	591	541	4.9	4.5	590	540	35.7	29.3	64.3	70.7	0.0	0.0	7.8	8.4
SE5017-GII	8.7	3.5	2.3	418	274	3.5	2.3	418	274	39.2	33.1	60.8	66.9	0.0	0.0	34.5	34.4
SE5039	8.6	4.0	3.1	476	371	4.0	3.1	476	371	42.5	34.3	57.5	65.7	0.0	0.0	21.5	22.0
SE5040-GII	8.8	3.4	2.3	406	280	3.4	2.3	406	280	41.6	35.4	58.4	64.6	0.0	0.0	32.0	30.9
SE5055	8.2	4.6	4.3	547	517	4.2	3.4	498	408	42.8	34.8	47.2	65.2	0.0	0.0	4.8	5.4
SE5085	8.4	3.6	3.6	428	428	3.6	3.6	428	428	57.5	49.9	52.5	50.1	0.0	0.0	0.0	0.0
SE5104	8.2	3.1	2.1	372	255	3.1	2.1	372	255	48.0	38.6	52.0	61.4	0.0	0.0	26.2	31.4
SE5105	10.2	3.4	2.7	408	318	3.4	2.7	408	318	59.2	42.0	49.8	59.0	0.0	0.0	14.8	18.0
SE5110	8.2	4.3	3.8	515	456	4.0	3.2	480	385	44.2	34.5	55.8	65.5	0.0	0.0	9.3	11.5
SE5200	7.9	3.8	2.9	457	345	3.8	2.9	457	345	42.3	35.2	57.7	64.8	0.0	0.0	21.1	24.4
SE5200EX	8.2	3.5	3.3	423	393	3.5	3.3	423	393	54.5	47.7	45.5	52.3	0.0	0.0	5.6	7.0
SE5202	8.0	3.7	2.9	443	344	3.7	2.9	443	344	45.2	37.1	54.8	62.9	0.0	0.0	19.0	22.4
SE5202-B2	8.0	4.9	4.5	593	534	4.9	4.5	593	534	35.5	28.4	64.5	71.6	0.0	0.0	9.1	9.8
SE5202-GX	8.1	5.0	4.5	594	540	5.0	4.5	594	540	35.7	28.7	64.3	71.3	0.0	0.0	8.3	9.0
SE5206	7.8	4.1	3.0	493	359	4.1	3.0	493	359	37.7	30.8	62.3	69.2	0.0	0.0	23.7	27.2
SE5207	9.0	3.9	2.7	467	320	3.9	2.7	467	320	46.7	31.5	53.3	68.5	0.0	0.0	23.6	31.4
SE5208	8.8	4.4	3.8	525	454	4.4	3.8	525	454	46.2	34.7	53.8	65.3	0.0	0.0	10.7	13.6
SE5209	8.6	3.9	2.8	466	337	3.9	2.8	466	337	45.5	33.1	54.5	66.9	0.0	0.0	21.7	27.6
SE5302	8.3	3.5	2.8	419	335	3.5	2.8	417	330	49.7	40.6	50.3	59.4	0.0	0.0	16.6	20.2
SE5314	8.2	4.1	3.3	488	398	4.1	3.3	488	398	44.2	35.4	55.8	64.6	0.0	0.0	15.3	18.4
SE5315	8.1	4.0	3.0	485	364	4.0	3.0	485	364	41.6	32.7	58.4	67.3	0.0	0.0	20.9	25.0
SE5316	8.4	3.6	2.8	431	336	3.6	2.8	430	334	48.8	38.9	51.2	61.1	0.0	0.0	17.9	22.0
SE5318	8.1	5.0	4.5	601	541	5.0	4.5	601	540	35.3	28.0	64.7	72.0	0.0	0.0	9.2	10.0
SE5320	8.3	4.6	4.2	556	501	4.6	4.2	556	499	41.3	33.1	58.7	66.9	0.0	0.0	8.3	9.9
SE5407	8.1	4.1	3.6	475	369	4.1	3.6	475	369	47.5	38.8	62.5	71.9	0.0	0.0	19.2	23.0
SE5416	8.7	3.9	3.1	466	369	3.9	3.1	465	367	48.2	36.3	51.8	61.7	0.0	0.0	16.2	20.8

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (L) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (L) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (L) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
SMT622-1	6.0	6.0	6.0	717	717	6.0	6.0	717	717	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
SRK-1055	7.7	6.2	6.2	745	744	6.2	6.2	745	744	19.0	15.2	81.0	84.8	0.2	0.2	0.0	0.0
SRK-1054	7.8	6.0	6.0	721	720	6.0	6.0	721	720	23.4	19.6	76.6	80.4	0.1	0.1	0.0	0.0
SRK-1056	7.8	6.1	6.1	731	730	6.1	6.1	731	730	21.3	17.3	78.7	82.7	0.1	0.1	0.0	0.0
SRK-1052	7.7	6.0	6.0	723	722	6.0	6.0	723	722	21.2	16.3	78.8	83.7	0.1	0.1	0.0	0.0
SS-25	6.7	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
T-0475	6.7	6.7	4.7	806	569	6.7	4.7	806	569	0.0	0.0	100.0	100.0	0.0	0.0	29.5	29.5
T-1021	6.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
T-1022	8.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
T-1025	7.3	0.0	0.0	0	0	0.0	0.0	0	0	50.0	45.2	50.0	54.9	0.0	0.0	50.0	54.3
T-2320	6.5	6.5	6.5	784	784	6.5	6.5	784	784	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-32035	6.7	6.7	6.7	799	799	6.7	6.7	799	799	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-36168	6.7	6.4	5.6	764	675	6.4	5.6	764	675	3.8	1.6	96.2	98.4	3.5	2.9	8.7	8.8
T-37886	7.1	6.5	3.6	773	426	6.5	3.6	773	426	0.0	0.0	100.0	100.0	0.0	0.0	50.0	44.9
T-3900	6.5	6.5	6.5	778	778	6.5	6.5	778	778	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-3901	6.1	6.1	6.1	729	729	6.1	6.1	729	729	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-3909	8.3	6.6	0.4	788	52	6.6	0.4	788	52	1.3	1.3	98.7	98.7	93.5	93.4	0.0	0.0
T-3919	6.5	6.5	6.5	777	777	6.5	6.5	777	777	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-3939	6.5	6.5	6.5	775	775	6.5	6.5	775	775	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-40565	7.6	6.3	4.3	755	514	6.3	4.3	755	514	10.0	10.4	90.0	89.6	0.0	0.0	33.3	32.0
T-40589	11.0	2.5	0.2	305	21	2.5	0.2	305	21	3.8	4.6	96.2	95.4	0.0	0.0	94.6	93.2
T-6013	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-8054	7.2	7.2	7.2	868	868	7.2	7.2	868	868	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-8805	7.2	7.2	7.2	863	863	7.2	7.2	863	863	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
T-9262	7.3	7.3	7.3	875	875	7.3	7.3	875	875	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TCP-1600	7.0	5.3	5.1	631	607	5.3	5.1	631	607	24.6	16.5	75.4	83.5	0.0	0.0	3.5	3.7
TCP9475	8.7	1.9	1.5	225	183	1.9	1.5	225	183	66.0	59.6	34.0	40.4	0.0	0.0	16.5	18.5
TH01000	7.2	6.9	6.9	831	831	6.9	6.9	831	831	3.8	3.2	96.2	96.8	0.0	0.0	0.0	0.0
TH035	8.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
TH036	9.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
TH036-G	9.6	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
TH037	10.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
TH0870-5	6.9	6.9	6.9	821	821	6.9	6.9	821	821	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TH0870-G	6.9	6.9	6.9	821	821	6.9	6.9	821	821	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TH5951-5	6.4	6.4	6.4	763	763	6.4	6.4	763	763	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TH5951-G	6.4	6.4	6.4	763	763	6.4	6.4	763	763	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TH5952-5	6.0	6.0	6.0	717	717	6.0	6.0	717	717	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TH5952-G	6.0	6.0	6.0	717	717	6.0	6.0	717	717	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TP28327	6.8	6.8	6.8	809	809	6.8	6.8	809	809	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TP28448	6.2	6.1	5.5	736	664	6.1	5.5	736	664	0.0	0.0	100.0	100.0	0.0	0.0	10.5	9.8
TP32907	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TP33364	6.6	6.6	1.7	793	206	6.6	1.7	793	206	0.0	0.0	100.0	100.0	0.0	0.0	74.0	74.0
TRP935	12.1	3.2	2.8	380	341	3.2	2.8	380	341	71.0	49.5	29.0	50.5	0.1	0.1	5.4	10.0
TRPE-405	7.6	3.4	3.3	404	396	3.4	3.3	404	396	54.8	45.2	45.2	50.1	0.0	0.0	1.9	1.9
TRT35W	9.8	3.7	3.0	439	356	3.7	3.0	439	356	55.9	40.5	44.1	59.5	0.0	0.0	13.9	18.9
TRT35R	8.4	3.7	2.9	439	351	3.7	2.9	439	350	47.7	39.9	52.3	60.1	0.0	0.0	17.3	20.1
TRT35G	8.2	3.7	2.9	439	348	3.7	2.9	439	348	46.5	38.6	53.5	61.4	0.0	0.0	18.0	20.6
TRT35B	8.1	3.7	2.8	442	335	3.7	2.8	442	335	44.3	37.1	55.8	62.9	0.0	0.0	21.0	24.1
TRT35S	8.2	3.7	2.8	438	340	3.7	2.8	438	340	45.8	37.5	54.2	62.5	0.0	0.0	19.8	22.5
TRT35M	8.2	3.7	2.9	446	353	3.7	2.9	446	353	46.0	38.3	54.0	61.8	0.0	0.0	18.1	20.8
TY3810	6.4	6.4	6.4	764	764	6.4	6.4	764	764	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
TY3819	6.5	6.5	6.5	778	778	6.5	6.5	778	778	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
UBL01	8.2	4.5	3.5	536	417	4.2	3.0	537	362	39.7	30.2	60.3	69.8	0.0	0.0	17.8	22.1
UC-1001	10.6	0.1	0.1	38	16	0.3	0.1	38	16	54.5	40.3	45.5	59.7	45.1	60.0	0.0	0.0
UC-1003	10.9	0.3	0.1	38	16	0.3	0.1	38	16	55.3	40.5	44.7	59.5	43.5	58.4	0.0	0.0
UC-1006	11.0	0.3	0.1	33	13	0.3	0.1	33	13	53.3	38.4	46.7	61.6	45.7	60.4	0.0	0.0
UC-2001	10.5	0.3	0.1	37	15	0.3	0.1	37	15	53.6	39.6	46.4	60.4	45.2	59.5	0.0	0.0
UC-2002	11.0	0.2	0.1	23	11	0.2	0.1	23	11	54.4	42.6	45.6	57.4	44.8	54.0	0.0	0.0
UC-7101	8.5	0.0	0.0	1	1	0.0	0.0	1	1	99.1	99.1	0.9	0.9	0.6	0.6	0.2	0.2
UC-8001	8.5	0.0	0.0	0	0	0.0	0.0	0	0	49.9	46.7	50.1	53.3	50.1	55.0	0.0	0.0
UC-9001	8.3	0.4	0.2	45	25	0.4	0.2	45	25	52.3	49.3	47.7	50.7	45.2	45.1	0.0	0.0
UMA	9.9	1.8	1.1	213	133	1.8	1.1	213	133	43.2	44.2	56.8	55.8	0.0	0.0	45.6	37.8
UMB	9.3	2.7	1.7	320	206	2.7	1.7	320	206	44.4	39.8	55.6	60.2	0.0	0.0	37.1	35.8
UMC	9.3	2.1	1.1	257	129	1.9	0.9	226	108	37.0	34.7	63.0	65.3	0.0	0.0	51.5	49.9
UNA01	8.3	4.5	3.4	540	405	4.2	2.9	508	345	39.2	28.7	60.8	71.3	0.0	0.0	20.0	25.0
UP2303	7.7	4.9	4.9	587	587	4.9	4.9	587	587	36.5	29.0	63.6	71.0	0.0	0.0	0.0	0.0
UP2305	7.7	4.9	4.9	587	587	4.9	4.9	587	587	36.5	29.0	63.6	71.0	0.0	0.0	0.0	0.0
UP2307	7.7	4.9	4.9	587	587	4.9	4.9	587	587	36.5	29.0	63.6	71.0	0.0	0.0	0.0	0.0
UP2323	8.2	5.2	5.2	621	621	5.2	5.2	621	621	36.5	30.7	63.5	69.3	0.0	0.0	0.0	0.0
UP2325	8.2	5.2	5.2	621	621	5.2	5.2	621	621	36.5	30.7	63.5	69.3	0.0	0.0	0.0	0.0
UP2327	8.2	5.2	5.2	621	621	5.2	5.2	621	621	36.5	30.7	63.5	69.3	0.0	0.0	0.0	0.0
UP2333	8.2	5.2	5.2	625	625	5.2	5.2	625	625	36.5	31.0	63.5	69.0	0.0	0.0	0.0	0.0
UP2333XS	8.1	5.2	5.2	618	618	5.2	5.2	618	618	36.0	30.1	64.0	69.9	0.0	0.0	0.0	0.0
UP2335	8.2	5.2	5.2	625	625	5.2	5.2	625	625	36.5	31.0	63.5	69.0	0.0	0.0	0.0	0.0
UP2371	9.7	0.9	0.4	105	45	0.9	0.4	105	45	35.1	35.2	64.9	64.8	0.0	0.0	61.0	57.5
UP2372	9.7	0.9	0.4	105	45	0.9	0.4	105	45	35.1	35.2	64.9	64.8	0.0	0.0	61.0	57.5
UP2381	8.8	0.8	0.4	105	44	0.8	0.4	105	44	37.4	37.4	62.6	65.8	0.0	0.0	58.7	58.7
UP2391	9.2	0.9	0.4	112	46	0.9	0.4	112	46	37.4	35.5	62.7	64.5	0.0	0.0		

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
V55020	8.1	4.9	4.8	584	572	4.9	4.8	584	572	39.0	32.8	61.0	67.2	0.0	0.0	2.0	2.0
V55021	8.2	4.5	4.4	538	526	4.5	4.4	538	526	45.0	38.0	55.0	62.0	0.0	0.0	1.7	2.2
V55026	8.2	4.4	4.3	533	519	4.4	4.3	533	519	45.0	37.6	55.0	62.4	0.0	0.0	2.1	2.6
V55027	8.1	5.0	4.9	595	593	4.6	4.1	557	486	38.6	30.0	61.4	70.0	0.0	0.0	0.3	0.3
V55028	8.3	4.5	4.5	544	539	4.5	4.5	544	539	45.0	37.3	55.0	62.7	0.0	0.0	0.8	0.9
V55029	8.5	4.5	4.5	543	537	4.5	4.5	543	537	46.5	38.2	53.5	61.8	0.0	0.0	0.9	1.2
V55030	8.4	5.1	5.0	606	604	5.1	5.0	606	604	40.0	30.7	60.0	69.3	0.0	0.0	0.3	0.4
V55031	8.2	4.2	4.0	498	476	4.2	4.0	498	476	48.0	41.4	52.0	58.6	0.0	0.0	3.6	4.4
V55032	8.5	4.9	4.8	587	579	4.9	4.8	587	579	42.0	35.9	58.0	69.1	0.1	0.1	1.0	1.3
V55033	8.3	4.2	4.2	509	499	4.2	4.2	509	499	48.0	39.3	52.0	60.7	0.0	0.0	1.6	2.0
V55041	11.7	4.7	4.7	562	560	4.7	4.7	562	560	60.0	34.1	40.0	65.9	0.0	0.0	0.2	0.3
V55043	8.6	4.7	4.7	565	560	4.7	4.7	565	560	45.0	34.9	55.0	65.1	0.0	0.0	0.7	0.9
V55045	8.2	4.9	4.8	585	579	4.8	4.6	574	547	40.0	30.7	60.0	69.3	0.0	0.0	0.8	1.0
V55046	8.8	4.4	4.4	528	526	4.4	4.4	528	526	49.9	38.9	50.1	61.1	0.1	0.1	0.2	0.2
V55050	8.5	4.9	4.8	585	575	4.9	4.7	581	565	42.0	32.3	58.0	67.7	0.0	0.0	1.3	1.7
V55053	8.6	4.4	4.4	532	523	4.4	4.4	532	523	48.0	38.8	52.0	61.2	0.0	0.0	1.3	1.7
V55061	8.1	4.4	4.4	532	523	4.4	4.4	532	523	45.0	36.8	55.0	63.2	0.0	0.0	1.3	1.6
V55062	7.9	4.7	4.7	566	560	4.7	4.6	562	549	40.0	34.9	60.0	65.1	0.0	0.0	0.8	1.0
V55064	8.4	4.2	4.1	507	494	4.2	4.1	507	494	48.7	40.9	51.3	59.1	0.0	0.0	2.1	2.7
V55066	8.4	4.2	4.1	500	489	4.2	4.1	500	489	50.0	42.0	50.0	58.0	0.0	0.0	1.7	2.2
V55070	8.1	4.1	3.9	492	468	4.1	3.9	492	468	48.0	41.9	52.0	58.1	0.0	0.0	3.9	4.8
V55081	10.4	4.1	4.0	493	480	4.1	4.0	493	480	59.9	42.8	40.2	57.2	0.2	0.2	1.5	2.3
V55082	8.6	3.7	3.5	444	420	3.7	3.5	444	420	55.0	46.9	45.0	53.1	0.0	0.0	4.1	5.3
V55084	8.8	4.1	3.9	493	472	4.1	3.9	493	472	52.0	41.8	48.0	58.2	0.0	0.0	3.2	4.3
V55085	8.6	4.3	4.2	513	505	4.3	4.2	513	505	50.0	40.6	50.0	59.4	0.0	0.0	1.2	1.6
V55086	8.5	4.4	4.4	529	525	4.4	4.4	529	525	47.9	39.3	52.1	60.7	0.1	0.1	0.5	0.6
V55090	9.3	4.3	4.2	511	503	4.3	4.2	511	503	54.0	40.2	46.0	59.8	0.0	0.0	1.1	1.5
V55091	9.0	4.6	4.6	557	547	4.6	4.6	557	547	48.0	35.1	52.0	64.9	0.0	0.0	1.3	1.7
V55093	8.2	4.2	4.2	508	500	4.0	3.6	476	430	47.6	43.0	52.4	60.5	0.0	0.0	1.3	1.6
V55101	9.4	4.4	4.2	524	506	4.4	4.2	524	506	52.9	38.7	47.1	61.3	0.0	0.0	2.4	3.5
V55102	9.4	4.4	4.2	523	505	4.4	4.2	523	505	53.0	38.8	47.0	61.2	0.0	0.0	2.4	3.5
V55103	9.4	4.4	4.2	524	506	4.4	4.2	524	506	52.9	38.7	47.1	61.3	0.0	0.0	2.4	3.5
V55104	9.5	4.4	4.2	526	508	4.4	4.2	526	508	53.0	38.5	47.0	61.5	0.0	0.0	2.4	3.5
V55105	9.5	4.4	4.2	525	507	4.4	4.2	525	507	53.0	38.6	47.0	61.4	0.0	0.0	2.4	3.5
V55106	8.6	4.1	3.9	487	465	4.1	3.9	487	465	51.6	42.4	48.4	57.6	0.0	0.0	3.4	4.5
V55107	9.5	4.4	4.2	527	508	4.4	4.2	527	508	52.9	38.4	47.1	61.6	0.0	0.0	2.4	3.5
V55109	9.4	4.4	4.2	524	506	4.4	4.2	524	506	52.9	38.7	47.1	61.3	0.0	0.0	2.4	3.5
V55111	9.5	4.4	4.2	526	508	4.4	4.2	526	508	52.8	38.5	47.2	61.5	0.0	0.0	2.4	3.5
V55112	9.5	4.4	4.2	526	508	4.4	4.2	526	508	52.8	38.5	47.2	61.5	0.0	0.0	2.4	3.5
V55114	9.5	4.4	4.2	526	508	4.4	4.2	526	508	53.0	38.5	47.0	61.5	0.0	0.0	2.4	3.5
V55120	9.6	4.4	4.3	530	511	4.4	4.3	530	511	53.0	38.1	47.0	61.9	0.0	0.0	2.4	3.5
V55121	9.6	4.4	4.3	532	513	4.4	4.3	532	513	53.0	37.9	47.0	62.1	0.0	0.0	2.4	3.5
V55123	9.6	4.4	4.3	533	514	4.4	4.3	533	514	53.0	37.9	47.0	62.2	0.0	0.0	2.4	3.5
V55124	9.6	4.4	4.3	534	515	4.4	4.3	534	515	53.0	37.6	47.0	62.4	0.0	0.0	2.4	3.5
V55150	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
V55156	7.3	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
V55157	8.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
V55158	11.2	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
V55159	11.0	0.0	0.0	0	0	0.0	0.0	0	0	6.0	7.4	94.0	92.6	0.0	0.0	94.0	92.6
V55160	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
V55170	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
V55180	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
V55190	6.8	6.8	6.8	815	815	6.8	6.8	815	815	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
V55211	8.9	4.6	4.5	549	540	4.6	4.5	549	540	48.0	35.2	52.0	64.8	0.0	0.0	1.2	1.7
V55213	8.8	4.6	4.5	546	537	4.6	4.5	546	537	48.0	34.7	52.0	65.3	0.0	0.0	1.3	1.7
V55214	8.9	4.6	4.5	547	538	4.6	4.5	547	538	48.0	36.1	52.0	63.9	0.0	0.0	1.3	1.7
V55216	8.7	4.5	4.4	535	524	4.5	4.4	535	524	48.0	36.9	52.0	63.1	0.0	0.0	1.6	2.1
V55219	8.9	4.6	4.5	553	544	4.6	4.5	553	544	48.0	35.1	52.0	65.0	0.0	0.0	1.2	1.7
V55278	9.0	4.4	4.3	531	513	4.4	4.3	531	513	50.0	36.1	50.0	63.9	0.0	0.0	2.5	3.4
V55279	9.0	4.4	4.2	535	507	4.4	4.2	535	507	50.0	36.7	50.0	63.5	0.0	0.0	2.5	3.5
V55294	8.9	4.4	4.3	531	521	4.4	4.3	531	521	50.0	37.3	50.0	62.9	0.0	0.0	1.4	2.0
V55295	8.9	4.4	4.3	528	518	4.4	4.3	528	518	50.0	37.8	50.0	62.2	0.0	0.0	1.4	1.9
V55300	8.3	4.2	4.2	499	499	4.2	4.2	499	499	50.0	43.1	50.0	56.9	0.0	0.0	0.0	0.0
V55310	7.9	5.7	5.7	685	685	5.7	5.7	685	685	27.2	22.1	72.8	77.9	0.0	0.0	0.0	0.0
V55320	8.2	4.7	4.7	567	567	4.7	4.7	567	567	42.0	35.4	58.0	64.6	0.0	0.0	0.0	0.0
V55330	9.1	0.9	0.8	107	90	0.9	0.8	107	90	78.4	74.2	21.6	25.8	0.0	0.0	13.3	15.6
V55400	9.5	4.4	4.2	527	509	4.4	4.2	527	509	53.0	38.4	47.0	61.6	0.0	0.0	2.4	3.5
V55401	9.5	4.4	4.3	528	510	4.4	4.3	528	510	53.0	38.2	47.0	61.8	0.0	0.0	2.4	3.5
V55402	9.6	4.5	4.3	534	515	4.5	4.3	534	515	53.0	37.6	47.0	62.4	0.0	0.0	2.4	3.5
V55403	9.6	4.5	4.3	534	516	4.5	4.3	534	516	53.0	37.5	47.0	62.5	0.0	0.0	2.4	3.5
V55407	8.9	4.4	4.3	528	518	4.4	4.3	528	518	50.0	37.8	50.0	62.2	0.0	0.0	1.4	1.9
V55407	8.9	4.4	4.3	528	518	4.4	4.3	528	518	50.0	37.8	50.0	62.2	0.0	0.0	1.4	1.9
V55408	9.0	4.4	4.3	531	513	4.4	4.3	531	513	50.0	36.1	50.0	63.9	0.0	0.0	2.5	3.4
V55409	9.0	4.4	4.2	525	507	4.4	4.2	525	507	50.3	36.7	49.7	63.5	0.0	0.0	2.5	3.5
V55410	9.0	4.6	4.5	552	542	4.6	4.5	552	542	48.3	37.5	51.7	62.3	0.0	0.0	1.2	1.7
V55412	9.0	4.6	4.5	548	539	4.6	4.5	548	539	48.6	35.3	51.4	64.7	0.0	0.0	1.2	1.7
V55413	8.1	4.7	4.6	571	562	4.7	4.6	571	562	52.0	46.7	59.0	71.1	0.0	0.0	3.6	4.6
V55414	8.3	4.8	4.8	581	581	4.8	4.8	581	581	40.0	34.2	60.0	65.8	0.0	0.0	0.0	

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
WB1007	8.8	3.1	1.2	375	139	3.1	1.2	375	139	26.5	20.1	73.5	79.9	59.6	61.9	0.8	1.1
WB1008	8.8	3.1	1.2	376	139	3.1	1.2	376	139	26.5	20.0	73.5	80.0	59.6	62.0	0.8	1.1
WB1009	8.8	3.1	1.2	372	139	3.1	1.2	372	139	26.5	20.2	73.5	79.8	59.5	61.6	0.8	1.1
WB1011	8.8	3.1	1.2	374	139	3.1	1.2	374	139	26.5	20.1	73.5	79.9	59.6	61.9	0.8	1.1
WB1012	8.8	3.1	1.2	375	139	3.1	1.2	375	139	26.5	20.2	73.5	79.8	59.5	61.9	0.8	1.1
WB1013	8.8	3.1	1.2	376	139	3.1	1.2	376	139	26.4	19.9	73.6	80.1	59.6	62.0	0.8	1.1
WB1014	8.8	3.1	1.2	375	139	3.1	1.2	375	139	26.5	20.1	73.5	79.9	59.6	61.9	0.8	1.1
WB1015	8.8	3.1	1.2	373	139	3.1	1.2	373	139	26.4	20.2	73.6	79.8	59.6	61.8	0.8	1.1
WB1016	8.8	3.2	1.2	389	140	3.2	1.2	389	140	25.4	18.9	74.6	81.1	60.4	62.9	0.9	1.1
WB1017	8.8	3.1	1.1	371	134	3.1	1.1	371	134	26.6	19.9	73.4	80.1	59.8	62.7	0.9	1.2
WB1018	8.8	3.1	1.2	376	139	3.1	1.2	376	139	26.5	19.9	73.5	80.1	59.6	61.9	0.8	1.1
WB1019	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	20.0	73.5	80.0	59.6	62.3	0.8	1.1
WB1020	8.8	3.1	1.2	377	139	3.1	1.2	377	139	26.5	19.9	73.5	80.1	59.5	62.0	0.8	1.1
WB1021	8.8	3.2	1.2	378	139	3.2	1.2	378	139	26.5	19.8	73.5	80.2	59.6	62.1	0.8	1.1
WB1022	8.8	3.2	1.2	379	139	3.2	1.2	380	139	26.4	19.7	73.6	80.3	59.6	62.2	0.8	1.1
WB1023	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.2	0.8	1.1
WB1024	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.2	0.8	1.1
WB1025	8.8	3.2	1.2	379	139	3.2	1.2	379	139	26.5	19.7	73.5	80.3	59.6	62.1	0.8	1.1
WB1026	8.8	3.1	1.1	377	134	3.1	1.1	377	134	26.7	19.6	73.3	80.4	59.7	63.1	0.9	1.2
WB1030	8.6	3.4	1.0	412	117	3.4	1.0	412	117	17.3	14.1	82.7	86.0	70.8	71.0	0.5	0.6
WB1031	8.9	4.2	2.0	508	242	4.2	2.0	508	242	24.5	17.7	75.5	82.3	52.1	51.7	0.6	0.8
WB1032	8.8	4.3	1.9	512	223	4.3	1.9	512	223	21.5	15.6	78.5	84.4	56.8	55.8	0.5	0.7
WB1033	8.7	4.2	1.9	505	224	4.2	1.9	505	224	22.6	16.2	77.4	83.8	55.4	54.9	0.6	0.8
WB1035	8.8	3.9	1.6	465	188	3.9	1.6	465	188	23.1	17.1	76.9	82.9	58.6	58.9	0.6	0.8
WB1037	8.7	3.8	1.3	453	158	3.8	1.3	453	158	20.1	15.0	79.9	85.0	64.0	64.3	0.6	0.7
WB1039	8.5	3.5	1.3	413	157	3.5	1.3	413	157	22.6	18.8	77.4	81.2	61.4	61.3	0.6	0.8
WB1041	8.6	3.7	1.2	444	139	3.7	1.2	444	139	20.5	15.1	79.5	84.9	63.9	67.9	0.5	0.7
WB1050	8.7	0.9	0.1	105	17	0.9	0.1	105	17	17.3	13.6	82.7	86.4	81.1	84.0	0.0	0.0
WB1060	8.3	2.4	0.2	293	19	2.4	0.2	293	19	4.7	4.3	95.3	95.7	93.3	93.6	0.1	0.1
WB1078	8.4	4.4	1.6	528	191	4.4	1.6	528	191	18.2	13.2	81.8	86.8	62.4	63.1	0.5	0.6
WB1092	8.5	3.4	0.9	402	108	3.4	0.9	402	108	16.5	13.8	83.5	86.2	72.3	72.5	0.5	0.7
WB1096	8.4	3.5	0.9	420	105	3.5	0.9	420	105	15.6	12.6	84.4	87.4	73.5	74.3	0.5	0.7
WB1097	8.7	4.3	1.9	517	228	4.3	1.9	517	228	20.1	14.7	79.9	85.3	57.4	55.3	0.5	0.6
WB1098	8.5	4.4	1.8	524	215	4.4	1.8	524	215	21.1	15.7	78.9	84.3	57.1	58.2	0.6	0.7
WB1717	8.8	3.1	1.1	374	134	3.1	1.1	374	134	26.6	19.8	73.4	80.2	59.8	63.0	0.9	1.2
WB1725	8.8	3.1	1.2	369	138	3.1	1.2	369	138	26.5	20.5	73.5	79.5	59.6	61.6	0.8	1.1
WB1726	8.7	3.1	1.1	366	133	3.1	1.1	366	133	26.4	20.5	73.6	79.5	60.0	62.5	0.9	1.2
WB1729	8.8	3.1	1.2	376	138	3.1	1.2	376	138	26.5	20.3	73.5	79.7	59.6	62.1	0.8	1.1
WB1732	8.8	3.1	1.2	373	138	3.1	1.2	373	138	26.5	20.4	73.5	79.6	59.5	61.9	0.8	1.1
WB1735	8.3	3.2	0.6	386	77	3.2	0.6	386	77	12.2	10.3	87.8	89.7	79.5	79.2	0.6	0.7
WB1736	8.6	2.9	0.7	342	79	2.9	0.7	342	79	17.8	13.6	82.2	86.4	74.1	76.3	0.5	0.6
WB1737	8.4	2.2	0.5	258	64	2.2	0.5	258	64	18.9	14.7	81.1	83.3	73.8	74.1	1.0	1.2
WB1738	8.4	2.4	1.0	407	114	2.4	1.0	407	114	16.5	14.2	83.5	85.8	71.7	71.3	0.6	0.7
WB1739	8.4	4.4	1.6	526	191	4.4	1.6	526	191	18.1	13.2	81.9	85.9	63.2	63.5	0.5	0.6
WB1780	8.6	4.4	1.6	526	189	4.4	1.6	525	189	19.4	13.7	80.6	86.3	61.8	62.3	0.5	0.6
WB1781	8.8	4.2	1.6	508	187	4.2	1.6	508	187	21.2	14.4	78.8	85.7	60.5	62.5	0.5	0.6
WB1795	8.7	3.3	1.2	399	149	3.3	1.2	399	149	25.2	19.8	74.8	80.2	59.6	61.6	0.8	1.1
WB1796	8.8	3.1	1.1	369	134	3.1	1.1	369	134	26.6	20.2	73.4	79.8	59.8	62.7	0.9	1.2
WB20	8.5	2.0	0.3	237	30	2.0	0.3	237	30	11.6	9.3	88.4	90.7	85.1	86.7	0.4	0.4
WB2010	8.5	1.9	0.5	222	65	1.9	0.5	222	65	23.3	20.9	76.7	79.1	69.1	69.2	1.2	1.5
WB2020	8.4	1.9	0.3	228	41	1.9	0.3	228	41	14.5	12.9	85.5	87.1	80.7	80.9	0.7	0.9
WB2021	8.4	2.0	0.4	237	43	2.0	0.4	237	43	14.2	12.5	85.8	87.5	80.8	81.0	0.8	1.1
WB2030	8.5	1.9	0.6	222	66	1.9	0.6	222	66	23.5	21.2	76.5	78.8	68.8	68.9	1.2	1.5
WB2031	8.5	1.9	0.6	227	69	1.9	0.6	227	69	24.0	21.4	76.0	78.6	67.8	68.0	1.4	1.8
WB2040	8.4	2.3	0.5	271	63	2.3	0.5	271	63	17.2	15.2	82.8	84.8	75.9	76.1	0.6	0.8
WB2045	8.5	2.7	0.6	319	72	2.7	0.6	318	72	16.7	14.7	83.3	85.3	75.5	76.5	0.7	0.9
WB2047	8.3	1.6	0.3	197	40	1.6	0.3	197	40	17.3	15.1	82.7	84.9	74.2	74.0	4.5	5.7
WB2060	8.3	2.4	0.2	293	19	2.4	0.2	293	19	4.7	4.3	95.3	95.7	93.3	93.6	0.1	0.1
WB2075	9.2	2.8	2.8	330	330	2.8	2.8	330	330	70.0	65.7	30.0	34.3	0.0	0.0	0.0	0.0
WB2091	8.4	1.9	0.4	237	48	1.9	0.4	237	48	17.1	15.9	82.9	84.7	77.2	77.4	0.7	0.9
WB2093	8.4	3.4	0.8	409	92	3.4	0.8	409	92	13.7	12.1	86.3	88.0	76.4	76.6	0.7	0.9
WB2095	7.9	7.9	7.9	950	950	7.9	7.9	950	950	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
WB21	8.8	1.1	0.2	138	23	1.1	0.2	138	23	18.2	13.7	81.8	86.3	79.2	82.9	0.5	0.5
WB23	8.7	2.5	0.5	304	57	2.5	0.5	304	57	16.8	12.6	83.2	87.4	77.3	80.6	0.4	0.5
WB2331	8.5	3.9	1.4	472	163	3.9	1.4	472	163	19.5	15.4	80.1	84.6	63.6	64.9	0.5	0.7
WB24	8.9	1.1	0.2	131	28	1.1	0.2	131	28	22.9	17.4	77.1	82.6	74.0	78.5	0.5	0.6
WB25	8.7	1.2	0.1	144	17	1.2	0.1	144	17	12.9	9.4	87.1	90.6	85.1	87.9	0.4	0.4
WB26	8.4	2.1	0.3	247	40	2.1	0.3	247	40	12.7	11.1	87.3	88.9	82.7	83.2	0.6	0.7
WB27	8.7	2.1	0.4	252	47	2.1	0.4	252	47	17.7	13.5	82.3	86.5	77.4	80.9	0.4	0.5
WB28	8.9	1.6	0.4	192	49	1.6	0.4	192	49	26.5	20.6	73.5	79.4	68.4	73.6	0.6	0.7
WB30	8.9	1.0	0.1	121	16	1.0	0.1	121	16	16.9	11.3	83.1	88.7	81.0	85.9	0.6	0.7
WB31	8.4	2.1	0.3	248	41	2.1	0.3	248	41	13.2	11.4	86.8	88.6	82.1	82.6	0.6	0.8
WB32	9.4	1.9	0.4	233	46	1.9	0.4	233	46	23.4	13.9	76.6	86.1	71.8	79.6	0.7	0.9
WB40	8.6	1.2	0.2	141	19	1.2	0.2	141	19	14.7	11.4	85.3	88.6	83.2	86.0	0.2	0.2
WB41	10.0	1.1	0.4	136	45	1.1	0.4	136	45	39.7	27.4	60.3	72.7	56.0	66.4	0.5	0.6
WB42	9.2	0.8	0.2	90	20	0.8	0.2	90	20	27.2	19.8	72.8	80.2	70.6	77.1	0.3	0.4
WB45	9.8	1.0	0.1	117	14	1.0	0.1	117	14	14.9	10.5	84.5	89.1	83.2	85.3	0.5	0.5
WB46	9.1	1.7	0.4	199	48	1.7	0.4	199	4								

STOCK CODE	GALLON WEIGHT (lb/gal)	VOC (LE) lb/gal	VOC (AP) lb/gal	VOC (LE) g/L	VOC (AP) g/L	VOC (LE) TBAC (lb/gal)	VOC (AP) TBAC (lb/gal)	VOC (LE) TBAC (g/L)	VOC (AP) TBAC (g/L)	WEIGHT SOLIDS %	VOLUME SOLIDS %	WEIGHT VOLATILES %	VOLUME VOLATILES %	WEIGHT WATER %	VOLUME WATER %	WEIGHT EXEMPT VOLATILE %	VOLUME EXEMPT VOLATILE %
XP1070	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
XP108	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.7	21.8	69.3	78.2	0.0	0.0	0.0	0.0
XP1080	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
XP109	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.4	21.8	69.6	78.2	0.0	0.0	0.0	0.0
XP1090	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
XP1099	7.2	7.2	7.2	857	857	7.2	7.2	857	857	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
XP111	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.5	21.8	69.5	78.2	0.0	0.0	0.0	0.0
XP112	8.4	5.7	5.7	683	683	5.7	5.7	683	683	31.9	21.8	68.1	78.2	0.0	0.0	0.0	0.0
XP113	8.4	5.7	5.7	683	683	5.7	5.7	683	683	32.2	21.8	67.8	78.2	0.0	0.0	0.0	0.0
XP114	8.4	5.7	5.7	683	683	5.7	5.7	683	683	32.0	21.8	68.0	78.2	0.0	0.0	0.0	0.0
XP115	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.4	21.8	69.6	78.2	0.0	0.0	0.0	0.0
XP116	8.3	5.7	5.7	683	683	5.7	5.7	683	683	31.3	22.0	68.7	78.0	0.0	0.0	0.0	0.0
XP120	8.3	5.7	5.7	683	683	5.7	5.7	683	683	30.9	21.8	69.1	78.2	0.0	0.0	0.0	0.0
XP121	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.0	21.8	69.0	78.2	0.0	0.0	0.0	0.0
XP122	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.1	21.8	68.9	78.2	0.0	0.0	0.0	0.0
XP123	8.3	5.7	5.7	684	683	5.7	5.7	684	683	31.1	21.8	68.9	78.2	0.0	0.0	0.0	0.0
XP124	8.5	5.7	5.7	683	683	5.7	5.7	683	683	32.6	21.8	67.4	78.2	0.0	0.0	0.0	0.0
XP125	8.3	5.7	5.7	683	683	5.7	5.7	683	683	31.2	21.8	68.8	78.2	0.0	0.0	0.0	0.0
XP131	8.0	5.7	5.7	683	682	5.7	5.7	683	682	28.4	21.8	71.6	78.2	0.1	0.0	0.0	0.0
XP132	7.9	5.7	5.7	683	683	5.7	5.7	683	683	27.9	21.8	72.1	78.2	0.1	0.0	0.0	0.0
XP133	8.0	5.7	5.7	680	680	5.7	5.7	680	680	28.7	21.8	71.3	78.2	0.1	0.0	0.0	0.0
XP134	8.0	5.7	5.7	684	683	5.7	5.7	684	683	28.4	21.8	71.6	78.2	0.0	0.0	0.0	0.0
XP135	8.0	5.7	5.7	683	682	5.7	5.7	683	682	28.6	21.8	71.4	78.2	0.0	0.0	0.0	0.0
XP136	7.9	5.7	5.7	683	682	5.7	5.7	683	682	28.3	21.8	71.7	78.2	0.1	0.0	0.0	0.0
XP178	8.0	5.7	5.7	680	679	5.7	5.7	680	679	28.8	21.8	71.2	78.2	0.1	0.0	0.0	0.0
XP179	8.0	5.7	5.7	680	679	5.7	5.7	680	679	28.7	21.8	71.3	78.2	0.1	0.0	0.0	0.0
XP179	8.0	5.7	5.7	680	679	5.7	5.7	680	679	28.7	21.8	71.3	78.2	0.1	0.0	0.0	0.0
XP18	8.0	5.7	5.7	682	681	5.7	5.7	682	681	28.9	21.8	71.1	78.2	0.0	0.0	0.0	0.0
XP194	8.0	5.7	5.7	682	682	5.7	5.7	682	682	28.7	21.8	71.3	78.2	0.1	0.0	0.0	0.0
XP196	7.9	5.7	5.7	683	683	5.7	5.7	683	683	27.9	22.2	72.1	77.8	0.1	0.0	0.0	0.0
XP197	7.9	5.7	5.7	683	683	5.7	5.7	683	683	27.9	21.7	72.1	78.3	0.1	0.0	0.0	0.0
XP198	7.9	5.7	5.7	683	682	5.7	5.7	683	682	28.0	21.8	72.0	78.3	0.1	0.0	0.0	0.0
XP20	7.8	5.7	5.7	683	680	5.7	5.7	683	680	26.6	21.9	73.4	78.1	0.1	0.1	0.4	0.3
XP225	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.0	21.8	70.0	78.2	0.0	0.0	0.0	0.0
XP226	8.1	5.7	5.7	683	683	5.7	5.7	683	683	29.7	21.8	70.3	78.2	0.0	0.0	0.0	0.0
XP232	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.2	21.8	69.8	78.2	0.0	0.0	0.0	0.0
XP237	7.7	5.7	5.7	683	683	5.7	5.7	683	683	26.4	22.0	73.6	78.0	0.1	0.1	0.0	0.0
XP238	7.8	5.7	5.7	683	683	5.7	5.7	683	683	27.1	21.8	72.9	78.2	0.1	0.1	0.0	0.0
XP26	7.8	5.7	5.7	680	680	5.7	5.7	680	680	27.4	21.8	72.6	78.2	0.0	0.0	0.0	0.0
XP27	7.8	5.6	5.6	676	676	5.6	5.2	666	629	27.6	21.8	72.4	78.2	0.1	0.0	0.0	0.0
XP274	7.9	5.7	5.7	682	682	5.7	5.7	682	682	27.6	22.5	72.4	77.5	0.0	0.0	0.0	0.0
XP280	8.5	5.7	5.7	682	682	5.7	5.7	682	682	33.1	23.3	66.9	76.8	0.0	0.0	0.0	0.0
XP281	8.5	5.7	5.7	684	683	5.7	5.7	684	683	32.8	22.8	67.3	77.3	0.0	0.0	0.0	0.0
XP29	7.9	5.7	5.7	683	683	5.7	5.7	683	683	27.9	21.9	72.1	78.1	0.0	0.0	0.0	0.0
XP295	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.1	21.8	69.9	78.2	0.0	0.0	0.0	0.0
XP296	8.2	5.7	5.7	683	683	5.7	5.7	683	683	30.2	21.8	69.8	78.2	0.0	0.0	0.0	0.0
XP300	7.6	6.2	6.2	745	745	6.2	6.2	745	745	17.7	14.7	82.3	85.3	0.1	0.1	0.0	0.0
XP321	8.3	4.7	4.7	557	557	4.7	4.7	557	557	44.0	36.6	56.0	63.4	0.0	0.0	0.0	0.0
XP328	8.3	4.7	4.7	565	565	4.7	4.7	565	565	43.0	34.9	57.0	65.1	0.0	0.0	0.0	0.0
XP330	8.7	4.6	4.6	552	552	4.6	4.6	552	552	46.9	37.0	53.1	63.0	0.0	0.0	0.0	0.0
XP331	8.4	4.3	4.3	510	510	4.3	4.3	510	510	49.3	42.2	50.7	57.8	0.0	0.0	0.0	0.0
XP332	8.9	4.4	4.4	529	528	4.4	4.4	529	528	50.2	37.4	49.8	62.6	0.2	0.2	0.0	0.0
XP333	8.2	4.6	4.6	551	551	4.6	4.6	551	551	44.2	35.2	55.8	64.8	0.0	0.0	0.0	0.0
XP366	8.3	4.9	4.9	583	583	4.9	4.9	583	583	41.4	33.3	58.6	66.7	0.0	0.0	0.0	0.0
XP370	8.2	4.3	4.3	516	516	4.3	4.3	516	516	47.4	41.0	52.6	59.0	0.0	0.0	0.0	0.0
XP385	8.5	4.9	4.9	583	583	4.9	4.9	583	583	42.7	32.7	57.3	67.3	0.0	0.0	0.0	0.0
XP393	8.1	4.5	4.5	543	543	4.2	3.8	505	452	44.3	35.7	55.7	64.3	0.0	0.0	0.0	0.0
XP41	9.2	5.2	5.2	624	624	5.2	5.2	624	624	43.5	28.5	56.5	71.5	0.1	0.1	0.0	0.0
XP43	8.2	5.2	5.2	623	623	5.2	5.2	623	623	36.2	28.6	63.8	71.4	0.1	0.1	0.0	0.0
XP45	7.8	5.6	5.6	677	676	5.6	5.5	674	663	27.9	21.8	72.1	78.2	0.1	0.0	0.0	0.0
XP46	8.2	5.2	5.2	626	626	5.2	5.2	626	626	35.9	28.0	64.1	72.0	0.1	0.1	0.0	0.0
XP50	8.1	5.2	5.2	623	621	5.2	5.1	622	616	35.7	28.5	64.3	71.5	0.1	0.1	0.3	0.3
XP53	8.2	5.2	5.2	625	625	5.2	5.2	625	625	36.4	28.5	63.6	71.5	0.1	0.0	0.0	0.0
XP61	7.8	5.7	5.7	678	677	5.7	5.7	678	677	27.2	21.8	72.8	78.2	0.1	0.0	0.0	0.0
XP62	7.7	5.6	5.6	674	672	5.6	5.6	673	668	26.9	22.7	73.1	77.3	0.1	0.0	0.2	0.2
XP64	7.9	5.7	5.7	682	682	5.7	5.7	682	682	27.6	21.8	72.4	78.2	0.0	0.0	0.0	0.0
XP81	9.5	5.2	5.2	625	624	5.2	5.2	624	624	44.8	28.5	55.2	71.5	0.2	0.2	0.0	0.0
XP82	8.1	5.4	5.4	651	651	5.4	5.4	651	651	32.7	25.5	67.3	74.5	0.1	0.1	0.0	0.0
XP84	8.0	5.4	5.4	651	651	5.4	5.4	651	651	32.1	25.5	67.9	74.5	0.1	0.1	0.0	0.0
XP86	8.1	5.2	5.2	624	624	5.2	5.2	624	624	35.3	28.5	64.7	71.5	0.1	0.1	0.0	0.0
XP90	8.2	5.7	5.7	679	679	5.7	5.7	679	679	30.9	21.8	69.1	78.2	0.0	0.0	0.0	0.0
XP91	8.2	5.7	5.7	681	680	5.7	5.7	681	680	30.4	21.7	69.6	78.3	0.1	0.0	0.0	0.0
XR-60	7.7	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
XR-70	8.8	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
XR-85	10.1	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0
XSC	8.0	4.6	3.8	551	458	4.6	3.8	551	458	36.6	31.8	63.4	68.2	0.0	0.0	15.9	16.9
Y32035	6.7	6.7	6.7	799	799	6.7	6.7	799	799	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
Y32401	7.9	7.9	7.9	941	941	7.9	7.9	941	941	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0